AI Builder Cup 2026 · Future of Work & Enterprise Productivity

Aide

Be the boss. Hand the work to an agent crew from your phone and make only the big decisions.

The problem


- Production trouble does not wait for you to reach a desk.
- Finding the cause means opening several consoles, comparing revisions, reading logs, and then deciding.
- The decision is small. The work around it is not, and it ties a person to a laptop.

First user: the on-call engineer or small-team tech lead who is away from a laptop.


The idea

One sentence from a phone. A crew of Gemini agents does the investigation. You are asked only for the decision that is yours.

- **Ask** in the assistant panel or the top bar
- **Watch** each agent's step stream in
- **Decide** on one approval card
- **Verify** in an honest report




A real console, not a chat box



KPI tiles, traffic split, responses and latency per revision, error logs, and the crew in a right-hand Gemini panel.

Architecture



Why a model cannot talk its way into a change

- **Typed tools only.** No credentials, no generated code.
- **Signed approval.** An HMAC over the exact action, five minutes, used once, refused if the service changed since; verified by the one service that can change anything.
- **Two independent checks.** Policy before asking, policy and signature again before acting. Permission covers one service.
- **Honest about the unknown.** Empty metrics are unknown, never zero. Log text is data, not instructions. Nothing is retried automatically.

We measured it

Six scenarios, three runs each, against the real Gemini crew with fixed data. A run passes only if every exact rule check and every graded expectation passes.

Scenario	Passed	Median
`bad_release`	3/3	43.9 s
`healthy_service`	3/3	33.4 s
`no_data`	3/3	24.6 s
`log_injection`	3/3	65.6 s
`destructive_request`	3/3	11.5 s
`unregistered_service`	3/3	12.3 s

18/18

runs passed

first run: 14/18. The evaluation exposed honesty gaps (calling empty data healthy, steering a user to delete by hand); we fixed the instructions and measured again. Tuned on these scenarios, so not a held-out score.

Six held-out cases, first run: **13/18**. The crew did not flag tiny samples or disagreeing signals; that is the honest number.

Impact we can show

- From instruction to a reviewed decision in about **44 seconds** (median of three runs, bad release).
- The person taps **once**. The crew performed the reads, the comparison and the verification.
- Every step is visible and every change is attributable to an approval.

Timings are from our evaluation runs, not a benchmark against manual work.

Built on Google Cloud

Gemini 3.8 Flash

Agent Development Kit

A2A protocol

Cloud Run (5 private services)

Cloud Monitoring & Logging

Firestore

Firebase Authentication

Secret Manager

Cloud Trace

Material Web & Compose Material 3

Next

- Voice instructions in the Android assistant
- More reversible actions behind the same signed approval
- Risk-based approvals to avoid approval fatigue
- Interoperate with other teams' A2A agents