



Function

#4 Session

TABLE OF CONTENTS

01

Function

03

Built-in Function

04

Superglobals

05

Magic Constant

01

Function

INTRODUCTION

What does **Function** mean?

A function is a **piece of code** which takes one more input in the form of parameter and does some processing and returns a value.



Rules of Creating (Declaring) Function

Same as variable **but**:

- 1- Case-Insensitive
- 2- Can calling before define

Function

Here's what you'll **learn** about function:

1. **Define** and **call** function
2. **Parameters** or Arguments
3. **Return** values
4. Function **scope**
5. **Default** Parameters
6. Return **Type** Declarations
7. Passing Parameters by **Reference**

#Syntax Example

```
<?php
```

```
function functionName(){
```

```
    //Code
```

```
}
```

Define and call

```
<?php
```

```
sayHello();
```

```
function sayHello(){  
    echo "Hello";  
}
```

```
?>
```


Parameters or Arguments

```
<?php
```

```
function getSum($num1, $num2){  
    echo $num1 + $num2;  
}
```

```
getSum(10, 20); //20
```

?

#Parameters Default Values

```
<?php  
  
function getSum($num1 = 10, $num2 = 20)  
{  
    echo $num1 + $num2;  
}  
  
getSum(); //30  
getSum(15, 25); //40
```

#Return Type Declaration

```
<?php
```

```
function getSum($num1, $num2) :float  
{  
    return $num1 + $num2;  
}
```

```
// note that value is float number
```

```
var_dump(getSum(10, 20));
```

```
?>
```

#Function Scope 1

```
<?php  
function test(){  
    $greet = "Hello World!";  
    echo $greet;  
}
```

```
test() //Hello World!
```

```
echo $greet; // undefined variable error
```

#Function Scope 2

```
<?php
```

```
$hello = "Hello World!";
```

```
function test(){
```

```
    echo $hello;
```

```
}
```

```
test() //error
```

```
echo $hello; //hello world
```

#global

global keyword

\$GLOBALS

?

02

Built-in Function

#Built-In Function Example

```
<?php
```

```
$hello = "Hello World!";
```

```
var_dump(is_string($hello)); // true
```

Reference

?

03

Magic constant

#Magic constant Example

```
<?php
```

```
echo PHP_INT_MAX;
```

Reference

?

04

Predefined Variables (Superglobals)

PHP Data Types

\$GLOBALS

\$_SERVER

\$_REQUEST

\$_GET

\$_POST

\$_FILES

\$_COOKIE

\$_SESSION

RESOURCES

- PHP Manual: php.net
- Tutorials Point: tutorialspoint.com/php
- PHP Tutorial: phptutorial.net
- W3 School: w3schools.com/php

Thanks for your attention 😊

