

VoxBulk command list

Generated: 2026-07-05 | **Total scripts:** 158

Regenerate: python scripts/generate-command-list.py then powershell scripts/regenerate-command-list-pdf.ps1

Delete user completely

```
cd /www/voxbulk
./delete-salesman.sh user@example.com      # dry run
./delete-salesman.sh user@example.com --yes # DELETE
```

Seed / demo data (most common)

```
cd /www/voxbulk
./seed-sales-demo.sh salesman1@voxbulk.com [--reset]

cd voxbulk-api && source .venv/bin/activate
python scripts/seed_demo_user_account.py --email user@example.com --clear --auto-top-up
python scripts/seed_demo_all_dashboard_services.py --email user@example.com
```

Customer Feedback → Meta sync (overnight)

```
cd /www/voxbulk/voxbulk-api && source .venv/bin/activate

# Dry-run one industry
python -u scripts/push_all_feedback_to_meta_overnight.py --dry-run --industry-slug fitness

# Full overnight run (~3h) – use python -u for live nohup log
nohup python -u scripts/push_all_feedback_to_meta_overnight.py \
  --batch-size 5 --delay-sec 15 --industry-delay-sec 45 --no-resume \
  > /tmp/cf-meta-push.log 2>&1 &

# Monitor
tail -f /tmp/cf-meta-push.log
ps -p PID -o pid,etime,cmd
cat seed-data/customer-feedback/push-reports/push_all_feedback_state.json

# Resume if stopped
python -u scripts/push_all_feedback_to_meta_overnight.py --resume
```

Complete script inventory

Root shell wrappers (4)

Path	Description	Example command
delete-salesman.sh	Delete salesman + org + ALL data (by email)	<code>./delete-salesman.sh EMAIL [--yes]</code>
deploy-vps.sh	Full deploy (pull, migrate, build, restart)	<code>./deploy-vps.sh</code>
seed-sales-demo.sh	Seed full salesman demo workspace (interviews, surveys, feedback QR)	<code>./seed-sales-demo.sh EMAIL [--reset]</code>
vox.sh	VPS service control	<code>./vox.sh start stop restart status update</code>

Delete user (2)

Path	Description	Example command
voxbulk-api/scripts/delete_salesman.py	Delete salesman + org (Python; see delete-salesman.sh)	<code>python -m scripts.delete_salesman --email EMAIL [--yes]</code>
voxbulk-api/scripts/purge_user_billing_and_accounts.py	Purge billing + hard-delete by user UUID	<code>python scripts/purge_user_billing_and_accounts.py --apply --confirm PURGE_TEST_USERS ...</code>

Seed / demo data (34)

Path	Description	Example command
voxbulk-api/scripts/seed_appointment_gb_agents.py	GB appointment voice agents	python scripts/seed_appointment_gb_agents.py
voxbulk-api/scripts/seed_appointment_wa_survey_test_data.py	Appointment + WA survey E2E test data	python scripts/seed_appointment_wa_survey_test_data.py --help
voxbulk-api/scripts/seed_demo_all_dashboard_services.py	Enable all dashboard menu modules for an org	python scripts/seed_demo_all_dashboard_services.py --email EMAIL
voxbulk-api/scripts/seed_demo_appointments.py	Demo CRM appointments	python scripts/seed_demo_appointments.py --help
voxbulk-api/scripts/seed_demo_booking_link.py	Demo public booking link	python scripts/seed_demo_booking_link.py --help
voxbulk-api/scripts/seed_demo_survey_hubspot.py	HubSpot sync demo surveys	python scripts/seed_demo_survey_hubspot.py --help
voxbulk-api/scripts/seed_demo_survey_hubspot.sh	seed demo survey hubspot	bash voxbulk-api/scripts/seed_demo_survey_hubspot.sh
voxbulk-api/scripts/seed_demo_survey_mixed.py	Mixed WA + AI phone survey demo data	python scripts/seed_demo_survey_mixed.py --help
voxbulk-api/scripts/seed_demo_survey_mixed.sh	seed demo survey mixed	bash voxbulk-api/scripts/seed_demo_survey_mixed.sh
voxbulk-api/scripts/seed_demo_user_account.py	Rich demo for any dashboard user (wallet debits, 3 campaigns)	python scripts/seed_demo_user_account.py --email EMAIL --clear --auto-top-up
voxbulk-api/scripts/seed_dummy_interview.py	Dummy interview UI test data	python scripts/seed_dummy_interview.py --help
voxbulk-api/scripts/seed_dummy_survey.py	Dummy completed AI-call survey	python scripts/seed_dummy_survey.py --help
voxbulk-api/scripts/seed_dummy_survey.sh	seed dummy survey	bash voxbulk-api/scripts/seed_dummy_survey.sh
voxbulk-api/scripts/seed_feedback_acton.sh	seed feedback acton	bash voxbulk-api/scripts/seed_feedback_acton.sh
voxbulk-api/scripts/seed_feedback_ealing.sh	seed feedback ealing	bash voxbulk-api/scripts/seed_feedback_ealing.sh
voxbulk-api/scripts/seed_feedback_industry_from_md.py	Import Customer Feedback industry templates from Markdown (+ optional Meta push)	python scripts/seed_feedback_industry_from_md.py --industry fitness --md seed-data/customer-feedback/fitness-gyms-20lang.md --dry-run
voxbulk-api/scripts/seed_feedback_responses_mixed.py	Feedback QR results (happy/unhappy mix)	python scripts/seed_feedback_responses_mixed.py --help
voxbulk-api/scripts/seed_feedback_responses_mixed.sh	seed feedback responses mixed	bash voxbulk-api/scripts/seed_feedback_responses_mixed.sh
voxbulk-api/scripts/seed_hubspot_appointment_test_data.py	HubSpot appointment test data	python scripts/seed_hubspot_appointment_test_data.py --help
voxbulk-api/scripts/seed_interview_ar_jammal_agent.py	Egyptian Arabic agent Jammal	python scripts/seed_interview_ar_jammal_agent.py

Path	Description	Example command
voxbulk-api/scripts/seed_interview_ar_sultan_agent.py	Gulf Arabic interview agent Sultan	python scripts/seed_interview_ar_sultan_agent.py
voxbulk-api/scripts/seed_interview_gb_leo.py	Legacy wrapper for regional agents	python scripts/seed_interview_gb_leo.py
voxbulk-api/scripts/seed_interview_regional_agents.py	12 regional interview voice agents	python scripts/seed_interview_regional_agents.py
voxbulk-api/scripts/seed_sales_ai_survey_agent.py	Sales AI survey demo agent (used by seed-sales-demo.sh)	python scripts/seed_sales_ai_survey_agent.py
voxbulk-api/scripts/seed_sales_demo.py	Salesman workspace demo (20 interviews, WA + phone surveys, feedback QR)	python -m scripts.seed_sales_demo --email EMAIL [--reset]
voxbulk-api/scripts/seed_survey_gb_agents.py	GB phone survey voice agents	python scripts/seed_survey_gb_agents.py
voxbulk-api/scripts/seed_utility_templates_to_db.py	Import utility-safe seed MD into DB before UTILITY migration phases.	python scripts/seed_utility_templates_to_db.py --help
voxbulk-api/scripts/seed_wa_survey_all_industries_from_md.py	All WA industries from master MD	python scripts/seed_wa_survey_all_industries_from_md.py -help
voxbulk-api/scripts/seed_wa_survey_all_industries_from_md.sh	seed wa survey all industries from md	bash voxbulk-api/scripts/seed_wa_survey_all_industries_from_md.sh
voxbulk-api/scripts/seed_wa_survey_from_md.py	WA survey types from Markdown file	python scripts/seed_wa_survey_from_md.py --help
voxbulk-api/scripts/seed_wa_survey_from_md.sh	seed wa survey from md	bash voxbulk-api/scripts/seed_wa_survey_from_md.sh
voxbulk-api/scripts/seed_wa_survey_industries.py	WA survey industries + tags	python scripts/seed_wa_survey_industries.py --help
voxbulk-api/scripts/seed_wa_survey_industries.sh	seed wa survey industries	bash voxbulk-api/scripts/seed_wa_survey_industries.sh
voxbulk-api/scripts/seed_wa_survey_test_pack.py	WA survey test pack (no OpenAI)	python scripts/seed_wa_survey_test_pack.py --help

Deploy & VPS (scripts/) (35)

Path	Description	Example command
scripts/_vps_ats_check.py	VPS ATS check	python scripts/_vps_ats_check.py
scripts/_vps_ats_check2.py	VPS ATS check v2	python scripts/_vps_ats_check2.py
scripts/_vps_deploy.py	Internal deploy helper	used by deploy scripts
scripts/dev-api.mjs	Start API (npm hook)	npm run dev:api
scripts/e2e_local_test.ps1	Windows local e2e	powershell scripts/e2e_local_test.ps1
scripts/frontend-smoke.mjs	Frontend smoke	npm run smoke:frontend
scripts/generate-command-list.py	Regenerate this command list (MD + HTML)	python scripts/generate-command-list.py
scripts/lib/vps-frontend-perms.sh	vps-frontend-perms.sh	bash scripts/lib/vps-frontend-perms.sh
scripts/lib/vps-git-sync.sh	Git sync helper (sourced by deploy)	internal
scripts/regenerate-command-list-pdf.ps1	Regenerate COMMAND-LIST.pdf from HTML	powershell scripts/regenerate-command-list-pdf.ps1
scripts/retry-pending-voice-notes.sh	Retry pending voice notes	bash scripts/retry-pending-voice-notes.sh
scripts/run-celery-beat.sh	Local Celery beat	bash scripts/run-celery-beat.sh
scripts/run-celery-worker.sh	Local Celery worker	bash scripts/run-celery-worker.sh
scripts/sync-brand-assets.mjs	Sync brand logos (prebuild hook)	auto via npm prebuild
scripts/verify-billing-deploy.sh	Billing post-deploy health	bash scripts/verify-billing-deploy.sh
scripts/verify-unified-pricing.py	Pricing sanity check	python scripts/verify-unified-pricing.py
scripts/verify_wa_survey_local.py	Local WA survey verify	python scripts/verify_wa_survey_local.py
scripts/vps-check-auth-env.sh	Check auth env vars	bash scripts/vps-check-auth-env.sh
scripts/vps-deploy-f290115-verify.sh	Legacy deploy verify	bash scripts/vps-deploy-f290115-verify.sh
scripts/vps-deploy-production.sh	Production deploy variant	bash scripts/vps-deploy-production.sh
scripts/vps-finance-smoke.sh	Finance release smoke	bash scripts/vps-finance-smoke.sh
scripts/vps-finish-rollback-deploy.sh	Finish rollback deploy	bash scripts/vps-finish-rollback-deploy.sh
scripts/vps-fix-database-env.sh	Fix DB env on VPS	bash scripts/vps-fix-database-env.sh
scripts/vps-install-microsoft-well-known-nginx.sh	Microsoft well-known nginx	bash scripts/vps-install-microsoft-well-known-nginx.sh
scripts/vps-recover-api.sh	Recover crashed API	bash scripts/vps-recover-api.sh
scripts/vps-setup-celery.sh	Install Celery worker + beat on VPS	sudo bash scripts/vps-setup-celery.sh
scripts/vps-sync-all-ui.sh	Sync all UI builds to wwwroot	bash scripts/vps-sync-all-ui.sh
scripts/vps-sync-dashboard.sh	Rsync dashboard to wwwroot	bash scripts/vps-sync-dashboard.sh
scripts/vps-test-wa-survey-create.sh	WA survey create test	bash scripts/vps-test-wa-survey-create.sh
scripts/vps-update-ui.sh	Rebuild UI only	bash scripts/vps-update-ui.sh
scripts/vps-verify-dashboard.sh	Dashboard wwwroot verify	bash scripts/vps-verify-dashboard.sh
scripts/vps-verify-deploy.sh	General deploy verify	bash scripts/vps-verify-deploy.sh
scripts/vps-workflow-smoke.sh	Workflow smoke (API + UI)	bash scripts/vps-workflow-smoke.sh

Path	Description	Example command
scripts/write-admin-build-info.mjs	Admin build metadata	auto via npm prebuild
scripts/write-dashboard-build-info.mjs	Dashboard build metadata	auto via npm prebuild

Test / smoke (9)

Path	Description	Example command
voxbulk-api/scripts/e2e_interview_workflow_test.py	End-to-end interview workflow functional test (run on VPS or locally).	python scripts/e2e_interview_workflow_test.py --help
voxbulk-api/scripts/e2e_interview_workflow_test.sh	e2e interview workflow test	bash voxbulk-api/scripts/e2e_interview_workflow_test.sh
voxbulk-api/scripts/send_booking_confirm_email_test.py	Send one interview_booking_confirm email (same template path as after candidate books).	python scripts/send_booking_confirm_email_test.py --help
voxbulk-api/scripts/send_interview_invite_email_test.py	Send one interview_booking_invite via CareerEmailService (same path as launch).	python scripts/send_interview_invite_email_test.py -help
voxbulk-api/scripts/send_invites_for_order_test.py	Run send_invites for one order (same path as dashboard launch).	python scripts/send_invites_for_order_test.py --help
voxbulk-api/scripts/test_interview_email_lifecycle.py	Send every interview lifecycle email to one inbox and (optionally) verify arrival.	python scripts/test_interview_email_lifecycle.py --help
voxbulk-api/scripts/verify_wa_telnix_push_deploy.sh	verify wa telnix push deploy	bash voxbulk-api/scripts/verify_wa_telnix_push_deploy.sh
voxbulk-api/scripts/verify_wa_utility_waba.py	Verify Telnix integration WABA matches the expected Voxbulk Ltd WABA for UTILITY migration.	python scripts/verify_wa_utility_waba.py --help
voxbulk-api/scripts/workflow_smoke_test.py	VoxBulk workflow smoke — API routes, email readiness, UI pages, and optional live auth.	python scripts/workflow_smoke_test.py --help

WhatsApp / Telnix (36)

Path	Description	Example command
voxbulk-api/scripts/audit_interview_email_templates.py	Verify interview email flows point at the correct repo template keys.	python scripts/audit_interview_email_templates.py --help
voxbulk-api/scripts/audit_wa_survey_templates.py	Audit and repair all WA Survey WhatsApp templates — sync Telnix, fix drafts, push, refresh status.	python scripts/audit_wa_survey_templates.py --help
voxbulk-api/scripts/audit_wa_template_db.py	Full DB audit for WA UTILITY migration — duplicates, orphans, missing AR pairs.	python scripts/audit_wa_template_db.py --help
voxbulk-api/scripts/build_wa_survey_master_md.py	Build master Markdown file from WA_SURVEY_ABC_CATALOG.	python scripts/build_wa_survey_master_md.py --help
voxbulk-api/scripts/bulk_generate_wa_survey_library_templates.py	Bulk-generate normal WA Survey library templates (one per industry survey type).	python scripts/bulk_generate_wa_survey_library_templates.py --help
voxbulk-api/scripts/check_wa_template_row.py	Read-only soft check for a WA survey template row (run on VPS).	python scripts/check_wa_template_row.py --help
voxbulk-api/scripts/expand_wa_utility_template_seeds.py	Expand WA Survey + Feedback seed catalogs to 25 utility-safe topics per industry.	python scripts/expand_wa_utility_template_seeds.py --help
voxbulk-api/scripts/export_wa_template_baseline.py	Export baseline WA template inventory (survey + feedback) for migration diff.	python scripts/export_wa_template_baseline.py --help
voxbulk-api/scripts/export_wa_templates_industry_map.py	export wa templates industry map	python scripts/export_wa_templates_industry_map.py --help
voxbulk-api/scripts/link_wa_survey_templates_from_telnix.py	Link local survey WA template rows to existing Telnix/Meta templates by name.	python scripts/link_wa_survey_templates_from_telnix.py --help
voxbulk-api/scripts/list_wa_not_pushed.py	List buttoned WA Survey templates not APPROVED/PENDING on Meta.	python scripts/list_wa_not_pushed.py --help
voxbulk-api/scripts/migrate_wa_templates_utility.py	OpenAI 4-phase WA UTILITY migration — rewrite DB templates, save, push to Meta.	python scripts/migrate_wa_templates_utility.py --help
voxbulk-api/scripts/migrate_wa_templates_utility.sh	migrate wa templates utility	bash voxbulk-api/scripts/migrate_wa_templates_utility.sh
voxbulk-api/scripts/provision_interview_telnix_assistants.py	Create or sync Telnix assistants for English regional interview agents.	python scripts/provision_interview_telnix_assistants.py --help
voxbulk-api/scripts/push_all_feedback_to_meta_overnight.py	Overnight batch push: all Customer Feedback	python -u scripts/push_all_feedback_to_meta_overnight.py --batch-size 5 --delay-sec 15

Path	Description	Example command
	industries to Meta (safe rate limits)	
voxbulk-api/scripts/push_feedback_industry_to_telnyx.py	Push all Customer Feedback templates for ONE industry to Meta (no batch delay)	python scripts/push_feedback_industry_to_telnyx.py --industry-slug fitness
voxbulk-api/scripts/push_feedback_industry_to_telnyx.sh	push feedback industry to telnyx	bash voxbulk-api/scripts/push_feedback_industry_to_telnyx.sh
voxbulk-api/scripts/push_feedback_template_to_telnyx.py	Push one Customer Feedback template to Meta	python scripts/push_feedback_template_to_telnyx.py --help
voxbulk-api/scripts/push_feedback_template_to_telnyx.sh	push feedback template to telnyx	bash voxbulk-api/scripts/push_feedback_template_to_telnyx.sh
voxbulk-api/scripts/push_force_update_wa_templates_batch.py	Force-push local WA survey template drafts to Meta (same name, content update).	python scripts/push_force_update_wa_templates_batch.py --help
voxbulk-api/scripts/push_force_update_wa_templates_batch.sh	push force update wa templates batch	bash voxbulk-api/scripts/push_force_update_wa_templates_batch.sh
voxbulk-api/scripts/push_wa_one_verbose.py	Push one WA Survey template to Meta with full error detail.	python scripts/push_wa_one_verbose.py --help
voxbulk-api/scripts/push_wa_survey_templates_to_telnyx.py	Push WA Survey WhatsApp templates to Telnyx/Meta (CLI — no admin UI required).	python scripts/push_wa_survey_templates_to_telnyx.py -help
voxbulk-api/scripts/push_wa_survey_templates_to_telnyx.sh	push wa survey templates to telnyx	bash voxbulk-api/scripts/push_wa_survey_templates_to_telnyx.sh
voxbulk-api/scripts/regenerate_survey_templates_context.py	Regenerate existing WA Survey templates with OpenAI (local drafts only).	python scripts/regenerate_survey_templates_context.py --help
voxbulk-api/scripts/repush_stuck_wa_utility_templates.py	Fix templates stuck with Meta 2388024: link if possible, else rename and push fresh.	python scripts/repush_stuck_wa_utility_templates.py --help
voxbulk-api/scripts/retry_wa_utility_migration_failures.py	Retry failed templates from a migration-phaseN-*json report.	python scripts/retry_wa_utility_migration_failures.py --help
voxbulk-api/scripts/rewrite_wa_survey_templates_for_utility.py	Rewrite WA survey templates for Meta UTILITY (Feedback Survey) and optionally push via Telnyx.	python scripts/rewrite_wa_survey_templates_for_utility.py --help
voxbulk-api/scripts/rewrite_wa_survey_templates_for_utility.sh	rewrite wa survey templates for utility	bash voxbulk-api/scripts/rewrite_wa_survey_templates_for_utility.sh
voxbulk-api/scripts/run_wa_utility_migration_phase.sh	run wa utility migration phase	bash voxbulk-api/scripts/run_wa_utility_migration_phase.sh
voxbulk-api/scripts/sync_interview_email_templates.py	Push latest interview email templates from code defaults into the database (VPS one-off).	python scripts/sync_interview_email_templates.py --help

Path	Description	Example command
voxbulk-api/scripts/telnyx_sms_setup.py	Configure Telnyx SMS for VoxBulk inbound (Meta verification codes, Admin Refresh inbound).	python scripts/telnyx_sms_setup.py --help
voxbulk-api/scripts/translate_feedback_templates_to_ar.py	Translate Customer Feedback templates to Arabic (OpenAI JSON API) and push to Telnyx.	python scripts/translate_feedback_templates_to_ar.py -help
voxbulk-api/scripts/translate_feedback_templates_to_ar.sh	translate feedback templates to ar	bash voxbulk-api/scripts/translate_feedback_templates_to_ar.sh
voxbulk-api/scripts/wa_not_pushed_lib.py	Shared helpers for list/diagnose/fix WA survey templates not on Meta (buttoned only).	python scripts/wa_not_pushed_lib.py --help
voxbulk-api/scripts/watch_wa_migration_progress.py	Live DB progress for a WA UTILITY migration phase (works while migrate script runs).	python scripts/watch_wa_migration_progress.py --help

Interview / voice (2)

Path	Description	Example command
voxbulk-api/scripts/apply_interview_voice_matrix.py	Apply accent-appropriate voices to English interview Telnyx assistants.	python scripts/apply_interview_voice_matrix.py --help
voxbulk-api/scripts/vps_interview_audit.py	VPS interview workflow + config audit. Run on the server after deploy:	python scripts/vps_interview_audit.py --help

Diagnose (8)

Path	Description	Example command
voxbulk-api/scripts/diagnose_interview_invite.py	Explain why an interview's invitation email did or did not send — READ ONLY.	python scripts/diagnose_interview_invite.py --help
voxbulk-api/scripts/diagnose_interview_voice.py	Inspect the interview voice agent's language/voice/greeting — READ ONLY.	python scripts/diagnose_interview_voice.py -help
voxbulk-api/scripts/diagnose_smtp_delivery.py	Inspect SMTP transport + last invite send for an interview (no send).	python scripts/diagnose_smtp_delivery.py --help
voxbulk-api/scripts/diagnose_stt_providers.py	One-off STT provider diagnostic for production.	python scripts/diagnose_stt_providers.py --help
voxbulk-api/scripts/diagnose_user_interviews.py	List interview orders for a dashboard user — phone vs web sessions. READ ONLY.	python scripts/diagnose_user_interviews.py -help
voxbulk-api/scripts/diagnose_wa_push_failures.py	Diagnose buttoned WA Survey templates not on Meta — group errors by bucket.	python scripts/diagnose_wa_push_failures.py --help
voxbulk-api/scripts/diagnose_wa_template_push.py	Show what would be sent to Telnyx/Meta for a WA Survey template (no API call).	python scripts/diagnose_wa_template_push.py --help
voxbulk-api/scripts/diagnose_wa_template_push.sh	diagnose wa template push	bash voxbulk-api/scripts/diagnose_wa_template_push.sh

Repair / cleanup (18)

Path	Description	Example command
voxbulk-api/scripts/backfill_feedback_survey_config.py	Rebuild survey_config.json for Customer Feedback locations from flags + selected topics.	python scripts/backfill_feedback_survey_config.py --help
voxbulk-api/scripts/backfill_interview_session_usage.py	Backfill usage_metered_at for completed web/phone interview sessions missing plan metering.	python scripts/backfill_interview_session_usage.py --help
voxbulk-api/scripts/cleanup_legacy_interview_agents.py	Find or deactivate legacy duplicate interview agents (non-canonical slugs).	python scripts/cleanup_legacy_interview_agents.py --help
voxbulk-api/scripts/cleanup_wa_survey_template_links.py	Remove mistaken survey_type_templates links (templates synced onto wrong survey types).	python scripts/cleanup_wa_survey_template_links.py --help
voxbulk-api/scripts/cleanup_wa_survey_templates.py	Delete WA Survey templates outside Global System Templates + Hospitality & food.	python scripts/cleanup_wa_survey_templates.py --help
voxbulk-api/scripts/cleanup_wa_survey_utility_duplicates.py	Clean duplicate WA survey templates on Meta: retire old *_abc_*, resubmit REJECTED *_utu_*	python scripts/cleanup_wa_survey_utility_duplicates.py --help
voxbulk-api/scripts/cleanup_wa_template_clone_rows.py	One-time cleanup: merge duplicate parent/clone WA survey template rows into one active row.	python scripts/cleanup_wa_template_clone_rows.py --help
voxbulk-api/scripts/clear_feedback_wa_state.py	Cancel active Customer Feedback + legacy WA survey state for a test phone.	python scripts/clear_feedback_wa_state.py --help
voxbulk-api/scripts/clear_feedback_wa_state.sh	clear feedback wa state	bash voxbulk-api/scripts/clear_feedback_wa_state.sh
voxbulk-api/scripts/clear_stale_telnyx_greetings.py	Clear stale telnyx_greeting values and push build_agent_greeting() to Telnyx.	python scripts/clear_stale_telnyx_greetings.py --help
voxbulk-api/scripts/finance_gc_backfill.py	Report or backfill GoCardless subscriptions missing external_subscription_id.	python scripts/finance_gc_backfill.py --help
voxbulk-api/scripts/fix_and_push_wa_templates.py	Fix and push buttoned WA Survey templates per industry (buttonless excluded).	python scripts/fix_and_push_wa_templates.py --help
voxbulk-api/scripts/fix_wa_survey_template_body_variables.py	Fix WA Survey template BODY variables/examples in the database.	python scripts/fix_wa_survey_template_body_variables.py --help
voxbulk-api/scripts/fix_wa_survey_template_body_variables.sh	fix wa survey template body variables	bash voxbulk-api/scripts/fix_wa_survey_template_body_variables.sh
voxbulk-api/scripts/repair_customer_feedback_subscriptions.py	Repair Customer Feedback subscription tags, usage	python scripts/repair_customer_feedback_subscriptions.py --

Path	Description	Example command
	periods, and org module flags.	help
voxbulk-api/scripts/repair_unblock_wa_templates.py	One-time repair: re-enable WA survey/feedback types and templates disabled by the hide/blocklist rollout.	python scripts/repair_unblock_wa_templates.py --help
voxbulk-api/scripts/repair_wa_survey_template_drafts.py	Repair WA Survey template drafts stored with invalid Meta BODY examples ([[]] or missing).	python scripts/repair_wa_survey_template_drafts.py - -help
voxbulk-api/scripts/repair_wa_survey_template_drafts.sh	repair wa survey template drafts	bash voxbulk-api/scripts/repair_wa_survey_template_drafts.sh

Database (3)

Path	Description	Example command
voxbulk-api/scripts/bootstrap_mysql.py	Bootstrap an empty MySQL database from SQLAlchemy models, then stamp Alembic to head.	python scripts/bootstrap_mysql.py -- help
voxbulk-api/scripts/local_mysql_bootstrap.py	Create local MySQL user/database from DATABASE_URL in .env (non-destructive by default).	python scripts/local_mysql_bootstrap.py --help
voxbulk-api/scripts/setup-local-mysql.sql	setup-local-mysql.sql	see file

Ops / utilities (5)

Path	Description	Example command
voxbulk-api/scripts/_ensure_system_tpls.py	ensure system tpls	python scripts/_ensure_system_tpls.py --help
voxbulk-api/scripts/_run_all_regen_batches.py	Run all survey template regen batches with --save (local only).	python scripts/_run_all_regen_batches.py --help
voxbulk-api/scripts/extract_legal_defaults.py	extract legal defaults	python scripts/extract_legal_defaults.py --help
voxbulk-api/scripts/generate_hubspot_test_import_xlsx.py	Generate HubSpot test import Excel (local file only — not committed).	python scripts/generate_hubspot_test_import_xlsx.py -- help
voxbulk-api/scripts/sanitize_production_env.py	Deduplicate voxbulk-api/.env and drop template placeholder values.	python scripts/sanitize_production_env.py --help

Frontend build hooks (2)

Path	Description	Example command
dashboard.voxbulk.com/dashboard-web/scripts/sync-integration-logos.mjs	Sync integration logos (dashboard prebuild hook)	auto via npm prebuild
voxbulk.com/frontend/scripts/fix-preview-server.mjs	Fix Vite preview host check (voxbulk.com allowedHosts)	node voxbulk.com/frontend/scripts/fix- preview-server.mjs