23-short-lnk-app video

Creating LinkListItem

- we are going to be creating the LinklistItem component
- this is going to let us break up our code that is currently inside LinkList component
- lets go to LinksList and create and import the LinkListItem component

```
import React from 'react';
import { Meteor } from 'meteor/meteor';
import { Tracker } from 'meteor/tracker';
import { Links } from '../api/links'

import LinksListItem from './LinksListItem';

export default class LinksList extends React.Component{

    constructor(props){
        super(props);
        this.state = {
            links : []
        }
    }
}
```

- and now in our renderLinksListItems() function down below, lets change a couple of things
- we are going to have add our <LinkListItem /> component and we are going to give the key and also the spread operator, so now we are passing the _id, url, and userId
- we then want to use a Meteor method that provides us with the url

```
import React from 'react';
import { Meteor } from 'meteor/meteor';
import { Tracker } from 'meteor/tracker';
import { Links } from '../api/links'

import LinksListItem from './LinksListItem';

export default class LinksList extends React.Component{
```

```
constructor(props){
        super(props);
        this.state = {
            links : []
        }
    }
    componentDidMount(){
        console.log('ComponentDidMount LinksList');
       this.linksTracker = Tracker.autorun(()=>{
           Meteor.subscribe('links');
            const links = Links.find().fetch()
           this.setState({links});
          });
    }
    componentWillUnmount(){
        console.log('componentWillUnmount LinksList');
        this.linksTracker.stop();
    }
    renderLinksListItems(){
        return this.state.links.map((link)=>{
            const shortUrl = Meteor.absoluteUrl(link._id);
            return <LinksListItem key={link._id} shortUrl = {shortUrl} {...link}/ >
        })
    }
    render(){
        return (
            <div>
                Links List
                <div>
                    {this.renderLinksListItems()}
                </div>
            </div>
        );
    }
}
```

- and now we are going to create the LinksListItem component using the ES6 class because this is a state components
- lets create the LinksListItem.js in the ui folder
- and for now we just want to see the url and the shorUrl

```
import React from 'react'
export default class LinksListItem extends React.Component{
    render(){
        return(
           <div>
               {this.props.url}
               {this.props.shortUrl}
           </div>
        )
    }
}
LinksListItem.propTypes = {
    _id: React.PropTypes.string.isRequired,
    url: React.PropTypes.string.isRequired,
    userId: React.PropTypes.string.isRequired,
    shortUrl: React.PropTypes.string.isRequired,
}
```