## 48-short-lnk video

## Common Developer Workflow

- lets go change something from our code in short-lnk
- go to Login.js and change the following, just one line

```
render(){
        return (
            <div className = "boxed-view">
                <div className = "boxed-view__box">
                    <h1>Short Lnk Login</h1>
                    {this.state.error ? {this.state.error}: undefined}
                    <form onSubmit={this.onSubmit.bind(this)} noValidate className="boxed-view__</pre>
form">
                    <input type="email" ref="email" name="email" placeholder="Email"/>
                    <input type="password" ref="password" name="password"</pre>
placeholder="Password"/>
                    <button className="button">Login
                </form>
                    <Link to="/signup">Need an account?</Link>
                </div>
            </div>
        );
    }
}
```

lets go to our terminal and git status

```
joses-MacBook-Pro:short-lnk mendoza$ git status
On branch master
Your branch is ahead of 'origin/master' by 1 commit.
  (use "git push" to publish your local commits)
```

```
Changes not staged for commit:

(use "git add <file>..." to update what will be committed)

(use "git checkout -- <file>..." to discard changes in working directory)

modified: imports/ui/Login.js

Untracked files:

(use "git add <file>..." to include in what will be committed)

notes/47-short-lnk video.pdf

no changes added to commit (use "git add" and/or "git commit -a")

joses-MacBook-Pro:short-lnk mendoza$
```

lets add it now

```
joses-MacBook-Pro:short-lnk mendoza$ git add .
```

• and now commit

```
joses-MacBook-Pro:short-lnk mendoza$ git commit -m "update login form language"
[master 9ae4105] update login form language
2 files changed, 1 insertion(+), 1 deletion(-)
create mode 100644 notes/47-short-lnk video.pdf
```

now lets push to git first

and now that is up on github, lets now push to heroku

joses-MacBook-Pro:short-lnk mendoza\$ git push heroku master

- •
- •
- •