

Transaction Categories	
PK	<u>categoryId CHAR(36) UUID</u>
	categoryName VARCHAR(50) NOT NULL
	categoryGroup ENUM('UTILITY','PAYMENT','AIRTIME','DATA','CREDIT','DEBIT','TRANSFER') NOT NULL
	createdAt TIMESTAMP NOT NULL

TransactionUsers	
PK	<u>(transactionId, userId, role)</u>
FK	<u>transactionId CHAR(36)</u>
FK	userId CHAR(36)
	role ENUM('SENDER','RECEIVER')

Transactions	
PK	<u>transactionId CHAR(36)</u>
	amount DECIMAL(10,2)
	currency VARCHAR(5) NOT NULL
	transactionDate TIMESTAMP
	transactionType ENUM('INCOMING','OUTGOING')
	fee DECIMAL(10,2)
	balanceAfter DECIMAL(10,2)
FK	categoryId CHAR(36) NOT NULL
FK	logId CHAR(36) NOT NULL

Users	
PK	<u>userId CHAR(36) UUID NOT NULL</u>
	fullName VARCHAR(100) NOT NULL
	phoneNumber VARCHAR(100) NOT NULL
	userType ENUM('PERSON','BUSINESS')
	CreateAt TIMESTAMP

SystemLogs	
PK	<u>logId CHAR(36) NOT NULL</u>
	smsAddress VARCHAR(50) NOT NULL
	messageBody TEXT NOT NULL
	status VARCHAR(20) NOT NULL
	receivedAt TIMESTAMP