

mgwr: A Python implementation of multiscale geographically weighted regression for investigating process spatial heterogeneity and scale

Taylor M. Oshan

University of Maryland, College Park
toshan@umd.edu

Ziqi Li

Arizona State University

Wei Kang

University of California, Riverside

Levi J. Wolf

University of Bristol

A. Stewart Fotheringham

Arizona State University

Abstract

Geographically weighted regression (GWR) is a spatial statistical technique that recognizes traditional ‘global’ regression models may be limited when spatial processes vary with spatial context. GWR captures process spatial heterogeneity via an operationalization of Tobler’s first law of geography: “everything is related to everything else, but near things are more related than distant things” (1970). An ensemble of local linear models are calibrated at any number of locations by ‘borrowing’ nearby data. The result is a surface of location-specific parameter estimates for each relationship in the model that may vary spatially, as well as a single bandwidth parameter that provides intuition about the geographic scale of the processes. A recent extension to this framework allows each relationship to vary according to a distinct spatial scale parameter, and is therefore known as multiscale (M)GWR. This paper introduces **mgwr**, a Python-based implementation for efficiently calibrating a variety of (M)GWR models and a selection of associated diagnostics. It reviews some core concepts, introduces the primary software functionality, and demonstrates suggested usage on several example datasets.

Keywords: multiscale, gwr, spatial statistics, heterogeneity, scale, **mgwr**.

1. Introduction

Geographically weighted regression (GWR) is a spatial statistical technique that, like aspatial local regression, recognizes that traditional ‘global’ regression models may be limited when processes vary by context. GWR captures process spatial heterogeneity (i.e., process variation by spatial context) via an operationalization of Tobler’s first law of geography: “everything

is related to everything else, but near things are more related than distant things” (1970). An ensemble of local linear models are calibrated at any number of locations by ‘borrowing’ nearby data. The result is a surface of location-specific parameter estimates for each relationship in the model that may vary spatially, as well as a single bandwidth parameter that provides intuition about the geographic scale of the processes. In addition, GWR typically provides increased model fit and reduced residual spatial autocorrelation compared to a traditional ‘global’ regression that assumes relationships are constant over space (Fotheringham, Brunsdon, and Charlton 2002).

A recent extension to the GWR framework allows each relationship in the model to vary at a unique spatial scale and is therefore known as multiscale (M)GWR (Fotheringham, Yang, and Kang 2017). MGWR is much less restrictive in its assumptions than GWR, since the relationship between the response and a covariate is allowed to vary locally, vary regionally, and or not vary at all. Eliminating the restriction that all relationships vary at the same spatial scale can minimize over-fitting, reduce bias in the parameter estimates, and mitigate concurvity (i.e., collinearity due to similar functional transformations). Therefore, MGWR has been suggested as the default local model specification when using GWR to investigate process spatial heterogeneity and scale.

Though there are several software options for GWR, none of the existing implementations are Python-based, free and open source (FOSS), cross-platform and user-friendly¹. For example, there is a GWR tool in the Spatial Statistics Toolbox within **ArcGIS**, but the proprietary and closed nature of the software limits its usefulness for research and teaching. There are several options within the R ecosystem, such as **GWmodel**, **spgwr**, and **gwrr**. While these implementations are FOSS and relatively user-friendly, it is not straight-forward to integrate them into a Python work-flow. Finally, the Python-based **pygwr** is FOSS but lacks documentation and is therefore not user-friendly. In addition, none of the listed software incorporates the latest knowledge about MGWR calibration and inference (Fotheringham *et al.* 2017; Yu, Fotheringham, Li, Oshan, Kang, and Wolf 2018). Therefore, this paper introduces **mgwr**, a Python-based implementation for efficiently calibrating a variety of (M)GWR models and a selection of associated diagnostics.

The remainder of this paper is structured as follows. First, where to find the source code, how to install it, and the datasets utilized throughout the paper are discussed. Then, some core GWR concepts are reviewed and illustrated. Next, new concepts and functionality required to deploy the recent MGWR extension are presented. Finally, **mgwr** is compared to several other software implementations. Throughout the paper, best-practices are suggested and demonstrated on empirical datasets.

2. Source code and datasets

2.1. Source code and installation

The **mgwr** source code² is organized as a module of the Python Spatial Analysis Library

¹It should be noted that the software described here is not exhaustive list, but no other implementations that satisfy all the listed criteria could be found.

²The examples in this paper were composed using **mgwr** version 2.0.1

(**PySAL**)³ and is therefore available from a repository on the PySAL project github page⁴. Each PySAL module is complete with ‘docstrings’ (i.e., input and output documentation) for all available functions and code examples (i.e., Jupyter notebooks) that make it simple to replicate and extend the examples to new applications. In addition, ‘unit tests’ are provided that allow the source code to be continuously integrated while being developed. This ensures that new features and dependency updates do not unknowingly break existing features.

Currently, **mgwr** has four dependencies: **numpy**, **scipy**, **libpysal**, and **spglm**. The first two dependencies, **numpy** and **scipy**, are elementary within the Python scientific computing ecosystem and provide core data structures and data manipulation functions. The third dependency, **libpysal**, is central to PySAL and provides a repository of example datasets. Since **libpysal** is dependent upon **pandas**, then **pandas** is an indirect dependency for **mgwr** and is often useful for reading and managing data tables. The final dependency, **spglm**, provides a light-weight generalized linear model framework for calibrating each of the local parameter estimates within (M)GWR via iteratively weighted least squares. The most recent stable version of **mgwr**, along with these direct and indirect dependencies, may be installed from the Python packaging index (PyPI) using the **pip** package manager:

```
pip install mgwr
```

To obtain in-development features it is also possible to install **mgwr** directly from the source code:

```
pip install https://github.com/pysal/mgwr/archive/master.zip
```

Additional packages, namely **matplotlib** and **geopandas**⁵, are used for presenting results from empirical demonstrations and can also be obtained via **pip**; however, they are not required for the core **mgwr** functions. Once all the necessary packages are installed, they can be imported for use in the following examples as such:

```
>>> import numpy as np
>>> import pandas as pd
>>> import libpysal as ps
>>> from mgwr.gwr import GWR, MGWR
>>> from mgwr.sel_bw import Sel_BW
>>> from mgwr.utils import compare_surfaces, truncate_colormap
>>> import geopandas as gp
>>> import matplotlib.pyplot as plt
>>> import matplotlib as mpl
```

2.2. Datasets

Two datasets are utilized throughout this paper to illustrate various (M)GWR functionality. First, is the well-known Georgia dataset that is described in Fotheringham *et al.* (2002) as

³<https://pysal.org>

⁴<https://github.com/pysal/mgwr>

⁵The development version of **geopandas** is used for this paper, which at the moment needs to be installed directly from the master branch of the github project page

Table 1: Georgia dataset

Short name	Description
PctBach	Percentage of the population with a bachelor's degree or higher
PctFB	Percentage of the population that was born in a foreign country
PctBlack	Percentage of the population that identifies as African American
PctRural	Percentage of the population that is classified as living in a rural area

well as subsequent publications (Griffith 2008; Yu *et al.* 2018). The second is a sample of *Airbnb* rental data from the Prenzlauer Berg neighborhood of Berlin from InsideAirbnb.

Georgia dataset

The Georgia dataset consists of 159 counties in the state of Georgia (Figure 1), and records socio-demographic characteristics from the 1990 US census. The county locations are abstracted as centroids so that inter-county distances can be computed within the (M)GWR routine, though it is convenient to visualize the model output using the county polygons, since they are the scale at which the observations are aggregated. A small subset of the available variables are selected here for an example modeling educational attainment. The covariates are described in Table 1. Python code for loading and visualizing the Georgia dataset is as follows:

```
#Load Georgia dataset and generate plot of Georgia counties (Figure 1)
>>> georgia = gp.read_file(ps.examples.get_path('G_utm.shp'))
>>> fig, ax = plt.subplots(figsize=(10,10))
>>> georgia.plot(ax=ax, **{'edgecolor':'black', 'facecolor':'white'})
>>> georgia.centroid.plot(ax=ax, c='black')
>>> plt.savefig('georgia_shp')
>>> plt.show()
```

Berlin Airbnb dataset

The Berlin dataset consists of 2203 observations that are geolocated instances of *Airbnb* rental properties (Figure 2) and their associated characteristics from 2017 in the Prenzlauer Berg neighborhood. Prenzlauer Berg is a gentrifying neighborhood known for its arts scene, shopping, and nightlife, and is therefore a popular tourist destination. A small subset of variables were selected for a rental price modeling example, which are described in Table 2. Note that the logarithm of rental price is used here to correct the skewness of the variable. Since the data are not aggregated, the analysis and visualization of the results are carried out at the point-level.

```
#Load Berlin dataset and generate plot of properties (Figure 2)
>>> prenz = gp.read_file(ps.examples.get_path('prenzlauer.zip'))
>>> prenz_bound = gp.read_file(ps.examples.get_path('prenz_bound.zip'))
>>> fig, ax = plt.subplots(figsize=(10,10))
>>> prenz_bound.plot(ax=ax, **{'edgecolor':'black', 'facecolor':'white'})
```




Figure 1: 159 counties within the state of Georgia.




Figure 2: 2203 rental properties in the Prenzlauer Berg neighborhood of Berlin.

```
>>> prenz.plot(ax=ax, markersize=10, **{'edgecolor':'black', 'facecolor':'black'})
>>> plt.savefig('prenz')
>>> plt.show()
```

3. GWR Functionality

GWR calibrates a separate regression model at each location through a data-borrowing scheme that distance-weights observations from each location serving as a regression point. A GWR model may be specified as

$$y_i = \beta_{i0} + \sum_{k=1}^p \beta_{ik} x_{ik} + \epsilon_i, \quad i = 1, \dots, n \quad (1)$$

where y_i is the dependent variable at location i , β_{i0} is the intercept coefficient at location

Table 2: Berlin dataset

Short name	Description
Log price	Logged price of rental unit
Score	Cumulative review score from previous customers for each rental unit
Accommodates	Number of individuals a rental unit can accommodate
Bathrooms	Number of bathrooms in each rental unit

i , x_{ik} is the k th explanatory variable at location i , β_{ik} is the k th local regression coefficient for the k th explanatory variable at location i , and ϵ_i is the random error term associated with location i . Note that i is typically indexed by two-dimensional geographic coordinates, (u_i, v_i) , indicating the location of the regression point. In matrix form, the GWR estimator for local parameter estimates at site i is:

$$\hat{\boldsymbol{\beta}}(i) = [\mathbf{X}' \mathbf{W}(i) \mathbf{X}]^{-1} \mathbf{X}' \mathbf{W}(i) \mathbf{y} \quad (2)$$

where \mathbf{X} is a n by k matrix of explanatory variables, $\mathbf{W}(i) = \text{diag}[w_1(i), \dots, w_n(i)]$ is the n by n diagonal weights matrix that weights each observation based on its distance from location i , $\hat{\boldsymbol{\beta}}(i)$ is a k by 1 vector of coefficients, and \mathbf{y} is a k by 1 vector of observations of the dependent variable. The model inputs, \mathbf{X} , \mathbf{y} , and the geographic coordinates (\mathbf{u}, \mathbf{v}) , are prepared for the Georgia and Berlin datasets as follows:

```
#Prepare Georgia dataset inputs
>>> g_y = georgia['PctBach'].values.reshape((-1,1))
>>> g_X = georgia[['PctFB', 'PctBlack', 'PctRural']].values
>>> u = georgia['X']
>>> v = georgia['Y']
>>> g_coords = list(zip(u,v))

#Prepare Berlin dataset inputs
#Take the logarithm of the price variable to correct for skewing
>>> b_y = np.log(prenz['price'].values.reshape((-1,1)))
>>> b_X = prenz[['review_sco',
                  'accommodat',
                  'bathrooms']].values
>>> u = prenz['X']
>>> v = prenz['Y']
>>> b_coords = list(zip(u,v))
```

In order to construct $\mathbf{W}(i)$ and compute $\hat{\boldsymbol{\beta}}(i)$ using Equation (2) it is necessary to select a distance-weighting scheme. This involves first selecting a kernel function and kernel type. Next, the bandwidth parameter that controls the intensity of the weighting performed by the kernel must be selected. Finally, the model parameters can be estimated along with several diagnostics. These tasks are discussed below.

Table 3: Different kernel functions available to weight observations.

Function	Specification	Input parameter
Gaussian	$w_{ij} = \exp\left(-\frac{1}{2}\left(\frac{d_{ij}}{b}\right)^2\right)$	<code>kernel='gaussian'</code>
Exponential	$w_{ij} = \exp\left(-\left(\frac{ d_{ij} }{b}\right)\right)$	<code>kernel='exponential'</code>
Bi-square	$w_{ij} = \begin{cases} (1 - (d_{ij}/b)^2)^2 & \text{if } d_{ij} < b \\ 0 & \text{otherwise} \end{cases}$	<code>kernel='bisquare'</code> ,

3.1. Distance-weighting scheme

Kernel functions

To calculate the weights matrix, a kernel function is applied to the distances between observations and calibration points. This kernel places more emphasis on observations that are closer than those farther away. The **mgwr** package offers the three most widely used kernel functions, which are the Gaussian, exponential, and bi-square functions as shown in Table 3. A potential issue with the Gaussian and exponential kernel functions is that all observations retain non-zero weight, regardless of how far they are from the calibration location. This means that even faraway observations can remain influential for moderate-to-large bandwidth parameters (Figure 3). As a result, the default behavior in **mgwr** is to use a bi-square kernel because it avoids this issue and has an intuitive interpretation: the bandwidth parameter is the distance or number of nearest neighbors away in space that the remaining observations have no influence. The bottom plot in Figure 3 demonstrates that for the bi-square kernel, even large bandwidths will result in observations that are weighted to exactly zero. Nevertheless, the kernel can be changed to either a Gaussian or an exponential function by altering the `kernel` input parameter where the option is available (see Table 3).

Kernel types

Two types of kernel function are available in **mgwr**: fixed and adaptive. The former fixes the bandwidth parameter so that for each calibration location, the data are weighted with the same intensity, whereby this intensity is characterized by a measure of distance from the calibration location. A limitation of fixed-bandwidth kernels is that there can be calibration issues when there are sparsely-populated regions of a study area. The latter kernel type, known as an adaptive bandwidth kernel, avoids this issue. A nearest-neighbor definition of bandwidth ensures that the same number of observations are available for each local regression since the distance that spans the nearest-neighbors adapts from location to location. The difference between these two kernel types is illustrated in Figure 4. The fixed kernels (top) are the same regardless of the distribution of the data while the adaptive kernels (bottom) vary in shape depending upon the spatial distribution of the data. As a result, an adaptive bandwidth kernel is able to better handle irregularly shaped study areas, non-uniform spatial distributions of observations and edge effects and is therefore the default behavior in **mgwr**. In the event that a fixed bandwidth kernel is desired, it can be selected by setting `fixed=True` where it is available.




Figure 3: Examples of exponential kernels (top), Guassian kernels (middle), and bisquare kernels (bottom) for a small, medium, and large bandwidth parameter.




Figure 4: Examples of fixed (top), Gaussian kernels (middle), and adaptive (bottom) bandwidth kernels.

3.2. Bandwidth selection

Bandwidth selection is carried out either by optimizing a model fit criterion or by manual specification. Optimal selection is preferred when there is no theoretical guide to manually specify the bandwidth. In this case, the `Sel_BW` class provides the functionality to apply different optimization routines and model fit criterion. First, an instance of the `Sel_BW` class is instantiated by passing the model inputs, \mathbf{X} , \mathbf{y} , and the geographic coordinates (\mathbf{u}, \mathbf{v}). In this case, for both the Georgia and Berlin examples, the options are left to their default values, which implies an adaptive nearest-neighbor bi-square kernel using projected coordinates (i.e., Euclidian distances). The available kernel options were already discussed and spherical coordinates such as (*longitude*, *latitude*) can be accommodated by setting `spherical=True`. In addition, a full list of the available options for the `Sel_BW` functionality is available via the class docstrings. Next, the `search` method is called on the `Sel_BW` object that was instantiated. The `search` method controls the optimization method and model fit criterion. The default settings specify the use of a golden section search optimization routine and a corrected Akaike information criterion (AICc) as the model fit criterion. An equal interval search optimization routine can alternatively be selected by setting `search_method='interval'` and setting the `interval` option to the desired sampling interval. The available model fit criteria are illustrated in Table 4; however an AICc is suggested because it penalizes smaller bandwidths that result in more complex models that consume more degrees of freedom. Following Fotheringham *et al.* (2002) a GWR-specific AICc takes the following form:

$$AIC_c = 2n \log_e \left(\frac{RSS}{n} \right) + n \log_e(2\pi) + n \left\{ \frac{n + \text{tr}(\mathbf{S})}{n - 2 - \text{tr}(\mathbf{S})} \right\} \quad (3)$$

where n is the number of observations, \mathbf{S} is the influence or hat matrix, and RSS is the residual sum of squares.

```
#Examples of optimal bandwidth selection
```

Table 4: Different model fit criterion.

Name	Input parameter
Cross-validation (CV)	criterion='CV'
Akaike information criterion (AIC)	criterion='AIC'
Corrected AIC (AICc)	criterion='AICc'
Bayesian information criterion (BIC)	criterion='BIC'

```
#Instantiate bandwidth selection object
>>> selector = Sel_BW(g_coords, g_y, g_X)

#Default golden section search using AICc criterion
>>> bw = selector.search()
>>> print(bw)
117.0

#Interval search using AICc criterion
>>> bw = selector.search(search_method='interval', interval=2, bw_min=101, bw_max=150)
>>> print(bw)
117
```

3.3. Model calibration

Model calibration is carried out by first instantiating a GWR model object. Then, the `fit` method for the GWR object is called to fit the model. An important input that must be specified for GWR calibration is the bandwidth parameter, which can be chosen via the optimal bandwidth selection routine discussed above.

```
#Calibrate a GWR model for Georgia dataset using computationally selected bandwidth

>>> gwr_selector = Sel_BW(g_coords, g_y, g_X)
>>> gwr_bw = gwr_selector.search()
>>> print(gwr_bw)
117.0
>>> gwr_model = GWR(g_coords, g_y, g_X, gwr_bw)
>>> gwr_results = gwr_model.fit()
>>> print(gwr_results.resid_ss)
1650.85969828
```

The bandwidth can also be selected manually when there is a strong theoretical grounding or to explore potential spatial heterogeneity. Figure 5 displays the different patterns that arise for the percent rural parameter estimate surface when the bandwidth is varied from 25 to 150 nearest neighbors.

```
#Calibrate a GWR model for the Georgia dataset using a manually set bandwidth
```

```
>>> gwr_model = GWR(g_coords, g_y, g_X, 117)
>>> gwr_results = gwr_model.fit()
>>> print(gwr_results.resid_ss)
1650.85969828

#Exploring spatial heterogeneity by manually varying bandwidth

>>> fig, ax = plt.subplots(2, 3, figsize=(10,8))
>>> bws = (x for x in range(25,175, 25))

>>> for row in range(2):
    for col in range(3):
        bw = next(bws)
        gwr_model = GWR(g_coords, g_y, g_X, bw)
        gwr_results = gwr_model.fit()
        georgia['rural'] = gwr_results.params[:, -1]
        georgia.plot('rural', ax=ax[row, col])
        ax[row, col].set_title('Bandwidth: ' + str(bw))
        ax[row, col].get_xaxis().set_visible(False)
        ax[row, col].get_yaxis().set_visible(False)
>>> plt.savefig('explore')
>>> plt.show()
```

3.4. Probability models

Though the examples in this paper will focus on calibrating Gaussian GWR models for continuous data, it is also possible to calibrate a Poisson GWR for count data or a Binomial logistic GWR for boolean data. To do so, the appropriate family object should be imported from the **spglm** package:

```
from spglm.family import Poisson, Binomial
```

and then it is necessary to set `family=Poisson()` or `family=Binomial()` when instantiating a `Sel_BW` or `GWR` object. Generally, it is not necessary to import or specify a Gaussian family object since it is the default behavior across **mgwr**.

3.5. Model diagnostics

Once a GWR model calibration is complete, several diagnostic tools and statistics are available.

Model fit

Model fit can be assessed using global statistics such as the AIC, AICc, or, a pseudo- R^2 , which are all available as attributes of the `GWRResults` object that is returned from a successful model calibration. It is also possible to assess the fit of the model at each calibration location by




Figure 5: Spatial heterogeneity of the percent rural parameter surface for the Georgia dataset using different bandwidths.

mapping a local R^2 statistic. This local measure of fit provides an indication of how well the model fits over the smoothed data, focused at each site. Figure 6 shows that the individual regression models that comprise the GWR model have model fits that are both larger and smaller than the global R^2 . It is also clear that the variation in model fit is spatially patterned with higher model fit in the north than in the south.

```
#Global model fit

>>> gwr_selector = Sel_BW(g_coords, g_y, g_X)
>>> gwr_bw = gwr_selector.search()
>>> print(gwr_bw)
117.0
>>> gwr_model = GWR(g_coords, g_y, g_X, gwr_bw)
>>> gwr_results = gwr_model.fit()
>>> print(gwr_results.aic)
848.915407053
>>> print(gwr_results.aicc)
851.350292784
>>> print(gwr_results.R2)
0.678074266959

#Local model fit
>>> georgia['R2'] = gwr_results.localR2
>>> georgia.plot('R2', legend=True)
>>> ax = plt.gca()
>>> ax.get_xaxis().set_visible(False)
>>> ax.get_yaxis().set_visible(False)
>>> plt.savefig('local_R2')
>>> plt.show()
```

Inference on individual parameter estimates

Since GWR is an extension of the traditional regression framework, traditional inferential tools are available. A t -test can be carried out for each parameter, j , at each calibration location, i , where local t -values are given by:

$$t_{(i,j)} = \frac{\hat{\beta}_{(i,j)}}{se_{(i,j)}} \quad (4)$$

where $se_{(i,j)}$ is the standard error associated with the ij^{th} parameter estimate. However, the nature of the distance-weighting scheme can potentially cause the local sub-samples to be dependent and a correction to account for multiple dependent hypothesis tests has been developed ([da Silva and Fotheringham 2015](#)). Instead of employing the typical $\alpha = 0.05$ value that pertains to a 95% confidence interval, an alternative corrected α is given by:

$$\alpha = \frac{\xi}{\frac{ENP}{p}} \quad (5)$$




Figure 6: Spatial variation of local R^2 model fit statistic for the Georgia dataset. Model fit is highest in the north, and worst in the Southwest.

where ENP is the effective number of parameters obtained by taking the trace of the GWR hat matrix (denoted by $\hat{\mathbf{S}}$), p is the number of explanatory variables, and ξ is the desired type I error rate across the set of tests. The ratio $\frac{ENP}{p}$ ($ENP > p$) is representative of the number of multiple tests and if $p_e = p$ then $\xi = \alpha$ and the number of tests performed by GWR and a global regression are equivalent.

The `adj_alpha` and `filter_t` methods are available to compute the corrected alpha and filter out parameters whose confidence intervals overlap with zero (i.e., statistically insignificant). Applying the correction typically results in more conservative hypothesis tests that lead to the null hypothesis $\hat{\beta}_i = 0$ being accepted more often. This is demonstrated in Figure 7 where the right panel that uses the correction displays statistically significant parameter estimates (i.e., those not shaded gray), than the middle panel that does not use the correction for the foreign born parameter estimates of the Georgia dataset. Therefore, the default behavior of the `filter_t` method is to automatically use the correction defined in Equation (5) with $\xi = 0.05$.

```
#Visualizing hypothesis tests for significance of parameter estimates
>>> gwr_selector = Sel_BW(g_coords, g_y, g_X)
>>> gwr_bw = gwr_selector.search()
>>> print(gwr_bw)
117.0
>>> gwr_model = GWR(g_coords, g_y, g_X, gwr_bw)
>>> gwr_results = gwr_model.fit()

>>> filter_tc = gwr_results.filter_tvals() #default behavior using corrected alpha
```

```
>>> filter_t = gwr_results.filter_tvals(alpha=0.05) # without correction

>>> georgia['rural'] = gwr_results.params[:,1]
>>> georgia['rural_t'] = filter_t[:,1]
>>> georgia['rural_tc'] = filter_tc[:,1]

>>> fig, ax = plt.subplots(1, 3, figsize=(10,4))

>>> georgia.plot('rural', **{'edgecolor':'black', 'alpha':.65, 'linewidth':.5}, ax=ax[0])
>>> ax[0].get_xaxis().set_visible(False)
>>> ax[0].get_yaxis().set_visible(False)
>>> ax[0].set_title('Parameter estimates')

>>> georgia.plot('rural', **{'edgecolor':'black', 'alpha':.65, 'linewidth':.5}, ax=ax[1])
>>> georgia[filter_t[:,1] == 0].plot(color='grey', ax=ax[1],
**{'edgecolor':'black','linewidth':.5})
>>> ax[1].get_xaxis().set_visible(False)
>>> ax[1].get_yaxis().set_visible(False)
>>> ax[1].set_title('Composite')

>>> georgia.plot('rural', **{'edgecolor':'black', 'alpha':.65, 'linewidth':.5}, ax=ax[2])
>>> georgia[filter_tc[:,1] == 0].plot(color='grey', ax=ax[2],
**{'edgecolor':'black','linewidth':.5})
>>> ax[2].get_xaxis().set_visible(False)
>>> ax[2].get_yaxis().set_visible(False)
>>> ax[2].set_title('Composite with correction')
plt.savefig('testing')
plt.show()
```

Inference on surface of parameter estimates

It is also possible to test the statistical significance of each surface of parameter estimates produced by GWR via Monte Carlo methods. The spatial variability test shuffles the observations in space, re-calibrates GWR on the randomized data while holding the model specification constant, and then computes the variability of the resulting parameter estimates for each surface. This process is repeated and the number of times that the variability of each surface from the randomized data is higher than the variability of each original surface is used to construct pseudo p-values for hypothesis testing. A pseudo-p-value smaller than 0.05 indicates that the observed spatial variability of a coefficient surface is significant at the 95% confidence level (i.e., non-random).

One issue with the test for spatial variability is that it requires GWR to be calibrated many times, which is computationally expensive. It may even be computationally prohibitive to use the test for larger datasets and users should exercise caution in how many replications they specify for the test, keeping in mind that the default number of iterations is 1000. In the example below, the four p-values produced correspond to parameter estimate surfaces for the intercept, the foreign born variable, the African American variable, and the rural




Figure 7: Parameter estimates for foreign born variable (left), composite of significant and insignificant (grey) parameter estimates without correction for multiple dependent hypothesis tests (middle) and with correction for multiple dependent hypothesis tests (right).

variable. For a GWR model with a bandwidth of 50 and repetitions of 100, 1000 or 2000, the p-value for the intercept and the rural variable are larger than 0.05 and indicate the parameter estimates surfaces exhibit no significant local variation, whereas the p-values for foreign born and African American are smaller than 0.05 and indicate the parameter estimates surfaces do exhibit significant local variation.

```
#Visualizing hypothesis tests for significance of parameter estimates

#Manually set bandwidth to 50 and fit
>>> gwr_model = GWR(g_coords, g_y, g_X, 50)
>>> gwr_results = gwr_model.fit()

#100 iterations
>>> p_vals_100 = gwr_results.spatial_variability(gwr_selector, 100)
>>> print(p_vals_100)
[ 0.153  0.019  0.026  0.155]

#default is 1000 iterations
>>> p_vals_1000 = gwr_results.spatial_variability(gwr_selector)
>>> print(p_vals_1000)
[ 0.12  0.03  0.04  0.14]

#2000 iterations
>>> p_vals_2000 = gwr_results.spatial_variability(gwr_selector, 2000)
>>> print(p_vals_2000)
[ 0.1515  0.0195  0.023   0.146 ]
```

Local multicollinearity

Though there are many tools available to evaluate multicollinearity amongst explanatory variables for traditional regression models, some extra care is needed for local models that borrow data from nearby locations. Within each local model, there may be higher levels of collinearity than is present in the dataset as a whole (Wheeler and Tiefelsdorf 2005). Higher levels of collinearity are associated with problems such as estimate instability, unintuitive parameter signs, high R^2 diagnostics despite few or no significant parameters, and inflated standard errors for parameter estimates (Belsey, Kuh, and Welsch 1980; O'brien 2007). As a result, diagnostic tools have been designed to detect levels of local multicollinearity, including local correlation coefficients (CC), local variation inflation factors (VIF), local condition number (CN), and local variation decomposition proportions (VDP) (Wheeler and Tiefelsdorf 2005; Wheeler 2007). Each local measure has a rule of thumb that indicates that there might be an issue due to multicollinearity: CC higher than 0.8; VIF higher than 10; CN higher than 30; VDP higher than 0.5 each indicate multicollinearity in some measure. However, these rules are not absolute and obtaining lower values does not mean collinearity is innocuous, nor does obtaining larger values guarantee collinearity is indeed problematic. In addition, local CC's and local VIF's do not consider the local intercept term, while the local CN is a single aggregate measure for all of the variables rather than producing an individual measure for each variable. Figures 8 - 11 demonstrate maps of local CC's, local VIF's, local CN's, and local VDP's, respectively, for the Georgia example using an AICc optimized bandwidth. The VDP's indicate that some areas may be subject to the effects of collinearity; however, none of the CC's, VIF's nor CN's indicate that collinearity is problematic for any of the calibration locations. In addition, it has been demonstrated that multicollinearity is not inherently more problematic in GWR (Fotheringham and Oshan 2016) than a traditional regression and some of the patterns theorized to be associated with multicollinearity may be indicative (Oshan and Fotheringham 2017) of reality or due to scale misspecification (Murakami, Lu, Harris, Brunsdon, Charlton, Nakaya, and Griffith 2017).

```
>>> gwr_selector = Sel_BW(g_coords, g_y, g_X)
>>> gwr_bw = gwr_selector.search()
>>> print(gwr_bw)
117.0
>>> gwr_model = GWR(g_coords, g_y, g_X, gwr_bw)
>>> gwr_results = gwr_model.fit()

>>> LCC, VIF, CN, VDP = gwr_results.local_collinearity()

>>> names = ['Foreign Born vs. African American',
            'Foreign Born vs. Rural',
            'African American vs. Rural']

>>> fig, ax = plt.subplots(1,3, figsize=(12,4))

>>> for col in range(3):
    georgia['vif'] = LCC[:,col]
    georgia.plot('vif', ax=ax[col], legend=True)
```




Figure 8: Surfaces of local correlation coefficients (LCC).

```

ax[col].set_title('LCC: ' + names[col])
ax[col].get_xaxis().set_visible(False)
ax[col].get_yaxis().set_visible(False)

>>> names = ['Foreign Born', 'African American', 'Rural']
>>> fig, ax = plt.subplots(1,3, figsize=(12,4))

>>> for col in range(3):
    georgia['vif'] = VIF[:,col]
    georgia.plot('vif', ax=ax[col], legend=True)
    ax[col].set_title('VIF: ' + names[col])
    ax[col].get_xaxis().set_visible(False)
    ax[col].get_yaxis().set_visible(False)

>>> fig, ax = plt.subplots(1,1, figsize=(4,4))
>>> georgia['cn'] = CN
>>> georgia.plot('cn', legend=True, ax=ax)
>>> ax.set_title('Condition Number')
>>> ax.get_xaxis().set_visible(False)
>>> ax.get_yaxis().set_visible(False)

>>> names = ['Intercept', 'Foreign Born', 'African American', 'Rural']
>>> fig, ax = plt.subplots(1,4, figsize=(16,4))

>>> for col in range(4):
    georgia['vdp'] = VDP[:,col]
    georgia.plot('vdp', ax=ax[col], legend=True)
    ax[col].set_title('VDP: ' + names[col])
    ax[col].get_xaxis().set_visible(False)
    ax[col].get_yaxis().set_visible(False)

```




Figure 9: Surfaces of local variation inflation factors (VIF).




Figure 10: Surface of local condition number.




Figure 11: Surfaces of local variance decomposition proportions (VDP).

3.6. Out-of-sample spatial prediction

Though the primary focus of **mgwr** is on inference, it is also possible to use GWR as a tool for out-of-sample spatial prediction in a manner similar to interpolation methods (Harris, Fotheringham, Crespo, and Charlton 2010). For example, it is feasible to first calibrate a GWR model using data where both the dependent and independent variables are observed in order to obtain an AICc optimized bandwidth. Out-of-sample predictions are then obtained by borrowing exogenous data at the unobserved locations from surrounding sites based on the previously estimated bandwidth, estimating the parameters for the prediction site, and then calculating predicted values of the dependent variable using the borrowed explanatory covariates and estimates. This is demonstrated below by splitting the Georgia dataset into a calibration dataset for obtaining a bandwidth and holding out some observations to then predict.

```
# Out-of-sample prediction using GWR

#Split data into calibration and prediction sets
>>> np.random.seed(908)
>>> sample = np.random.choice(range(159), 10)
>>> mask = np.ones_like(g_y,dtype=bool).flatten()
>>> mask[sample] = False

>>> cal_coords = np.array(g_coords)[mask]
>>> cal_y = g_y[mask]
>>> cal_X = g_X[mask]

>>> pred_coords = np.array(g_coords)[~mask]
>>> pred_y = g_y[~mask]
>>> pred_X = g_X[~mask]

#Calibrate GWR model
>>> gwr_selector = Sel_BW(cal_coords, cal_y, cal_X)
>>> gwr_bw = gwr_selector.search(bw_min=2)
>>> print(gwr_bw)
109.0
>>> model = GWR(cal_coords, cal_y, cal_X, gwr_bw)
>>> gwr_results = model.fit()

#Make predictions
>>> pred_results = model.predict(pred_coords, pred_X)

#Check correlation between known and predicted values
>>> corr = np.corrcoef(pred_results.predictions.flatten(), pred_y.flatten())[0][1]
print(corr)
0.914249268428
```

4. MGWR functionality

So far, all the concepts and examples discussed in this paper have assumed that the data-borrowing range (i.e., bandwidth), or process scale is the same for each relationship in a given model. Any time that there are multiple distinct spatial scales generating data and GWR is applied, one or more of the scales are misspecified, which can result in biased parameter estimates. A more intuitive assumption is that each relationship may occur at a different scale. MGWR provides an extension that allows each variable to be associated with a distinct bandwidth by recasting GWR as a generalized additive model (GAM) such that:

$$y = \sum_{j=1}^k f_j + \epsilon \quad (6)$$

where f_j is a smoothing function (i.e., data-borrowing scheme) applied to the j^{th} explanatory variable that may be characterized by distinct bandwidth parameter (Fotheringham *et al.* 2017). In this section, concepts and functionality necessary to calibrate a MGWR model are introduced with special attention to details that differ from the GWR functionality previously introduced.

4.1. Standardizing the variables

In order to compare each of the bandwidths obtained from an MGWR model, it is necessary to standardize the dependent and independent variables so that they are centered at zero and based on the same range of variation. Otherwise it may be difficult to objectively compare the estimated bandwidths because it is possible that they are also representative of the scale and variation of the independent variables (Fotheringham *et al.* 2017).

```
#Standardize variables

#Georgia dataset
>>> g_X = (g_X - g_X.mean(axis=0)) / g_X.std(axis=0)
>>> g_y = (g_y - g_y.mean(axis=0)) / g_y.std(axis=0)

#Standardize Berlin dataset
>>> b_X = (b_X - b_X.mean(axis=0)) / b_X.std(axis=0)
>>> b_y = (b_y - b_y.mean(axis=0)) / b_y.std(axis=0)
```

4.2. Bandwidth selection and model calibration

MGWR uses a back-fitting algorithm for model calibration, based on GAM fitting methods (Fotheringham *et al.* 2017; Yu *et al.* 2018). This involves sequentially calibrating a series of univariate GWR models based on the partial residuals from the previous iteration until the MGWR model converges to a solution. Two primary differences arise in how an MGWR model is specified and calibrated in **mgwr** when compared to GWR. First, though it is possible to utilize a GWR object without carrying out computational bandwidth selection, the same is not true of MGWR because bandwidth selection and parameter estimation are inherently linked. Instead, a **Sel_BW** object must be passed to a MGWR object in order to carry out MGWR calibration, which is demonstrated below:

```
#Example of MGWR calibration (Berlin data)

>>> mgwr_selector = Sel_BW(b_coords, b_y, b_X, multi=True)
>>> mgwr_bw = mgwr_selector.search()
>>> print(mgwr_bw)
[191.0, 1279.0, 79.0, 2200.0]
>>> mgwr_results = MGWR(b_coords, b_y, b_X, mgwr_selector).fit()
```

This is necessary because parameter estimation occurs during bandwidth selection and therefore, much of the results from `Sel_BW` are needed for computing MGWR model diagnostics. A second difference between MGWR and GWR is that the MGWR routine must be initialized with starting values of the parameters for each variable. [Fotheringham et al. \(2017\)](#) demonstrate how using the local parameter estimates from a calibrated GWR can speed up the MGWR calibration, rather than starting from zero or assuming a global bandwidth (i.e., using OLS results). As a result, this is the default behavior in `mgwr`.

4.3. Manually setting covariate-specific bandwidths

Though MGWR calibration requires the use of a `Sel_BW` object, it is still possible to manually select bandwidth parameters by setting both a minimum and maximum bandwidth to the same value using the `multi_bw_min` and `multi_bw_max` input options. A difference between these options and the `bw_min` and `bw_max` arguments used for GWR calibration is that the former must be specified using a list. If a list with a single value is specified, then this value is applied to all of the variables. However, it is also possible to specify a minimum and maximum bandwidth value for each variable in the model. Each of the these options is demonstrated below:

```
#Example of manual bandwidth selection in MGWR

#Apply the same bandwidth to all variables
>>> mgwr_selector = Sel_BW(b_coords, b_y, b_X, multi=True)
>>> mgwr_bw = mgwr_selector.search(multi_bw_min=[500], multi_bw_max=[500])
>>> print(mgwr_bw)
[500.0, 500.0, 500.0, 500.0]
>>> mgwr_results = MGWR(b_coords, b_y, b_X, mgwr_selector).fit()

#Unique manual bandwidths
>>> mgwr_selector = Sel_BW(b_coords, b_y, b_X, multi=True)
>>> mgwr_bw = mgwr_selector.search(multi_bw_min=[150, 500, 750, 1000],
> multi_bw_max=[150, 500, 750, 1000])
>>> print(mgwr_bw)
[150.0, 500.0, 750.0, 1000.0]
>>> mgwr_results = MGWR(b_coords, b_y, b_X, mgwr_selector).fit()
```

4.4. Inference on parameter estimates

As with GWR, it is necessary to apply the modified hypothesis testing framework described

above. However, in the case of MGWR, it is possible to extend the testing framework to formulate a covariate-specific corrected hypothesis test for each surface of parameter estimates (Yu *et al.* 2018). In MGWR, the hat matrix, \mathbf{S} , that maps the observed dependent variable onto the fitted values of the dependent variable, can be decomposed into covariate-specific contributions, \mathbf{R}_j . With this, it is possible to compute a distinct effective number of parameters (ENP) for each parameter surface:

$$ENP_j = \text{tr}(\mathbf{R}_j) \quad (7)$$

Using the covariate-specific ENP's, Equation 5 can be updated to:

$$\alpha_j = \frac{\xi_m}{ENP_j} \quad (8)$$

where p drops out because for each relationship $p = 1$. The default behavior in **mgwr** is to use α_j to compute a covariate-specific critical t -value for hypothesis testing. It is possible to inspect each ENP_j , α_j , and the adjusted t -values as follows:

```
#First set up model
>>> mgwr_selector = Sel_BW(b_coords, b_y, b_X, multi=True)
>>> mgwr_bw = mgwr_selector.search()
>>> mgwr_results = MGWR(b_coords, b_y, b_X, mgwr_selector).fit()

#Covariate-specific ENP
>>> print(mgwr_results.ENP_j)
[31.89989861, 4.77588266, 73.79013919, 1.40343481]

#Covariate-specific adjusted alpha at 95% CI
>>> print(mgwr_results.adj_alpha_j[:,1])
[ 0.0015674   0.01046927  0.0006776   0.03562688]

#Covariate-specific adjusted critical t-value
>>> print(mgwr_results.critical_tval())
[ 3.16585816  2.56212889  3.40333525  2.10245302]
```

The simplest way to utilize these values for inference is through the `filter_tvals` method, which by default returns an array of the t -values where “insignificant” estimates are (at the 95% significance level) set to zero.

```
>>> mgwr_filtered_t = mgwr_results.filter_tvals()
```

Then, it is possible to visualize only the coefficients associated with non-zero t -values. In addition, it is recommended to visualize the surfaces that result from MGWR in comparison to those from GWR to understand how surfaces vary under different assumptions about process scale. The `compare_surfaces` function is available specifically for comparative visualization between two surfaces and is demonstrated below in two examples of inference in MGWR.

The Georgia dataset

The code below demonstrates inference using MGWR using the Georgia dataset⁶. Since the GWR bandwidth of 117.0 is relatively large and none of the MGWR bandwidths are small, there are only some minor differences between GWR and MGWR as displayed in Figure 12. For the intercept, *Foreign Born*, and *African American*, the patterns in the relationships for both the significant and insignificant parameter estimates are all very similar. This is due to the fact that for these surfaces, the MGWR bandwidths are all relatively similar in magnitude (i.e., +/- approximately 15 nearest-neighbors). In contrast, there is a larger difference in the pattern of the coefficients for the rural variable between GWR and MGWR and a larger difference between the bandwidths (i.e., 41 nearest neighbors). Nevertheless, the *Rural* parameter estimate surfaces for both GWR and MGWR are still similar and both are composed of statistically significant negative estimates. Overall, these results show that when GWR and MGWR estimate similar bandwidths, the associated parameter estimates and hypothesis tests are also similar.

```
#Calibrate GWR using standardized data

>>> gwr_selector = Sel_BW(g_coords, g_y, g_X)
>>> gwr_bw = gwr_selector.search()
print(gwr_bw)
117.0
>>> gwr_model = GWR(g_coords, g_y, g_X, gwr_bw)
>>> gwr_results = gwr_model.fit()

#Prepare GWR results for mapping

#Add GWR parameters to GeoDataframe
>>> georgia['gwr_intercept'] = gwr_results.params[:,0]
>>> georgia['gwr_fb'] = gwr_results.params[:,1]
>>> georgia['gwr_aa'] = gwr_results.params[:,2]
>>> georgia['gwr_rural'] = gwr_results.params[:,3]

#Obtain t-vals filtered based on multiple testing correction
>>> gwr_filtered_t = gwr_results.filter_tvals()

#Calibrate MGWR model

>>> mgwr_selector = Sel_BW(g_coords, g_y, g_X, multi=True)
>>> mgwr_bw = mgwr_selector.search(multi_bw_min=[2])
print(mgwr_bw)
[92.0, 101.0, 136.0, 158.0]
>>> mgwr_results = MGWR(g_coords, g_y, g_X, mgwr_selector).fit()

#Prepare MGWR results for mapping
```

⁶This example is available in more detail in [Yu et al. \(2018\)](#)

```
#Add MGWR parameters to GeoDataframe
>>> georgia['mgwr_intercept'] = mgwr_results.params[:,0]
>>> georgia['mgwr_fb'] = mgwr_results.params[:,1]
>>> georgia['mgwr_aa'] = mgwr_results.params[:,2]
>>> georgia['mgwr_rural'] = mgwr_results.params[:,3]

#Obtain t-vals filtered based on multiple testing correction
>>> mgwr_filtered_t = mgwr_results.filter_tvals()

>>> kwargs1 = {'edgecolor':'black', 'alpha':.65}
>>> kwargs2 = {'edgecolor':'black'}

>>> compare_surfaces(georgia, 'gwr_intercept', 'mgwr_intercept', gwr_filtered_t[:,0],
                     gwr_bw, mgwr_filtered_t[:,0], mgwr_bw[0], 'Intercept',
                     kwargs1, kwargs2, savefig='g1')

>>> compare_surfaces(georgia, 'gwr_fb', 'mgwr_fb', gwr_filtered_t[:,1],
                     gwr_bw, mgwr_filtered_t[:,1], mgwr_bw[1], 'Foreign Born',
                     kwargs1, kwargs2, savefig='g2')

>>> compare_surfaces(georgia, 'gwr_aa', 'mgwr_aa', gwr_filtered_t[:,2],
                     gwr_bw, mgwr_filtered_t[:,2], mgwr_bw[2], 'African American',
                     kwargs1, kwargs2, savefig='g3')

>>> compare_surfaces(georgia, 'gwr_rural', 'mgwr_rural', gwr_filtered_t[:,3],
                     gwr_bw, mgwr_filtered_t[:,3], mgwr_bw[3], 'Rural',
                     kwargs1, kwargs2, savefig='g4')
```

The Berlin dataset

Similar code is available below that demonstrates inference in MGWR using the Berlin dataset. As in the Georgia example above, MGWR indicates that some bandwidth estimates are similar to those from GWR: a very similar bandwidth for the intercept results in a similar pattern with two additional clusters of negative parameter estimates in the north and east; and a slightly smaller bandwidth for the *accommodates* variable results in fewer statistically significant parameters but with a similar pattern and the addition of a small cluster of negative parameter estimates. However, there are also some differences in MGWR bandwidths from GWR bandwidths: much larger bandwidths for the *bathrooms* variable and the *review score* variable produce many more statistically significant positive parameter estimates. In particular, the *review score* variable has a bandwidth implying almost all neighbors are considered, which results in all of the parameter estimates being statistically significant and remarkably constant (i.e., a global relationship) across the study area. These results reinforce that when MGWR and GWR estimate similar bandwidths, then they produce similar parameter estimates and inferences; however, when they diverge it is possible to obtain much different results. Therefore, it is necessary to utilize MGWR to ensure the correct data-borrowing scales are employed for each relationship.




Figure 12: Parameter estimates for GWR (left) and MGWR (right) for Georgia dataset.

```
#Calibrate GWR using standardized data

>>> gwr_selector = Sel_BW(b_coords, b_y, b_X)
>>> gwr_bw = gwr_selector.search()
>>> print(gwr_bw)
191.0
>>> gwr_model = GWR(b_coords, b_y, b_X, gwr_bw)
>>> gwr_results = gwr_model.fit()

#Prepare GWR results for mapping

#Add GWR parameters to GeoDataframe
>>> prenz['gwr_intercept'] = gwr_results.params[:,0]
>>> prenz['gwr_score'] = gwr_results.params[:,1]
>>> prenz['gwr_accom'] = gwr_results.params[:,2]
>>> prenz['gwr_baths'] = gwr_results.params[:,3]

#Obtain t-vals filtered based on multiple testing correction
>>> gwr_filtered_t = gwr_results.filter_tvals()

#Calibrate MGWR model

>>> mgwr_selector = Sel_BW(b_coords, b_y, b_X, multi=True)
>>> mgwr_bw = mgwr_selector.search(multi_bw_min=[2])
>>> print(mgwr_bw)
[190.0, 1279.0, 79.0, 2200.0]

>>> mgwr_results = MGWR(b_coords, b_y, b_X, mgwr_selector).fit()

#Prepare MGWR results for mapping

#Add MGWR parameters to GeoDataframe
>>> prenz['mgwr_intercept'] = mgwr_results.params[:,0]
>>> prenz['mgwr_score'] = mgwr_results.params[:,1]
>>> prenz['mgwr_accom'] = mgwr_results.params[:,2]
>>> prenz['mgwr_baths'] = mgwr_results.params[:,3]

#Obtain t-vals filtered based on multiple testing correction
>>> mgwr_filtered_t = mgwr_results.filter_tvals()

>>> kwargs1 = {'edgecolor':'lightgrey', 'markersize':175}
>>> kwargs2 = {'facecolor':'lightgrey', 'markersize':175}

>>> compare_surfaces(prenz, 'gwr_intercept', 'mgwr_intercept', gwr_filtered_t[:,0],
                      gwr_bw, mgwr_filtered_t[:,0], mgwr_bw[0], 'Intercept',
                      kwargs1, kwargs2, savefig='b1')
```

```
>>> compare_surfaces(prenz, 'gwr_score', 'mgwr_score', gwr_filtered_t[:,1],
                     gwr_bw, mgwr_filtered_t[:,1], mgwr_bw[1], 'Review Score',
                     kwargs1, kwargs2, savefig='b2')

>>> compare_surfaces(prenz, 'gwr_accom', 'mgwr_accom', gwr_filtered_t[:,2],
                     gwr_bw, mgwr_filtered_t[:,2], mgwr_bw[2], 'Accommodates',
                     kwargs1, kwargs2, savefig='b3')

>>> compare_surfaces(prenz, 'gwr_baths', 'mgwr_baths', gwr_filtered_t[:,3],
                     gwr_bw, mgwr_filtered_t[:,3], mgwr_bw[3], 'Baths',
                     kwargs1, kwargs2, savefig='b4')
```

4.5. Local multicollinearity

Allowing bandwidths to be distinct for each relationship can also have consequences for local multicollinearity. When each relationship is specified with the same kernel function and bandwidth parameter, it implies that they are subject to the same weighting transformation, which may exacerbate collinearity between variables and is sometimes called concrivity. By allowing bandwidths to vary, it becomes possible that variables are subject to different transformations, which can avoid inducing multicollinearity/concrivity. The local condition number is easy to extend from the GWR context to the MGWR context because it can be computed directly on the design matrix where each column is a variable and can be subjected to its respective transformation. The example below demonstrates the differences between local conditions numbers for GWR and MGWR for the Berlin dataset. In Figure 14 it is apparent that once the bandwidths are allowed to vary in MGWR (right) the local condition numbers are lower than for GWR (left) where the bandwidths are not allowed to vary. However, it is also apparent that for this given example, none of the local condition numbers suggest that multicollinearity is an issue since they are all below the rule of thumb of 30. [Comber, Chi, Quang Huy, Nguyen, Lu, Huu Phe, and Harris \(2018\)](#) also provide evidence that the use of different distance metrics, which implies varying bandwidths, can effect the degree local multicollinearity in (M)GWR.

```
#Prepare GWR/MGWR condition number for mapping
>>> gwr_lc = gwr_results.local_collinearity()
>>> mgwr_lc = mgwr_results.local_collinearity()

>>> prenz['gwr_cn'] = gwr_lc[2]
>>> prenz['mgwr_cn'] = mgwr_lc[0]

>>> fig, axes = plt.subplots(nrows=1, ncols=2, figsize=(10,5))
>>> ax0 = axes[0]
>>> ax0.set_title('GWR Condition Number', fontsize=10)
>>> ax1 = axes[1]
>>> ax1.set_title('MGWR Condition Number', fontsize=10)
>>> cmap = mpl.cm.RdYlBu
```




Figure 13: Parameter estimates for GWR (left) and MGWR (right) for Berlin dataset.

```

>>> vmin = np.min([prenz['gwr_cn'].min(), prenz['mgwr_cn'].min()])
>>> vmax = np.max([prenz['gwr_cn'].max(), prenz['mgwr_cn'].max()])

>>> if (vmin < 0) & (vmax < 0):
    cmap = truncate_colormap(cmap, 0.0, 0.5)
>>> elif (vmin > 0) & (vmax > 0):
    cmap = truncate_colormap(cmap, 0.5, 1.0)

>>> sm = plt.cm.ScalarMappable(cmap=cmap, norm=plt.Normalize(vmin=vmin, vmax=vmax))

>>> prenz.plot('gwr_cn', cmap=sm.cmap, ax=ax0, vmin=vmin, vmax=vmax,
**{'edgecolor':'lightgrey', 'alpha':.95, 'linewidth':.75})
>>> prenz.plot('mgwr_cn', cmap=cmap, ax=ax1, vmin=vmin, vmax=vmax,
**{'edgecolor':'lightgrey', 'alpha':.95, 'linewidth':.75})

>>> fig.tight_layout()
>>> fig.subplots_adjust(right=0.9)
>>> cax = fig.add_axes([0.92, 0.14, 0.03, 0.75])
>>> sm._A = []
>>> cbar = fig.colorbar(sm, cax=cax)
>>> cbar.ax.tick_params(labelsize=10)

>>> ax0.get_xaxis().set_visible(False)
>>> ax0.get_yaxis().set_visible(False)
>>> ax1.get_xaxis().set_visible(False)
>>> ax1.get_yaxis().set_visible(False)
>>> plt.savefig('compare_collin')
>>> plt.show()

```

5. Additional features

5.1. Computational efficiency

Since GWR and MGWR are based on an ensemble of local regressions, the computational overhead can become large as the number of observations and calibration locations increase. Therefore, it is important to consider computational efficiency and is often of interest to understand the advantages of different software implementations for carrying out similar tasks. Here **mgwr** is highlighted for its computational efficiency compared to two other actively maintained open source implementations: **GWmodel** and **spgwr**. Figure 15 compares the runtime of GWR calibrations from **mgwr**, **GWmodel**, and **spgwr** for both the Georgia and Berlin datasets. Each implementation was used to calibrate a model employing an adaptive bi-square spatial kernel and golden section search based on AICc minimization using the variables discussed above (i.e., 3 explanatory variables for each model). Computations were




Figure 14: Local condition numbers for GWR (left) and MGWR (right)

carried out on a MacBook Pro with a 2.7 GHz Intel Core i5 CPU (2 cores) and 8 GB of 1867 MHz DDR3 RAM. It can be seen that for GWR calibrated on the smaller Georgia dataset, **mgwr** is nearly 4x faster than **GWmodel** and 15x faster than **spgwr** and for the larger Berlin dataset, **mgwr** is around 5x faster than **GWmodel** and 212x faster than **spgwr**. Results show that not only is **mgwr** the fastest among the three for those two datasets, but it is also the most scalable. This is because **mgwr** incorporates algorithmic optimizations introduced by FastGWR (Li, Fotheringham, Li, and Oshan 2018), a streamlined GWR implementation that can scale to millions of observations using parallelization. Specifically, the computational overhead is lowered by minimizing the calculation of unnecessary model diagnostics during bandwidth selection search procedures.

These computational savings also extend to MGWR since the backfitting algorithm used for calibration entails a series of GWR calibrations. Figure 16 demonstrates how these optimizations result in a faster runtime for MGWR calibrations for both the Georgia and Berlin datasets in **mgwr** compared to **GWmodel** using the same model specification and computing equipment as above. Despite the fact that **GWmodel** does not compute MGWR parameter estimate inference diagnostics, **mgwr** is still around 1.4x faster than **GWmodel** for the Georgia dataset and around 2.2x faster for the Berlin dataset. No comparison is made with **spgwr** because it does not support MGWR calibration. It is also worth noting that **GWmodel** does not use the same back-fitting algorithm as proposed in (Fotheringham *et al.* 2017) and instead uses an ad-hoc optimization strategy introduced in (Lu, Yang, Ge, and Harris 2018). The strategy assumes that each covariate-specific bandwidth will no longer change once it is stable for two iterations of the backfitting process. However, the robustness of this optimization has not yet been demonstrated widely and is therefore not featured within **mgwr**.

5.2. Accessibility

A feature that is unique to **pkmgwr** is that a graphical user interface (GUI) was developed on




Figure 15: GWR runtime comparison among **mgwr**, **GWmodel** and **spgwr**




Figure 16: MGWR runtime comparison between **mgwr** and **GWmodel**




Figure 17: MGWR Graphical User Interface Main Window

top of the open source code base to make the functionality more accessible and is supported for both Windows and Mac operating systems. The main interface of the GUI is demonstrated in figure 17 and allows both GWR and MGWR to be calibrated by reading in a data table (e.g., comma-separated values files, Excel spreadsheet or database file) and using point-and-click functionality to specify a desired model and calibration routine. In addition, all of the diagnostics outlined here can also be computed using the GUI. Once the routine is complete, a summary file of both global and local diagnostics is produced (figure 18), as well as a table of the parameter estimates, their associated inference diagnostics (i.e., standard errors and t-values), predicted values, and residuals.

6. Conclusion

This paper introduced **mgwr**, a Python-based implementation for efficiently calibrating a variety of GWR and MGWR models and a selection of associated diagnostics. After introducing some core concepts and primary software functionality, it demonstrated suggested usage on the Georgia and Berlin datasets. Though **mgwr** provides the fastest GWR and MGWR implementations and is the only implementation to provide both MGWR calibration and inference, there are still several enhancements that can be pursued in the future. First, diagnostic tests

Summary				
<hr/>				
Model type	Gaussian			
Number of observations:	159			
Number of missing rows:	0			
Number of covariates:	4			
Dependent variable:	PctBach			
Variable standardization:	On			
Total runtime:	0:00:03			
<hr/>				
Global Regression Results				
<hr/>				
Residual sum of squares:	77.203			
Log-likelihood:	-168.175			
AIC:	344.351			
AICc:	346.743			
BIC:	-708.477			
R2:	0.514			
Adj. R2:	0.505			
<hr/>				
Variable	Est.	SE	t(Est/SE)	p-value
<hr/>				
Intercept	0.000	0.056	0.000	1.000
PctFB	0.570	0.061	9.414	0.000
PctPov	-0.394	0.089	-4.440	0.000
PctBlack	0.245	0.084	2.898	0.004
<hr/>				
Multi-Scale Geographically Weighted Regression (MGWR) Results				
<hr/>				
Coordinates type:	Projected			
Spatial kernel:	Adaptive bisquare			
Criterion for optimal bandwidth:	AICc			
Score of change (SOC) type:	Smoothing f			
<hr/>				

Figure 18: Summary of MGWR Calibration

based on Monte Carlo simulations, such as the tests for spatial variability of parameter estimate surfaces could be optimized. These tests are extremely computational and can take a very long time to run for even modest sample sizes. Second, additional local multicollinearity measures could be extended to MGWR other than the local condition number. Third, out-of-sample prediction functionality could be extended to MGWR as well. Finally, GWR and MGWR calibration could be made even more scalable by incorporating FastGWR parallelization strategies (Li *et al.* 2018). These additions would make **mgwr** even more accessible for an array of application domains and scopes.

References

- Belsey DA, Kuh E, Welsch RE (1980). *Regression Diagnostics: Identifying Influential Data and Sources of Collinearity*. Wiley, New York.
- Comber A, Chi K, Quang Huy M, Nguyen Q, Lu B, Huu Phe H, Harris P (2018). “Distance metric choice can both reduce and induce collinearity in geographically weighted regression.” *Environment and Planning B: Urban Analytics and City Science*.
- da Silva AR, Fotheringham AS (2015). “The Multiple Testing Issue in Geographically Weighted Regression: The Multiple Testing Issue in GWR.” *Geographical Analysis*. ISSN 00167363. doi:10.1111/gean.12084. URL <http://doi.wiley.com/10.1111/gean.12084>.
- Fotheringham AS, Brunsdon C, Charlton M (2002). *Geographically Weighted Regression: The Analysis of Spatially Varying Relationships*. John Wiley & Sons. ISBN 978-0-470-85525-6.
- Fotheringham AS, Oshan TM (2016). “Geographically weighted regression and multicollinearity: dispelling the myth.” *Journal of Geographical Systems*, **18**(4), 303–329. ISSN 1435-5930, 1435-5949. doi:10.1007/s10109-016-0239-5. URL <http://link.springer.com/10.1007/s10109-016-0239-5>.
- Fotheringham AS, Yang W, Kang W (2017). “Multi-Scale Geographically Weighted Regression.” *Annals of the American Association of Geographers*, **107**(6), 1247–1265.
- Griffith DA (2008). “Spatial-filtering-based contributions to a critique of geographically weighted regression (GWR).” *Environment and Planning A*, **40**(11), 2751–2769. doi:10.1068/a38218. URL <http://www.envplan.com.ezproxy1.lib.asu.edu/abstract.cgi?id=a38218>.
- Harris P, Fotheringham AS, Crespo R, Charlton M (2010). “The Use of Geographically Weighted Regression for Spatial Prediction: An Evaluation of Models Using Simulated Data Sets.” *Mathematical Geosciences*, **42**(6), 657–680. ISSN 1874-8961, 1874-8953. doi:10.1007/s11004-010-9284-7. URL <http://link.springer.com/article/10.1007/s11004-010-9284-7>.
- Li Z, Fotheringham AS, Li W, Oshan T (2018). “Fast Geographically Weighted Regression (FastGWR): A Scalable Algorithm to Investigate Spatial Process Heterogeneity in Millions of Observations.” *International Journal of Geographical Information Science*. doi:10.1080/13658816.2018.1521523.

- Lu B, Yang W, Ge Y, Harris P (2018). “Improvements to the calibration of a geographically weighted regression with parameter-specific distance metrics and bandwidths.” *Computers, Environment and Urban Systems*.
- Murakami D, Lu B, Harris P, Brunsdon C, Charlton M, Nakaya T, Griffith DA (2017). “The importance of scale in spatially varying coefficient modeling.” *arXiv preprint arXiv:1709.08764*.
- O’brien RM (2007). “A Caution Regarding Rules of Thumb for Variance Inflation Factors.” *Quality & Quantity*, **41**(5), 673–690. ISSN 1573-7845. doi:10.1007/s11135-006-9018-6. URL <https://doi.org/10.1007/s11135-006-9018-6>.
- Oshan TM, Fotheringham AS (2017). “A Comparison of Spatially Varying Regression Coefficient Estimates Using Geographically Weighted and Spatial-Filter-Based Techniques: A Comparison of Spatially Varying Regression.” *Geographical Analysis*. ISSN 00167363. doi:10.1111/gean.12133. URL <http://doi.wiley.com/10.1111/gean.12133>.
- Tobler WR (1970). “A Computer Movie Simulating Urban Growth in the Detroit Region.” *Economic Geography*, **46**, 234. ISSN 00130095. doi:10.2307/143141. URL <http://www.jstor.org/stable/143141?origin=crossref>.
- Wheeler D, Tiefelsdorf M (2005). “Multicollinearity and correlation among local regression coefficients in geographically weighted regression.” *Journal of Geographical Systems*, **7**(2), 161–187. ISSN 1435-5930, 1435-5949. doi:10.1007/s10109-005-0155-6. URL <http://link.springer.com/article/10.1007/s10109-005-0155-6>.
- Wheeler DC (2007). “Diagnostic Tools and a Remedial Method for Collinearity in Geographically Weighted Regression.” *Environment and Planning A*, **39**(10), 2464–2481. ISSN 0308-518X, 1472-3409. doi:10.1068/a38325. URL <http://epn.sagepub.com/content/39/10/2464>.
- Yu H, Fotheringham AS, Li Z, Oshan T, Kang W, Wolf LJ (2018). “Inference in multiscale geographically weighted regression.” doi:10.31219/osf.io/4dksb. URL osf.io/4dksb.