

# TESSA

**Text Emotion System Sentiment Analysis**

**CSC 44800: Artificial Intelligence**  
**Professor: Yunhua Zhao**  
**FALL 2023**

**Georgios Ioannou**  
**Meng Wai Chan**  
**Farhanul Thouship**



01

## Introduction



**Georgios  
Ioannou**

Computer Science

CUNY City College of  
New York



**Meng Wai  
Chan**

Computer Science


CUNY City College of  
New York



**Farhanul  
Thouship**

Computer Science

CUNY City College of  
New York



## Goal

Interpreting human emotions is hard, even for us humans!

So, can we interpret human emotions on machines with reasonable accuracy?

## Action

Interpret a user's human emotion from text using Machine Learning!

Interpret the six universal expressions!



02

## Goal

### 1. IDENTIFY USE CASES:

- Acting
- Social Media Postings
- Text Messages
- Customer Service
- Product Feedback
- Market Research
- Interview Essay Questions
- Human-Robot Interaction



02

Goal

## 2. EXPLORE AND IMPLEMENT SOLUTIONS

Particularly, we chose to solve the sub-problem

- **Actors practicing:** Emotion detection can be used to provide real-time feedback on an actor's performance.

# 03

## USER SCENARIOS

### USER SCENARIO 1

Prompts user with:

- A text input field

Classify Button:

- Take user input text
- Send input text to the model
- Return the emotion from the user input text

### USER SCENARIO 2

Prompts user with:

- Emotion/Expression to convey

Record Button:

- Taking actor's voice
- Send it to a pre trained speech to text model

Classify Button:

- Take text from pretrained model
- Send that text to the model
- Return the emotion from the actor's text

## 04

### Solution

- Classification Problem
- 6 emotion values (classes)
  - Anger, Fear, Joy, Love, Sadness, Surprise
- **Training data** = 16, 000 unique text documents (rows)
- **Validation data** = 2, 000 unique text documents (rows)
- **Testing data** = 2, 000 unique text documents (rows)
- Sourced posts from Twitter API
- Main dataset : <https://www.kaggle.com/datasets/praveengovi/emotions-dataset-for-nlp>
- Supplementary datasets to preserve class balances:
  - <https://www.kaggle.com/datasets/shivamb/go-emotions-google-emotions-dataset>
  - <https://huggingface.co/datasets/dair-ai/emotion>



04


## Solution

### Models to try:

1. LSTM
2. MultinomialNB
3. SVM
4. Logistic Regression
5. Decision Tree
6. Random Forest
7. XGBoost

### Training/Testing/Validation Technique:

1. k-fold Cross-Validation
  - $k = 10$



# Technologies That May Be Utilized




1. Tensorflow
2. Pytorch
3. Keras
4. NLTK
5. SciKit-Learn
6. Numpy
7. Pandas
8. Imbalanced-Learn
9. Plotly
10. Matplotlib
11. Seaborn
12. Jupyter Notebook
13. Python
14. Flask
15. Streamlit
16. Hugging Face
17. HTML
18. CSS
19. JavaScript
20. Git
21. GitHub

# Questions & Answers

# Connect with us on LinkedIn!



**Georgios  
Ioannou**



**Meng Wai  
Chan**



**Farhanul  
Thouship**

