1. The probability of a leap year selected at random contain 53						
Sunday is:						
(a) 53/366	(b) 1/7	(c) 2/7	(d) 53/365			
2. A bag contain	ns 3 red and 2	blue marbles. A ı	marble is drawn at			
random. The pro	bability of dra	wing a black ball	is:			
(a) 3/5	(b) 2/5	(c) 0/5	(d) 1/5			
3. The probabili	ty that it will ra	ain tomorrow is 0	).85. What is the			
probability that i						
(a) 0.25	(b) 0.145	(c) $3/20$	(d) none of these			
4. What is the p	robability that	a number selecte	ed from the numbers			
(1, 2, 3,,15	5) is a multiple	of 4?				
(a) 1/5	(b) 4/5	(c) 2/15	(d) 1/3			
5. What are the	total outcome	es when we throw	three coins?			
(a) 4	(b) 5	(c) 8	(d) 7			
6. The probabil	ity that a prime	e number selecte	ed at random from the			
numbers (1,2,3,						
(a) 12/35	(b) 11/3	(c) 13/35	(d) none of these			
7. The sum of the	າe probability ເ	of an event and n	on event is :			
(a) 2	(b) 1 (c	e) 0 (d) non-	e of these.			
8. The following	g probabilities	are given; choos	se the correct answer			
for that which is						
(a) 0.15	(b) 2/7	(c) 7/5	(d) none of these.			
9. If three coins	are tossed sir	nultaneously, tha	nn the probability of			
getting at least t	wo heads, is:					
(a) 1/4	(b) 3/8	(c) $\frac{1}{2}$	(d) 1/8			
10. A letter is c	hosen at rando	om from the lette	ers of the word			
<b>♦</b> ASSASSINATI	ON. The pro	bability that the	letter chosen has:			
(a) 6/13	(b) 7/13	(c) 1	(d) none of these.			
11. A dice is thro	own. Find the p	probability of get	ting an even number.			
(A) 2/3	(B) 1	(C) 5/6 (	(D) 1/2			
12. Two coins are thrown at the same time. Find the probability of						
getting both heads.						
(A) 3/4 (B) 1/4	4 (C) 1/2	(D) 0				
13. Two dice are thrown simultaneously. The probability of getting a						

1

sum of 9 is:

(A) 1/10	(B) 3/10	(C) 1/9	(D) 4	1/9				
14. 100 cards are numbered from 1 to 100. Find the probability of getting a prime number.								
(A) 3/4	(B) 27/50	(C) 1/4	(D	) 29/100				
15. A bag contains 5 red balls and some blue balls .If the probability of drawing a blue ball is double that of a red ball, then the number of blue balls in a bag is:								
(A) 5	(B) 10	(C) 15	(D) 20					
16. A box of 600 bulbs contains 12 defective bulbs. One bulb is taken out at random from this box. Then the probability that it is non-defective bulb is:								
(A) 143/15	0 (B <mark>) 14</mark>	7/150 (C)	1/25	(D) 1/50				
17. Cards marked with numbers 2 to 101 are placed in a box and mixed thoroughly. One card is drawn from this box randomly, then the probability that the number on card is a perfect square.  (A) 9/100 (B) 1/10 (C) 3/10 (D) 19/100								
<b>18. What i</b> (A) 1/7	s the probabili (B) 53/366	ity of getting 53 (C) 2/7		n a leap year? 7/366				
19. A card is drawn from a well shuffled deck of 52 cards. Find the probability of getting a king of red suit.  (A) 1/26 (B) 3/26 (C) 7/52 (D) 1/13								
20. A game of chance consists of spinning an arrow which is equally likely to come to rest pointing to one of the number 1,2,312 ,then the probability that it will point to an odd number is:  (A) 1/6 (B) 1/12 (C) 7/12 (D) 5/12								
21. A game consists of tossing a one rupee coin 3 times and noting its outcome each time. Aryan wins if all the tosses give the same result i.e. three heads or three tails and loses otherwise. Then the probability that Aryan will lose the game.  (A) $3/4$ (B) $1/2$ (C) 1 (D) $1/4$								

22. Riya and Kajal are friends. Probability that both will have the same birthday is the same birthday is:								
•		(C) 1/365	(D) 1/133225					
23. A number $x$ is chosen at random from the numbers -2, -1, 0, 1, 2. Then the probability that $x^2 < 2$ is? (A) $1/5$ (B) $2/5$ (C) $3/5$ (D) $4/5$								
24. A jar contains 24 marbles. Some are red and others are white. If a marble is drawn at random from the jar, the probability that it is red is 2/3, then the number of white marbles in the jar is:  (A) $10$ (B) $6$ (C) $8$ (D) $7$								
Then the proba	25. A number is selected at random from first 50 natural numbers. Then the probability that it is a multiple of 3 and 4 is: (A) 7/50 (B) 4/25 (C) 1/25 (D) 2/25							
26. Consider a dice with the property that that probability of a face with n dots showing up is proportional to n. The probability of face showing 4 dots is?								
a) $\frac{1}{7}$	b) $\frac{5}{42}$	c) $\frac{1}{21}$	d) $\frac{4}{21}$					
		n 5 one day match	es are 50, 70, 82,					
a) 25.79	e standard devia b) 25.49		d) 25.69					
28. Find median and mode of the messages received on 9 consecutive days 15, 11, 9, 5, 18, 4, 18, 13, 17.								
a) 13, 15	b) 13, 18		d) 13, 16					
29. A coin is tossed up 4 times. The probability that tails turn up in 3 cases is								
a) $\frac{1}{2}$ 30. X is a varia	b) $^1\!/_3$ ate between 0 and	c) $\frac{1}{4}$ d 3. The value of I c) 27 d)	$d) \frac{1}{6}$ E( <b>X</b> <sup>2</sup> ) is					
31. The random variables X and Y have variances 0.2 and 0.5 respectively. Let Z= 5X-2Y. The variance of Z is?								

32.Out of the following values, which one is not possible in probability?								
a) $P(x) = 1$	b) ∑ x d) P(z	P(x) = 3 x) = -0.5						
	<b>2 and E(z) = 4</b> b) 6	<b>c)</b> 0	•	ıfficient data				
34.The cov	ariance of two	independent	t random variabl	e is				
a) 1	b) 0	c) - 1	d) Und	defined				
	) = <b>k</b> <sup>2</sup> – <b>8 then,</b> b) 1			ufficient data				
<b>36.If P(x) = 0.5 and x = 4, then E(x) = ?</b> a) 1 b) 0.5 c) 4 d) 2								
37.In a disciss always?	rete probabilit	ty distribution	n, the sum of all	probabilities				
	b) Infinite	c) 1	d) Und	d) Undefined				
38.If the pr	obability of hi	tting the targ	et is 0.4, find mo	ean and				
	b) 0.6,	0.24	c) 0.4, 0.16	d) 0.6, 0.16				
39.If the probability that a bomb dropped from a place will strike the target is 60% and if 10 bombs are dropped, find mean and variance? a) 0.6, 0.24 b) 6, 2.4 c) 0.4, 0.16 d) 4, 1.6								
<ul> <li>40. Find the mean of tossing 8 coins.</li> <li>a) 2 b) 4 c) 8 d) 1</li> <li>41. What is the mean and variance for standard normal distribution?</li> </ul>								

c) 5

d) 7

a) 3

b) 4

		and varia and varia		,			
		e of a rand b) E(X					d) (E(X))2
		a random b) E(X2					d) (E(X))2
	ean of	a constan <mark>b) a</mark>	t 'a' is	c) a/2	-·	d) 1	
	ariance	of a cons b) a	tant 'a' is	c) a/2		d) 1	
46.Fi	nd the	mean and	variance	e of X?			
	Х	0	1	2	3	4	
	f(x)	1/9	2/9	3/9	2/9	1/9	
	<mark>4/3</mark> nd the (	b) 3 expectation	3, 4/3 on of a ra		c) 2, 2/3 ariable X?	•	d) 3, 2/3

	Х	0	1	2	3	
	f(x)	1/6	2/6	2/6	1/6	
a) (	).5		b) 1.5		c) 2.5	d) 3.5

48. In a Binomial Distribution, if p, q and n are probability of success, failure and number of trials respectively then variance is given by

\_\_\_\_\_

c) np2q

- d) npq2
- 49. If 'X' is a random variable, taking values 'x', probability of success and failure being 'p' and 'q' respectively and 'n' trials being conducted, then what is the probability that 'X' takes values 'x'? Use **Binomial Distribution.**
- a) P(X = x) = nCx px qx
- b) P(X = x) = nCx px q(n-x)
- c) P(X = x) = xCn qx p(n-x)
- d) P(x = x) = xCn pn qx
- 50. If 'p', 'q' and 'n' are probability pf success, failure and number of trials respectively in a Binomial Distribution, what is its Standard **Deviation?**

- a)  $\sqrt{np}$  b)  $\sqrt{pq}$  c) (np)2
- d)  $\sqrt{npq}$