

SALES REPORTS

Sales Reports FastAPI Rebuild User Manual

Plain-English instructions for the FastAPI rebuild preview.

Standalone reference guide
September 2026

This guide is for the FastAPI rebuild in `app/`. It is a separate application from the Beta v3 site. The rebuild is a preview until it is approved for its own Azure Web App and cutover.

The screenshots show the local FastAPI preview with Dummy JSON data. A live office report requires the Reporting API key. Live Graph email and OneDrive/SharePoint delivery require the matching Graph settings.

What is different from the Beta v3 site?

The FastAPI rebuild keeps the v3 look and the same main workflows, but some controls are different:

- The rebuild uses its own FastAPI session and People data.
- The report page shows a **Group by** control in the layout toolbar.
- **Columns** opens a dialog with **Done**, instead of the v3 dropdown panel.
- **Save this view** uses **Just for me**, **Company**, or **Company Default**.
- A report result has **Export Excel** and **Recent exports** buttons. **Email me** is on the filter form and opens an email dialog.
- The schedule wizard is on the Schedules page. It is an inline three-step form, not the v3 schedule modal.
- The current FastAPI schedule form does not show v3's empty-data email checkboxes. Do not document or expect those checkboxes in this version.

Quick rules


1. Save a named view before adding a schedule.
2. A schedule points to that saved view. It does not copy the layout into the schedule.
3. Default is the company starting view. Privileged users can save Company or Company Default views.
4. Save changes to a view before expecting a schedule or export to use them.
5. The preview's Dummy JSON banner means report data is local sample data.
6. Preview mail is written to the outbox unless Graph is configured.
7. Do not point `REPORTING_API_BASE_URL` at the website. It must point to the office Reporting API doorway.

1. Sign in

1. Open the FastAPI rebuild URL.
2. Select **Achim User Login**.
3. In preview, this signs in the seeded Preview Admin account.
4. On a configured site, the same button starts Microsoft Entra sign-in.
5. For an outside representative, select **External Rep Login**.
6. Enter the email from the active External People row.

7. In preview, select **Continue (no mail)**. With Graph configured, the site sends a one-time link that expires after 15 minutes.

There is no self-register option. An administrator must add a People row first.



2. Site navigation

After sign-in, the header shows:

- **Sales Reports**, which returns to Reports.
- Your name and role.
- **Recent Reports**, which opens recent and kept runs.
- The theme button.
- **Sign Out**.

The bottom navigation shows:

- **Reports**
- **Schedules**
- **Settings**

The home site does not show Dashboard in this rebuild.

3. Reports home

The Reports page contains cards for the reports available to your role:

- Ordered Report
- Invoiced Report
- Salesman Report
- Number 4 Report
- Customer Activity Report
- Customer's Last Order
- Item Averages for privileged users
- Sales by State

Customer Aging remains a backlog card until it is built.

The page can also show:

- **Company views**, if your role can see them.
- **My presets**, which are your saved views.
- A **Coming soon** card for a report that is not available yet.

When `REPORTING_API_KEY` is not set, the page displays a **Dummy JSON** banner. The preview is still usable, but its rows are sample rows from the catalog.

[Sales Reports](#)

Preview AdminADMINRecent ReportsSign Out

Reports

Run a report to view it on screen, then export to Excel.

Dummy JSON. Add REPORTING_API_KEY to run live office stored procedures. This preview stays clickable either way.

**Ordered**
Interactive · Excel export

**Invoiced**
Interactive · Excel export

**Salesman**
Interactive · Excel export

**Number 4**
Interactive · Excel export

**Customer Activity**
Interactive · Excel export

**Customer's Last Order**
Pick a customer · store-visit view

**Item Averages**
Interactive · Excel export

**Sales by State**
Interactive · Excel export

COMPANY VIEWS ▾

**Daily Ordered**
Ordered · company view

Reports

Schedules

Settings

4. Run a report

Open the report

- 1. Select a report card.
- 2. Read the data-source banner before interpreting the rows.
- 3. Open **Filters & options**.

Sales Reports

Preview AdminADMINRecent ReportsSign Out

← Reports

Ordered?

Dummy JSON until REPORTING_API_KEY is set. Run still fills the grid.

Filters & optionslast 7 days

PERIOD?Last 7 Days

STATUSAll Statuses

SALESMANAll

CUSTOMERSAll customers

Run report

Email me

ColumnsReset layoutSave this viewSaved viewsGROUP BYNoneMore

Loaded.

Job log

SummaryBy CustomerBy ItemBy OrderBy SalesmanFull Data

2026-09-18 – 2026-09-24 · mock dataRefreshKeep this runExport ExcelRecent exports

CustomerA	CustomerB	Open	Fulfillment%
C-1001	HD SUPPLY	80.00	80.00
C-2001	AMAZON.COM DEDC, LLC	0.00	100.00
		80	180

Reports

Schedules

Settings

Choose filters

The report displays only the fields that apply to it.

Period includes:

- All Time
- Month to Date
- Last Month
- Year to Date
- This Week
- Last 7 Days
- Yesterday
- Custom Range

Custom Range shows From and To date fields. Both dates are included.

Other filters can include:

- **Status** on Ordered Report.
- **Year** on Salesman Report and Sales by State.
- **Number 4 View** with Both, By Customer, or By Item.
- **Salesman.**
- **Customers.**

Leave Salesman at All and Customers empty when the report should include everything in your access scope.

Run

1. Select the filters.
2. Select **Run report**.
3. Wait for the status line.
4. Review the tabs and rows.

With Dummy JSON, the result is built from the local catalog fixture. With a Reporting API key, the same page requests the office report payload.

Sales Reports

Preview AdminADMINRecent ReportsSign Out

← Reports

Ordered?

Dummy JSON until REPORTING_API_KEY is set. Run still fills the grid.

Filters & optionslast 7 days

PERIOD?

STATUS

SALESMAN

CUSTOMERS

Last 7 Days

All Statuses

All

All customers

Run report

Email me

Columns

Reset layout

Save this view

Saved views

GROUP BY

None

More

Loaded.

Job log

Summary

By Customer

By Item

By Order

By Salesman

Full Data

2026-09-18 – 2026-09-24 · mock data

Refresh

Keep this run

Export Excel

Recent exports

CustomerA	CustomerMa	Open\$	Fulfillment%
C-1001	HD SUPPLY	80.00	80.00
C-2001	AMAZON.COM DEDC, LLC	0.00	100.00
		80	180

Reports

Schedules

Settings

Result controls

The result toolbar has:

- **Refresh**: run the current filters again.
- **Keep this run**: keep the result for the configured retention period.
- **Export Excel**: download an Excel workbook.
- **Recent exports**: open earlier background exports.

The filter form has **Email me**. It runs the report and opens the email dialog. In preview, the button says **Queue outbox mail** because Graph is not configured.

The email dialog contains:

- **To**
- **Subject**
- **SharePoint folder**

Select **Queue outbox mail** in preview, or **Send** when Graph is configured.

If the report has no rows, widen the period or remove a filter. The FastAPI preview does not add a separate empty-data schedule checkbox.

5. Save a view

A view saves the report filters and grid layout. The layout can include visible columns, column order, widths, sort order, header filters, frozen columns, grouping, and the visible tab order.

Save a personal view

1. Open a report.
2. Choose filters.
3. Run the report.
4. Change the layout.
5. Select **Save this view**.
6. Enter a name.
7. Choose **Just for me**.
8. Select **Save**.

The screenshot shows the 'Save this view' dialog box overlaid on the 'Ordered' report page. The dialog has a title bar with a close button (X). It contains the following fields and options:

- Name:** A text input field.
- Save for:** A dropdown menu with 'Just for me' selected.
- Or another user:** A text input field with a placeholder '—'.
- Save the date window with this view:** A checked checkbox.
- Buttons:** 'Cancel' and 'Save' buttons at the bottom right.

The background interface shows the 'Ordered' report with filters (Last 7 Days, All Statuses), columns, and a table with data. A yellow warning box at the top says 'Dummy JSON until REPORTING_API_KEY is set. Run still fills the grid.'

Save a shared view

Admins and developers can choose:

- **Company:** a named view shared with users who have company-view access.
- **Company Default:** the company starting view.
- **Or another user:** save a view for a selected People row.

The FastAPI rebuild also shows **Save the date window with this view** for privileged users. Use it when the date period belongs to the view. Leave it off when a schedule should supply its own period.

Open or edit a view

1. Select **Saved views**.
2. Choose a view.
3. Select its name to load it.
4. Change filters or layout.
5. Select **Save this view** again.

Saving with the same view name updates that view. A personal schedule uses the updated view the next time it runs.

6. Change the report layout

Columns

1. Run the report.
2. Select **Columns**.
3. Check the columns to show.
4. Clear a checkbox to hide a column.
5. Use the freeze control when a column should stay visible while scrolling.
6. Select **Done**.

Sales Reports Preview Admin ADMIN Recent Reports Sign Out

← Reports **Ordered** ? Dummy JSON until REPORTING_API_KEY is set. Run still fills the grid.

Filters & options last 7 days

PERIOD ? STATUS SALE

Last 7 Days All Statuses All

Columns Reset layout Save this view

Loaded.

Job log

Summary By Customer By Item By Order

CustomerAccount CustomerName Open\$ Fulfillment%

CustomerAccount CustomerName Open\$ Fulfillment%

C-1001 HD SUPPLY 80.00 80.00

C-2001 AMAZON.COM DEDC, LLC 0.00 100.00

80 180

Run report Email me

Columns

Show hides a column. Freeze pins it on the left while you scroll.

COLUMN	SHOW	FREEZE
CustomerAccount	☒	☒
CustomerName	☒	☐
Open\$	☒	☐
Fulfillment%	☒	☐

Done

Keep this run Export Excel Recent exports

Reports Schedules Settings

Grouping

Use **Group by** in the toolbar:

1. Open the Group by selector.
2. Choose a field.
3. Review the group headings and totals.
4. Choose None to remove grouping.

The report grid can also sort, filter, reorder, resize, and freeze columns. Save the view after changing the layout.

Reset

Select **Reset layout** to return the current view to its report defaults. Reset does not rename or delete the saved view.

7. Schedule a saved view

Select **Schedules** from the bottom navigation. The page contains the schedule wizard and your existing schedules.

If the wizard says **Save a named view on a report first**, return to Reports, save a view, and come back. Default is not the normal choice for a personal schedule.

Step 1: View

1. Select a named view.
2. Confirm the report and view name.
3. Select **Next**.

The schedule points to this view. Later layout changes to the saved view are used by the schedule.

Sales Reports

Preview AdminADMINRecent ReportsSign Out

Schedules

Recurring deliveries from a named saved view. Graph sends when secrets are set; otherwise the outbox.

Clock skips Shabbos and Yom Tov using the Brooklyn Hebcal calendar. If that calendar cannot be loaded, the clock holds (does not send) until it can. Run now still sends.

ADD A SCHEDULE

Step 1 of 3 — View

VIEW

Daily Ordered (ordered) ▾

Next

YOUR SCHEDULES

VIEW	WHEN	WHERE	LAST	
Daily Ordered ordered	daily 08:00	preview@achimonline.com	—	Run now Pause Copy History

Reports

Schedules

Settings

Step 2: When

Choose:

- **Daily**
- **Weekly**, then one or more weekdays
- **Monthly**, then a day of the month

Enter the time in `America/New_York`.

[Sales Reports](#)
Preview Admin
ADMIN
[Recent Reports](#)
⚙️
Sign Out

Schedules

Recurring deliveries from a named saved view. Graph sends when secrets are set; otherwise the outbox.

Clock skips Shabbos and Yom Tov using the Brooklyn Hebcal calendar. If that calendar cannot be loaded, the clock holds (does not send) until it can. Run now still sends.

ADD A SCHEDULE

Step 2 of 3 — When

WHEN

Daily
 ▼

TIME (AMERICA/NEW_YORK)

08:00 AM
 🕒

Back
Next

YOUR SCHEDULES

VIEW	WHEN	WHERE	LAST
Run now			

📄 Reports
🕒 Schedules
⚙️ Settings

Select **Next**.

Step 3: Where

Enter the delivery settings:

1. **Where (email)**: recipient addresses separated as the form expects.
2. **CC** and **BCC**: available to privileged users.
3. **Subject**: optional custom subject.
4. **Filename**: attachment name template.
5. **SharePoint folder**: available when the account has access.
6. **OneDrive folder**: available when the account has access.
7. Select **Save schedule**.

The FastAPI rebuild does not currently show v3's **Email me when there is no data** or **Email test addresses when there is no data** checkboxes. Use Settings test mode to redirect schedule mail during preview testing.

Clock skips Shabbos and Yom Tov using the Brooklyn Hebcal calendar. If that calendar cannot be loaded, the clock holds (does not send) until it can. Run now still sends.

ADD A SCHEDULE

Step 3 of 3 — Where

WHERE (EMAIL)

CC

BCC

SUBJECT

 Insert: [Schedule](#) [Report](#) [Period](#) [YYYY](#) [Month](#) [DD](#) [Weekday](#)
[SharePointUrl](#) [DownloadButton](#)
FILENAME

 Insert: [Schedule](#) [Report](#) [Period](#) [YYYY](#) [YY](#) [MM](#) [Month](#)
[DD](#) [Weekday](#) [HH](#) [mm](#) [Month-1](#) [DD-1](#) [Weekday-1](#) [HH-1](#)
[YYYY-1](#)

Math: {Month-1} last month, {{Month-1 YYYY}} last month and its year,
 {Weekday-1} yesterday, {HH-1} an hour earlier. Same for +.

SHAREPOINT FOLDER

Reports



Schedules



Settings

Subject chips

The subject field supports chips such as:

- `{Schedule}`
- `{Report}`
- `{Period}`
- `{YYYY}`
- `{Month}`
- `{DD}`
- `{Weekday}`
- `{SharePointUrl}`
- `{DownloadButton}`

Leave the subject empty to use the normal schedule subject.

Filename chips

The filename field supports:

- `{Schedule}`
- `{Report}`
- `{Period}`

- {YYYY} and {YY}
- {MM}
- {Month}
- {DD}
- {Weekday}
- {HH} and {mm}

It also supports date offsets such as {Month-1}, {DD-1}, {Weekday-1}, {HH-1}, and {YYYY-1}. The same offset style can be used with plus values. For example, {{Month-1 YYYY}} means the previous month and its year.

The default filename is:

```
{Schedule}_{MM}-{DD}-{YYYY}
```

Manage schedules

Each saved schedule shows the view, time, recipients, and last result.

- **Run now** delivers immediately.
- **Pause** stops clock sends.
- **Resume** turns the clock back on.
- **Copy** creates a copy.
- **History** shows runs for that schedule.
- **Delete** removes it.

The schedule page also shows a recent run log. Privileged users can clear stuck runs.

8. Settings

Select **Settings** from the bottom navigation.

You

Profile shows your name, email, and role.

Appearance supports Light, Dark, Monochrome, and Monochrome Dark. Select **Save** after changing the theme.

Customer exclusions removes selected accounts from the FastAPI Last Order list and related preview data.

People

Admins and developers can open **Users & access** to:

- Add a login.
- Choose Admin, Developer, Manager, or Salesman.
- Set a display name and SalesGroup.
- Mark a user as External.
- Enable or disable access.
- Grant Company views access.
- Grant SharePoint access.
- Set per-salesman access.
- Set per-report Inherit, Allow, or Deny.

There is no self-register option.

Reports

Administrators can turn report visibility on or off. Feature flags are site-wide switches. An explicit report Allow can override global visibility for one user.

Delivery

Redirect schedule mail sends preview schedule mail only to the test addresses listed below it. In the FastAPI preview, the subject is marked **[MOCK]**. Graph sends when Graph secrets exist; otherwise the outbox records the message.

To test:

1. Expand Delivery.
2. Add one or more test email addresses.
3. Turn on Redirect schedule mail.
4. Use **Run now** on a schedule.
5. Check Notification diagnostic or the outbox in preview.
6. Turn test mode off after testing.

Same four themes as the header button (light, dark, monochrome, monochrome dark).

THEME

Light

Save

CUSTOMER EXCLUSIONS

Hide these accounts from your own Last Order list and dashboard leftovers. Dummy list only.

☐ HD SUPPLY ☐ MAZER WHOLESALE ☐ AMAZON.COM DEDC, LLC

Save exclusions

People

Reports

Delivery

SCHEDULE TEST MODE

While on, every schedule mail (Run now and the clock) goes only to the addresses below. Graph still sends when secrets are set; otherwise the outbox is the record.

☐ **Redirect schedule mail**
Subject is tagged [MOCK]. Salesmen are not emailed.

[sender@schinzel.com](#)

Reports Schedules Settings

History

Admins can open Report run log and Scheduled run history.

Developer

Developer tools include:

- Database explorer.
- Notification diagnostic.
- Salesman and Number 4 diagnostics.
- Role picker / View as.
- Master schedules.

These tools are for maintainers. The old OData source picker is retired from the FastAPI rebuild.

9. Calendar and delivery behavior

- Daily schedules run each day at the selected New York time.
- Weekly schedules run on the selected weekdays.
- Monthly schedules run on the selected day.
- Run now sends immediately and does not consume the normal clock slot.

- The clock skips Shabbos and Yom Tov using the Brooklyn Hebcal calendar.
- If the calendar cannot be loaded, the clock holds instead of sending.
- Graph mail is used when Graph settings are complete.
- Without Graph, preview mail is stored in the outbox.

10. FastAPI preview limits

The FastAPI rebuild is not the current production site. Until cutover:

- Dummy JSON is sample data.
- The Reporting API key is not committed to the repository.
- Graph email is not active without Graph settings.
- SharePoint and OneDrive are not live without the required access.
- The preview login is for local preview only.
- Do not point the preview at `reports.achimonline.com` as its Reporting API.

Common problems

The login page has no Microsoft button

The preview uses Achim User Login. A live Entra button appears only when the Graph and Entra settings are configured.

The report shows Dummy JSON

That is expected without `REPORTING_API_KEY`. The screen is working, but the rows are local sample data.

A schedule cannot be added

Save a named view first. The schedule form only accepts a view that the user can use.

Mail did not arrive

In preview, mail is stored in the outbox unless Graph is configured. Check Settings, then Developer, then Notification diagnostic.

A saved layout did not reach an export

Load the saved view, make the layout change, and save it again. Exports apply the saved view layout when a view is selected.

Short checklist

For a report:

1. Reports
2. Choose a report
3. Set Filters & options
4. Run report
5. Change Columns, Group by, sort, or filters
6. Save this view
7. Export Excel or Email me

For a schedule:

1. Save a named view
2. Open Schedules
3. Choose the view
4. Set Daily, Weekly, or Monthly
5. Set the New York time
6. Set recipients, subject, filename, and folders
7. Save schedule
8. Turn on test mode and Run now before using live delivery