

# Square multi-vendor mapping failure — diagnosis

**Date:** 2026-07-15  
**Scope:** Diagnostics only (no routing behavior change)

## Summary

The multi-vendor order failed on **Poke Sea** because ordered `MenuItem.deliverectProductId` values were Square catalog IDs mapped only at an **old** Square location ( `LNQCZRWXMCFE2` ), while the active Square connection selected location was `LN7RT05NHEW13` . Injection looks up mappings by `vendorId + internalEntityId + selected externalLocationId` , so those line items failed. **Iron Skewer Grill** succeeded with a clean single-location mapping set on a different merchant/location. This was **not** cross-vendor connection leakage.

## Incident order

| Field          | Value                                                                                                                                   |
|----------------|-----------------------------------------------------------------------------------------------------------------------------------------|
| Order ID       | <code>cmrh09p0j000lieq6vqgn0raw</code>                                                                                                  |
| Created        | 2026-07-11T23:38:30Z                                                                                                                    |
| Iron Skewer VO | <code>cmrh09pah0017ieq6x6oak2cq</code> → <code>routingStatus=confirmed</code> , Square order <code>038zPM1TKXzbZrdduuzwiI8PiinZY</code> |
| Poke Sea VO    | <code>cmrh09p1l000nieq6rsx1m7le</code> → <code>routingStatus=failed</code>                                                              |

**Stored Poke Sea error (actual):**  
`No active Square mapping for menu item "Salmon Avocado Hand Roll".`  
(and 8 more items) — mapper-level failure, not the readiness string.

No VendorOrders were found with the exact readiness phrase  
`No active Square item mappings for the selected location.`  
That readiness check counts *any* active item mappings at the selected location; it can pass even when specifically ordered items lack mappings.

## 1) Poke Sea diagnostics (current)

| Field                                            | Value                                    |
|--------------------------------------------------|------------------------------------------|
| vendorId                                         | cmr2ilw3i00004kemyftkdx89                |
| vendorName                                       | Poke Sea                                 |
| orderRoutingMode                                 | square                                   |
| active Square connection ID                      | cmrb13dhv0003188usqd7w511                |
| externalMerchantId                               | MLXJSJ4WYQJPD                            |
| externalLocationId (selected)                    | LN7RT05NHEW13                            |
| connection status                                | connected                                |
| credential ref present                           | true                                     |
| active Square connection count                   | 1                                        |
| publishedMenuVersionId                           | cmrh0m40e001r6tmg0zqmj4nd                |
| published sourcePayloadKind                      | square_catalog_v1                        |
| active published item count                      | 40                                       |
| active Square mappings @ selected location       | 48 total ( 40 items, 0 modifiers)        |
| mappings @ other location LNQCZRWMCFE2           | 53 total ( 40 items)                     |
| mappings by connectionId                         | all on cmrb13dhv0003188usqd7w511 ( 101 ) |
| mappingsExistForAnotherLocation                  | <b>true</b>                              |
| first 10 unmapped published items (selected loc) | none                                     |

JSON admin route: /admin/vendors/cmr2ilw3i00004kemyftkdx89/square-routing-debug

---

## 2) Iron Skewer Grill diagnostics (current)

| Field                       | Value                     |
|-----------------------------|---------------------------|
| vendorId                    | cmqt0ye3i0001smo1qt9js0j9 |
| vendorName                  | Iron Skewer Grill         |
| orderRoutingMode            | square                    |
| active Square connection ID | cmrgxvvvc0005kfs8k2ycsi9b |

|                                                 |                                           |
|-------------------------------------------------|-------------------------------------------|
| externalMerchantId                              | MLV1ND28KEF9G <b>(different merchant)</b> |
| externalLocationId                              | L7186BQTYQC6X <b>(different location)</b> |
| connection status                               | connected                                 |
| credential ref present                          | true                                      |
| active Square connection count                  | 1                                         |
| published sourcePayloadKind                     | square_catalog_v1                         |
| active published item count                     | 25                                        |
| active Square item mappings @ selected location | 25                                        |
| mappingsExistForAnotherLocation                 | false                                     |

JSON admin route: `/admin/vendors/cmqt0ye3i0001smo1qt9js0j9/square-routing-debug`

---

### 3) Failed VendorOrder item analysis (Poke Sea)

All 9 ordered products:

- Have active mappings **only** at old location `LNQCZRWXMCFE2`
- Have **zero** mappings at selected location `LN7RT05NHEW13`
- Those old catalog IDs are **absent** from the current published Square menu
- Same item names now exist under **new** `sq:prod:...` IDs in the published menu / live available MenuItem's

Example:

| Name                     | Ordered MenuItem product ID                   | Mapping locations | Current live MenuItem product ID             |
|--------------------------|-----------------------------------------------|-------------------|----------------------------------------------|
| Salmon Avocado Hand Roll | <code>sq:prod:HX5FXYOCISNWPVPCGV3PORO</code>  | old only          | <code>sq:prod:NJTTZBND77QCM3NHUH66EQM</code> |
| Ahi Tuna Hand Roll       | <code>sq:prod:6W3JS40T2UPC6JTNTSU4CIPZ</code> | old only          | <code>sq:prod:FOL5WTPPG6QIG3CV7ATKBT0</code> |
| Spicy Edamame            | <code>sq:prod:QD5BTUI3DN0HBK2KLJS40HD5</code> | old only          | <code>sq:prod:RBUUGAADNN4DNP2DXFWKGVJ</code> |

Timeline:

1. **23:38:30Z** — multi-vendor order placed against then-live MenuItems (old catalog IDs).
2. Injection used selected location `LN7RT05NHEW13` → no mappings for those IDs → fail.
3. **23:48:44Z** — Square menu republished (~10 minutes later); new MenuItems/IDs become live; old rows marked unavailable.
4. Current readiness/mappings for Poke Sea look healthy for **new** orders; stale old-location mappings remain.

## 4) Hypothesis checklist

| Hypothesis                                                               | Verdict                                                                                                                            |
|--------------------------------------------------------------------------|------------------------------------------------------------------------------------------------------------------------------------|
| Wrong vendor scoping (Iron Skewer mappings/connection used for Poke Sea) | <b>Rejected</b> — distinct vendorIds, merchants, locations; queries include <code>vendorId</code>                                  |
| Wrong Square connection (cross-account)                                  | <b>Rejected</b> — Poke Sea remains on merchant <code>MLXJSJ4WYQJPD</code>                                                          |
| Wrong Square location                                                    | <b>Confirmed (primary)</b> — ordered items mapped at <code>LNQCZRWMCFE2</code> , injection uses <code>LN7RT05NHEW13</code>         |
| Stale/old connectionId                                                   | <b>Unlikely</b> — single active connection throughout; same connectionId holds both location mapping buckets                       |
| Mappings inactive/missing                                                | <b>Partially</b> — not missing globally; missing <b>for selected location + ordered product IDs</b>                                |
| Published menu not Square-imported                                       | <b>Rejected</b> — <code>square_catalog_v1</code>                                                                                   |
| Sandbox reconnection / session mistake after 2nd vendor                  | <b>Indirect</b> — adding 2nd vendor coincided temporally, but failure is location/catalog drift on Poke Sea, not shared connection |

## 5) Unsafe / weak query review

| Query                                                                                                       | Risk                 | Notes                                                                                            |
|-------------------------------------------------------------------------------------------------------------|----------------------|--------------------------------------------------------------------------------------------------|
| <code>getActiveSquareConnectionForVendor(vendorId)</code> — <code>findFirst + orderBy updatedAt desc</code> | Medium (same vendor) | Vendor-scoped, but ambiguous if multiple active Square rows exist                                |
| <code>countActiveSquareMappings(vendorId, locationId)</code>                                                | Low                  | Correctly includes <code>vendorId</code> ; if <code>locationId</code> null, counts all locations |

|                                                       |                               |                                                                                        |
|-------------------------------------------------------|-------------------------------|----------------------------------------------------------------------------------------|
| <code>getProviderEntityMapping / import upsert</code> | Low                           | Always vendor + location scoped                                                        |
| <code>findMappingsByExternalId({ vendorId? })</code>  | High if used without vendorId | <b>Optional vendorId</b> ; no current production callers found under <code>src/</code> |
| <code>findVendorOrderIdBySquareOrderId</code>         | Low                           | Global by Square order id (expected uniqueness)                                        |
| <code>Readiness activeItemMappingCount &gt; 0</code>  | <b>Logic gap</b>              | Passes if <i>any</i> items mapped at location; does not verify ordered MenuItems map   |

**No evidence of a query picking “first Square connection in the DB” without vendorId.**

---

## 6) Diagnostics added (behavior unchanged)

1. Expanded `/admin/vendors/[vendorId]/square-routing-debug` + admin panel with connection/location/mapping breakdowns, unmapped published items, samples (no secrets).
  2. On readiness failure containing “No active Square item mappings for the selected location,” attach `mappingFailureDiagnostics` to `lastSquarePayload` (and surface on admin order Square details / order debug). Order routing success/failure path unchanged aside from richer audit JSON on that specific failure.
  3. For mapper-stage failures (as in this incident), existing `mappingIssues` remain; admin order debug can still compute live `mappingFailureDiagnostics` when the readiness string is present.
- 

## 7) Recommended fix (do not implement yet)

1. **Operational (immediate):** For Poke Sea, deactivate/clean mappings for non-selected location `LNQCZRWMCFE2` , and confirm only the selected location remains. Re-import/publish after any location change before accepting orders.
2. **Product:** On Square location change, require/automate menu re-import + publish and warn when `mappingsExistForAnotherLocation` .
3. **Readiness:** Strengthen gate from “any item mapping count > 0” to “all currently available MenuItems with Square product IDs have an active mapping at the selected location” (or sample + % coverage).

4. **Injection messaging:** Keep per-item mapper errors; optionally also stamp `mappingFailureDiagnostics` whenever mapper reports `MISSING_ITEM_MAPPING` (not only readiness string).
  5. **Do not** change checkout, payouts, Deliverect, or manual routing.
- 

## Verdict

**Root cause:** Poke Sea selected Square location / catalog remapping drift — ordered items still referenced old Square product IDs that only exist on the previous location's

`ProviderEntityMapping` rows. Multi-vendor checkout exposed this because Iron Skewer was healthy while Poke Sea was mid-location/catalog transition.