

Ordering Enabled / Menu Only — Implicit Orderability Assumptions Audit

Date: 2026-09-03
Scope: Admin Vendor Detail, Admin Pod Detail, Vendor Dashboard, Pod Owner Dashboard, admin lists/filters, and orderability-assuming copy
Question: Where does the product implicitly assume every vendor/pod is (or must become) orderable, and how would an **Ordering Enabled / Menu Only** mode fit?

Executive verdict

There is **no first-class “Ordering Enabled / Menu Only” (catalog-only) mode** in schema or UI. The closest controls are temporary pauses (`mennyuOrdersPaused` on Vendor and Pod), visibility (`isActive`), and operational readiness gates (Stripe + routing/POS + menu + hours).

Almost every admin, vendor, and pod-owner surface treats **accepting orders** as the destination state. Stripe Connect, order routing, Kitchen Mode, payouts, and “launch readiness” are framed as required setup rather than optional capabilities for menu-browsable vendors.

Highest-impact gap: `getVendorOperationalMissingItems` / `getVendorOrderabilityState` (`src/lib/vendor-readiness-states.ts`) always require Stripe and POS/routing for orderability. A Menu Only vendor would still be flagged “Not accepting orders,” blocked in cart/checkout, and nagged through setup/readiness UIs unless a new capability flag short-circuits those gates intentionally.

Architecture snapshot (shared assumptions)

Layer	Key symbols	Assumption
Schema	<code>Vendor.mennyuOrdersPaused</code> , <code>Pod.mennyuOrdersPaused</code> , <code>Vendor.orderRoutingMode</code> , Stripe Connect fields	Pause = temporary block; no permanent menu-only mode
Orderability core	<code>getVendorOrderabilityState</code> , <code>getVendorOperationalMissingItems</code> , <code>isVendorCustomerOrderable</code>	Visible + Stripe + POS/routing + menu ⇒ orderable
Readiness derivation	<code>deriveVendorPodReadiness</code> , <code>canAcceptOrders</code>	Setup complete ≡ ready to accept orders
Admin summaries	<code>buildAdminVendorSummary</code> , <code>buildAdminPodSummary</code>	Overall status centered on accepting orders / orderable vendor counts
Cart / checkout	<code>cart.service.ts</code> , <code>order.service.ts</code> via <code>isVendorOrderableInPod</code>	Non-orderable ⇒ cannot purchase
Customer CTA	<code>PodVendorCard</code> (“Order now” / “View menu”)	Browse vs order is only a <i>temporary</i> unavailable state

Schema note: `prisma/schema.prisma` `Vendor` (≈507–579) and `Pod` (≈32–71) have no `orderingEnabled` , `menuOnly` , or equivalent. Soft-delete comment even says vendors are “hidden from public ordering.”

1. Admin Vendor Detail

Route / entry

File	Responsibility
<code>src/app/admin/(dashboard)/vendors/[vendorId]/page.tsx</code>	Loads detail, readiness bundles, Square status; builds <code>AdminVendorSummary</code> ; renders overview
<code>src/app/admin/(dashboard)/vendors/[vendorId]/AdminVendorOverview.tsx</code>	Primary admin UI: status cards, quick actions, orders, ordering controls, advanced settings

<code>src/services/admin-vendor-detail.service.ts</code>	<code>loadAdminVendorDetail</code> , <code>searchAdminVendors</code> ; sets <code>readinessSummary.canAcceptOrders</code> from orderability
<code>src/lib/admin-vendor-summary.ts</code>	<code>buildAdminVendorSummary</code> , <code>adminVendorPrimaryOrderState</code> , overall status keys

Cards / panels inventory (AdminVendorOverview)

Panel / section	Lines (approx.)	Ordering assumption	Toggle fit
Header + overall badges	94–160	Default overall key starts as "accepting_orders" / "Accepting orders" (<code>admin-vendor-summary.ts</code> ≈411–444)	Show Menu only badge when ordering disabled
Attention section	162–168	Attention items about Stripe, Square, Deliverect, routing failures, kitchen offline	Suppress payment/routing "blockers" for Menu Only; keep profile/menu
Public listing card	174–179	Visibility for public pod pages	Keep for Menu Only
Ordering card	180–186	Labels: "Accepting orders" / "Paused" / "Not accepting orders" / "Closed by hours"	Primary place for Ordering Enabled / Menu Only status
Menu card	187–193	"available items", last sync	Keep; primary Menu Only surface
Payments card	194–201	"Payouts ready" when Stripe ready; else "Action required" / Stripe issue	For Menu Only: hide or demote to optional ("Not required — menu only")
Order routing card + editor	202–240, <code>AdminVendorOrderRoutingSection.tsx</code>	Routing required for readiness; Manage opens mode editor	For Menu Only: hide/disable routing requirement; optional "if enabling orders later"
Pod membership card	221–228	Attachment assumed for accepting orders	Keep
Quick actions	243–290	Manage menu, Square, View orders, Pause/Resume ordering	Add toggle; hide Square/orders actions when Menu Only
Recent orders	292–322	Always shown	Empty-state copy for Menu Only ("Ordering disabled")
Ordering controls	362–398	Pause/resume + hide/show — pause is temporary intake block, not menu-only mode	Best fit for new toggle alongside pause (distinct semantics)
Advanced: profile, access, pods, readiness recheck	400–633	<code>adminRecheckVendorReadinessAction</code> assumes orderability checklist	Recheck should respect Menu Only
Danger zone delete	635–649	"removed from public ordering"	Clarify menu-only vs deleted

Related admin vendor subpages (also order-routing oriented)

File	Responsibility / problem
<code>.../AdminVendorOrderRoutingSection.tsx</code>	Changes "apply immediately to readiness checks, vendor setup UI, and post-checkout routing intent"
<code>.../AdminVendorTechnicalDiagnostics.tsx</code>	Technical readiness / POS diagnostics

.../AdminSquareOrderInjectionDiagnosticsPanel.tsx	Square injection for orders
.../diagnostics/page.tsx	Diagnostics shell
.../deliverect-mapping/page.tsx, DeliverectMappingClient.tsx, AdminVendorPosDisconnect.tsx	POS mapping for order routing
.../menu-history/page.tsx, VendorMenuHistoryClient.tsx, VendorImportsSection.tsx	Menu history (OK for Menu Only)
.../square-routing-debug/route.ts	Square routing debug
.../AdminDeactivateStaleSquareMappingsButton.tsx	Square mapping maintenance

How “Ordering Enabled / Menu Only” should fit (Admin Vendor)

- Primary control:** New card or control in **Ordering controls** (`#ordering-controls`), distinct from Pause:
 - Ordering Enabled** — current behavior (Stripe + routing + kitchen matter).
 - Menu Only** — public browse/menu OK; cart/checkout blocked by design; Stripe/routing not blockers.
- Status overview:** Ordering card becomes mode + live state (e.g. “Menu only · browsing enabled”).
- Payments / Order routing cards:** Conditionally optional or collapsed when Menu Only.
- Attention items** in `buildAdminVendorSummary` : gate Stripe/Deliverect/Square/dashboard-offline items on Ordering Enabled.
- Overall status keys:** Add `menu_only` (or map to neutral “Menu only”) so “Setup required” is not shown solely for missing Stripe.

Findings — Admin Vendor

#	File	Current responsibility	Problem	Proposed change	Severity
A1	<code>src/lib/admin-vendor-summary.ts</code> (<code>buildAdminVendorSummary</code> , ≈411–509)	Overall + Ordering labels from <code>canAcceptOrders</code> + Stripe	Missing Stripe ⇒ “Setup required” / “Not accepting orders” even if intentional menu-only	Branch on new mode; don’t treat Stripe/routing as setup required for Menu Only	Critical
A2	<code>src/services/admin-vendor-detail.service.ts</code> (<code>readinessSummary</code> , ≈110–124)	Labels “Orderable” / “Not orderable”	Binary orderability only	Include mode in summary payload	Critical
A3	<code>src/app/admin/.../AdminVendorOverview.tsx</code> Payments + Ordering cards	Always show payouts/routing as status	Implies every vendor needs payments + routing	Mode-aware cards; toggle in Ordering controls	Required
A4	<code>AdminVendorOrderRoutingSection.tsx</code>	Routing required for readiness	“Changes apply immediately to readiness...”	Skip readiness impact when Menu Only; or disable section	Required
A5	Pause vs Menu Only (<code>adminPauseVendorOrderingAction</code> / Unpause)	Pause = temporary	Operators may misuse pause as permanent menu-only	Separate durable mode; copy clarifying Pause ≠ Menu Only	Required
A6	Recent orders / View orders CTAs	Always present	Noise for menu-only vendors	Soften empty states; demote CTAs	Nice-to-have

2. Admin Pod Detail

Route / entry

File	Responsibility
<code>src/app/admin/(dashboard)/pods/[podId]/page.tsx</code>	Loads pod detail, vendor readiness, payout layout, <code>buildAdminPodSummary</code>

src/app/admin/(dashboard)/pods/[podId]/AdminPodOverview.tsx	Pod status, vendor roster filters, ordering controls, advanced
src/lib/admin-pod-summary.ts	buildAdminPodSummary ; vendor row statuses; attention for no orderable vendors
src/services/admin-pod-detail.service.ts	Detail + searchAdminPods with orderableVendorCount
src/lib/admin-pod-detail-layout.ts	Payout layout derivation

Panels / vendor table

Panel	Assumption	Toggle fit
Overall status / Ordering status cards	Open iff orderable vendors exist; else "No orderable vendors"	Pod-level: allow "Catalog pod" / mix of orderable + menu-only
Vendors filter tabs: All / Open / Needs attention / Hidden	"Open" = statusKey === "accepting_orders" (AdminPodOverview ≈52–66, 112–117)	Add Menu only filter; rename Open → Accepting orders
Empty roster copy	"Attach a vendor to start accepting orders." (≈303)	"Attach vendors to publish menus" / "to accept orders" by mode
Vendor row: statusLabel, routingLabel, issueLabel	Accepting orders / Not accepting / routing issues	Show Menu only without "needs attention" for missing Stripe
Quick actions: View orders, Payouts, Pause ordering	Launch = orders + payouts	Keep but mode-aware
Ordering controls	Pause/unpause pod ordering	Pod-level Ordering Enabled vs Catalog-only if needed
Payouts (linked page, not inline)	Revenue share from food sales	Optional for menu-only pods

Admin pod payout / QR / diagnostics (linked)

File	Notes
.../payouts/page.tsx , AdminPodPayoutSection.tsx	Payout settings/transfers
PodPayoutSummaryCard.tsx , PodPayoutSettingsCard.tsx , PodPayoutAllocationsCard.tsx , PodPayoutTransfersCard.tsx	Payout UI cards
.../qr/page.tsx	QR for customer ordering entry
.../diagnostics/page.tsx , AdminPodTechnicalDiagnostics.tsx	Diagnostics
src/actions/admin-pod.actions.ts	adminPausePodOrderingAction , adminRecheckPodReadinessAction , etc.

Findings — Admin Pod

#	File	Current responsibility	Problem	Proposed change	Severity
P1	src/lib/admin-pod-summary.ts (≈219–331, 405–448, 522–557)	Counts orderable ; attention "No vendors are currently accepting orders"; overall "No orderable vendors"	Treats zero orderable as unhealthy even if all are intentional menu-only	Exclude Menu Only from "needs attention"; optional "catalog vendors" count	Critical
P2	AdminPodOverview.tsx vendor filters + empty copy	Open = accepting orders; empty = attach to accept orders	Launch framing	Menu-only filter; neutral empty copy	Required
P3	src/services/admin-pod-detail.service.ts (orderableVendorCount in search)	List readiness column	Metric assumes goal is orderable	Add menuOnlyCount / orderingEnabledCount	Required

P4	Pod pause controls	Pause entire pod ordering	No durable catalog-pod mode	Clarify pause vs pod catalog mode	Nice-to-have
P5	Payout attention / quick action	Always linked	Irrelevant for non-monetized pods	Soften when no orderable vendors by design	Nice-to-have

3. Vendor Dashboard

Navigation (every nav item)

From `src/app/vendor/[vendorId]/VendorAreaNav.tsx` :

Nav label	Path segment	Notes
Dashboard	<code>dashboard</code>	Store status, live orders, attention
Orders	<code>orders</code>	Order workbench / ledger
Menu / Menu Builder / Imports	dynamic via <code>vendorMenuManagementPath</code> / <code>vendorMenuManagementNavLabel</code>	Depends on <code>orderRoutingMode</code>
Hours	<code>hours</code>	Customer ordering hours
Payouts	<code>payouts</code>	Stripe Connect + transfer history
Setup	<code>setup</code>	Readiness checklist
Vendor Profile	<code>settings</code>	Brand/profile
Kitchen (right cluster)	<code>kitchen</code>	<code>vendorKitchenNavLabel(orderRoutingMode)</code> — always shown on <code>sm+</code>

Layout: `layout.tsx` → `VendorLayoutChrome.tsx` (kitchen is full-bleed, no main nav chrome).

Additional vendor routes (not always in primary nav)

Path	Files	Ordering assumption
<code>/setup</code>	<code>setup/page.tsx</code>	"Required to accept orders"; Stripe, POS, kitchen checklist
<code>/payouts</code>	<code>payouts/page.tsx</code> , <code>VendorPayoutTransferHistory.tsx</code> , <code>VendorStripePayoutCard.tsx</code>	Payments required narrative
<code>/kitchen</code>	<code>kitchen/page.tsx</code> , <code>board/header/order cards</code>	Live order fulfillment
<code>/orders</code>	<code>orders/page.tsx</code> , <code>workbench/ledger</code>	Order ops
<code>/hours</code>	<code>hours/page.tsx</code> , <code>VendorCustomerOrderingHoursForm.tsx</code>	When customers can <i>order</i>
<code>/integrations</code> , <code>/connect-pos</code>	<code>integrations</code> + POS wizard	Routing for orders
<code>/analytics</code>	<code>analytics page</code>	Order metrics
<code>/issues</code>	<code>order issues</code>	Routing/fulfillment
<code>/menu</code> , <code>/menu-builder</code> , <code>/menu-imports</code>	<code>menu management</code>	Shared with Menu Only (OK)
<code>/settings</code>	<code>profile</code> , Stripe card, access, delete	Mix of profile + payouts

Dashboard composition

File	Responsibility	Ordering assumption
<code>dashboard/page.tsx</code>	Shell; "finish checklist so customers can order"	Setup = order-ready

VendorStoreStatusCard.tsx	Intake badge, pause toggle, payments/routing fields	Intake labels from vendorIntakeStatusLabel
VendorDashboardActiveOrdersSection.tsx + live order components	Live orders always primary	Noise for Menu Only
VendorNeedsAttentionSection.tsx + deriveVendorAttentionItems	Ordering closed / Stripe / POS	Flags incomplete Stripe as closed
VendorQuickLinksSection.tsx	"Complete setup", "what customers can order", payouts, order history	All order-centric
VendorTodayPerformanceSection.tsx	Order stats	Order volume
VendorOnboardingProgress.tsx (if used)	Onboarding	Launch to orders

Setup / readiness (vendor)

File / symbol	Detail
VENDOR_ACCEPTING_ORDERS_CHECKLIST_KEYS	stripe, pos, menu_available, pod_invite (vendor-pod-readiness.ts ≈203–209)
VENDOR_SETUP_REQUIRED_CHECKLIST_KEYS	Appearance + accepting-orders keys
Checklist labels	"Connect Stripe payouts", "Open Kitchen Mode", "Use Kitchen Mode for orders", "Ready for orders" (status label ≈245)
setup/page.tsx	Titles: "Required to appear on pod page" vs "Required to accept orders"
VendorSetupStatusBanners.tsx	VENDOR_ORDERING_CLOSED_TITLE/BODY when !canAcceptOrders
vendor-operational-copy.ts	VENDOR_ALL_READY_COPY = "Everything is ready for orders."; payments "Finish payment setup"

Findings — Vendor Dashboard

#	File	Current responsibility	Problem	Proposed change	Severity
V1	src/lib/vendor-readiness-states.ts (getVendorOperationalMissingItems ≈175–201)	Stripe + POS + Square + Deliverect required for orderable	No way to be "intentionally non-orderable but complete"	If Menu Only: skip stripe/pos/square/deliverect missing keys; block cart separately	Critical
V2	src/lib/vendor-pod-readiness.ts (deriveVendorPodReadiness, checklist ≈260–521, canAcceptOrders ≈613)	Setup complete requires Stripe/POS; status "Ready for orders"	Menu Only vendor never "complete" without Stripe	Split checklist: public/menu vs ordering ops; mode-gated keys	Critical
V3	VendorAreaNav.tsx	Always shows Orders, Payouts, Kitchen	Nav implies every vendor runs an order kitchen	Hide/demote Orders, Kitchen, Payouts (or badge "optional") when Menu Only	Required
V4	setup/page.tsx + VendorSetupStatusBanners.tsx	"Required to accept orders" / Ordering is closed	Treats incomplete Stripe as failure	For Menu Only: celebrate menu publish; hide accepting-orders section	Required
V5	vendor-dashboard-attention.ts	ordering_closed attention when !canAcceptOrders	Permanent false alarm for Menu Only	Skip operational attention when mode is Menu Only	Required
V6	vendor-operational-copy.ts	Accepting orders / ready for orders / finish payment setup	Copy assumes ordering goal	Mode-aware copy strings	Required
V7	VendorStoreStatusCard.tsx + VendorQuickLinksSection.tsx	Payments field + Complete setup / payouts / order history	Same	Conditional fields/links	Required

V8	dashboard/page.tsx setup banner	"so customers can order without surprises"	Wrong for Menu Only	"so customers can browse your menu" when Menu Only	Nice-to-have
V9	Hours nav + <code>VENDOR_HOURS_PUBLIC_COPY</code>	Hours required to appear / order	May still want hours for display; ordering hours less critical	Clarify browse hours vs order hours	Nice-to-have

4. Pod Owner Dashboard

Navigation (every nav item)

From `src/app/pod/[podId]/PodAreaNav.tsx` :

Nav label	Path	Notes
Dashboard	<code>dashboard</code>	Status, readiness, activity
Vendors	<code>vendors</code>	Roster + adoption/launch board
Analytics	<code>analytics</code>	Includes "Orderable vendors" metric
Promote	<code>promote</code>	QR / promotion
Payouts	<code>payouts</code>	Shown only if <code>showPayouts</code> (<code>layout.tsx</code> + <code>arePodOwnerPayoutsConfigured</code>)
Readiness	<code>setup</code>	Pod + vendor readiness
Pod Profile	<code>settings</code>	Brand + payout setup card

Metrics / launch / readiness surfaces

File	Ordering assumption
<code>dashboard/page.tsx</code>	"finish required checks so customers can order from your pod"
<code>PodStatusCard.tsx</code>	Metric: Orderable vendors
<code>PodTodayActivitySection.tsx</code> / <code>PodDashboardMetrics.tsx</code>	Orders today, sales, orderable vendors, volume
<code>PodVendorReadinessSection.tsx</code>	"Accepting orders" / readiness detail
<code>PodVendorAdoptionBoard.tsx</code> + <code>computePodLaunchReadinessSummary</code>	Launch = all active vendors orderable; "Add vendors... to start taking customer orders"
<code>pod-vendor-adoption.ts</code> <code>podOwnerVendorDisplayStatus</code>	Non-orderable ⇒ "Needs Stripe" / "Not orderable"
<code>setup/*</code> (<code>PodReadiness*</code>)	"ready for customers"; vendor rows Orderable / Not orderable
<code>pod-readiness-page.ts</code>	"X of Y vendors are ready for customers"
<code>vendor-pod-readiness.ts</code> <code>derivePodSetupChecklist</code>	Checklist item "At least one orderable vendor" (≈770)
<code>analytics/PodAnalyticsView.tsx</code>	Label "Orderable vendors"
<code>settings/PodPayoutSetupCard.tsx</code> , <code>payouts/*</code>	Monetization from orders
<code>POD_ALL_READY_COPY</code>	"Your pod is ready for customers."

Findings — Pod Owner

#	File	Current responsibility	Problem	Proposed change	Severity
---	------	------------------------	---------	-----------------	----------

O1	<code>derivePodSetupChecklist / POD_SETUP_REQUIRED_CHECKLIST_KEYS (vendor-pod-readiness.ts ≈717–793)</code>	Requires ≥1 orderable vendor	Catalog pods never “ready”	Allow “≥1 visible menu vendor” OR ≥1 orderable depending on pod policy	Critical
O2	<code>computePodLaunchReadinessSummary (pod-vendor-adoption.ts ≈85–112)</code>	Launch = all orderable	Menu-only vendors count against launch	Count Menu Only as “ready for launch” for catalog goal; split metrics	Critical
O3	<code>PodStatusCard / PodTodayActivitySection / PodDashboardMetrics</code>	Orderable vendors + order volume	Primary KPI is orderability	Add “Menu published” / “Browsing vendors”; keep orderable as secondary	Required
O4	<code>PodVendorReadinessSection / PodReadinessVendorSection</code>	Accepting orders framing	Same	Show Menu only as success state for those vendors	Required
O5	<code>podOwnerVendorDisplayStatus</code>	“Needs Stripe” when not orderable	Misleading for Menu Only	Return “Menu only” when mode set	Required
O6	Dashboard incomplete banner (<code>dashboard/page.tsx</code> ≈36–45)	“so customers can order”	Wrong for catalog pods	Mode-aware sentence	Nice-to-have
O7	Analytics orderable metric	Same	Same	Dual metrics	Nice-to-have

5. Admin lists / search / filters

Vendors list

File	Behavior	Problem
<code>src/app/admin/(dashboard)/vendors/page.tsx</code>	Search for “launch support”; filter by routing (Tablet/Deliverect/Square); columns: Routing, Dashboard, State (Hidden / Ordering paused / Public), POS/Stripe	No Menu Only filter; State collapses pause vs public; Stripe column implies all need payouts
<code>AdminVendorSearchForm.tsx</code>	q + routing only	Add <code>orderingMode / menuOnly</code> filter
<code>AdminVendorsTable.tsx</code> , <code>AdminVendorToggle.tsx</code>	Supporting UI	Align with mode
<code>searchAdminVendors</code> in <code>admin-vendor-detail.service.ts</code>	Returns <code>stripeSummary</code> , <code>menuSyncLabel</code> , <code>mennyuOrdersPaused</code>	Extend for ordering mode

Pods list

File	Behavior	Problem
<code>src/app/admin/(dashboard)/pods/page.tsx</code>	Search for launch support; columns State, Vendors orderable/total , Readiness	Zero orderable looks unhealthy for catalog pods
<code>AdminPodSearchForm.tsx</code>	Query only	Optional filter: has orderable / menu-only only
<code>searchAdminPods</code>	Computes <code>orderableVendorCount</code>	Add mode-aware readiness label

Findings — Lists

#	File	Problem	Proposed change	Severity
L1	Admin vendors page + search form	Launch/routing/Stripe-centric; no menu-only facet	Add Ordering mode column + filter	Required

L2	Admin pods page	orderable/total as readiness proxy	Show orderable · menu-only · total or mode badge	Required
L3	Copy “launch support” on both list pages	Implies every entity is launching toward orders	Soften to “support” / distinguish catalog	Nice-to-have

6. Copy audit (orderability language)

High-signal phrases and locations

Phrase / pattern	Representative locations
“Accepting orders” / “Not accepting orders”	admin-vendor-summary.ts , admin-pod-summary.ts , vendor-operational-copy.ts (vendorIntakeStatusLabel), vendor-readiness-states.ts (CUSTOMER_NOT_ACCEPTING , internal labels), PodVendorReadinessSection.tsx
“Ready for orders”	vendorPodReadinessStatusLabel (ready case), VendorSquareConnectionCard.tsx
“Required to accept orders”	vendor/.../setup/page.tsx
“Everything is ready for orders.”	VENDOR_ALL_READY_COPY
“Finish payment setup” / “Connect Stripe payouts” / “Set up payouts”	vendorPaymentsReadinessLabel , checklist stripe item
“Complete setup”	VendorQuickLinksSection.tsx
“Order now” / “View menu”	components/pod/PodVendorCard.tsx (CTA when unavailable → View menu)
“start ordering”	components/explore/ExploreHero.tsx
“Set up payments...”	account/AccountToolsGrid.tsx , VendorSetupForm.tsx
“Attach a vendor to start accepting orders”	AdminPodOverview.tsx
“No vendors are currently accepting orders”	admin-pod-summary.ts attention
“At least one orderable vendor”	Pod setup checklist
“Orderable vendors”	Pod metrics, analytics, admin pods list
“All active vendors are ready for customer orders” / launch headline	computePodLaunchReadinessSummary
“Use Kitchen Mode for orders” / Kitchen nav	Checklist + VendorAreaNav
“Payouts” / “Payments ready”	Vendor store card, admin payments card, nav
Routing required framing	Admin routing section description; Deliverect/Square checklist helpers (“orders can route...”)
Customer cart/checkout	order.service.ts / cart.service.ts : “not currently accepting orders”, “no longer accepting orders at this pod”

Customer-facing nuance (already partial)

PodVendorCard already switches CTA to “**View menu**” when availability.unavailable . Destination pod copy can say vendors are not accepting orders but menus may still be browsable (DestinationPodVendorSection.tsx). That is **temporary unavailability**, not a durable Menu Only product mode.

7. Enforcement / data path (must change for a real toggle)

These are not dashboard UI alone, but the toggle is meaningless without them:

File	Function / role	Severity if ignored
src/lib/vendor-readiness-states.ts	getVendorOperationalMissingItems , getVendorOrderabilityState	Critical
src/lib/vendor-orderability-in-pod.ts	isVendorOrderableInPod	Critical
src/lib/vendor-availability.ts	getVendorAvailability (pause/active only)	Required
src/lib/vendor-readiness-validation.server.ts	loadVendorReadinessBundles	Critical
src/lib/vendor-dashboard-data.server.ts	Dashboard context canAcceptOrders , checklist	Critical
src/lib/pod-dashboard-data.server.ts	Roster readiness, launch summary	Critical
src/services/cart.service.ts	Blocks add-to-cart when not orderable	Critical (Menu Only should fail closed on purchase, not look "broken")
src/services/order.service.ts	Checkout validation messages	Critical
src/lib/pod-customer-page-data.ts	Public pod vendor cards	Required
prisma/schema.prisma	Persist mode on Vendor (and optionally Pod)	Critical

8. Recommended product model (for implementation planning)

Suggested vendor field

```
orderingMode: ordering_enabled | menu_only // default: ordering_enabled
```

Distinct from:

- `mennyuOrdersPaused` — temporary intake pause while Ordering Enabled
- `isActive` — public visibility
- `orderRoutingMode` — how orders route *when* ordering is enabled

Behavior matrix

Concern	Ordering Enabled	Menu Only
Public profile + menu browse	Yes (if visible/ready)	Yes
Add to cart / checkout	If operationally ready	Always blocked (intentional)
Stripe / payouts required for "setup complete"	Yes	No
POS / Square / Deliverect required	Per routing mode	No
Kitchen / Orders nav	Primary	Hidden or secondary
Admin overall status	Accepting / setup / paused...	Menu only
Pod launch "orderable" counts	Include	Exclude from orderable; count under menu-only ready
Customer CTA	Order now	View menu (permanent)

Admin Vendor Detail toggle placement (concrete)

1. **Ordering controls** section: radio or switch **Ordering Enabled | Menu Only** with admin reason (same pattern as pause).
2. Reflect on **Ordering** status card.
3. Collapse **Payments + Order routing** when Menu Only (link: "Required when enabling ordering").
4. Keep **Menu + Public listing** as primary health.

9. Complete relevant file inventory

Admin — vendors

- `src/app/admin/(dashboard)/vendors/page.tsx`
- `src/app/admin/(dashboard)/vendors/AdminVendorSearchForm.tsx`
- `src/app/admin/(dashboard)/vendors/AdminVendorsTable.tsx`
- `src/app/admin/(dashboard)/vendors/AdminVendorToggle.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/page.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/AdminVendorOverview.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/AdminVendorOrderRoutingSection.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/AdminVendorTechnicalDiagnostics.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/AdminSquareOrderInjectionDiagnosticsPanel.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/AdminDeactivateStaleSquareMappingsButton.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/diagnostics/page.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/deliverect-mapping/page.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/deliverect-mapping/DeliverectMappingClient.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/deliverect-mapping/AdminVendorPosDisconnect.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/menu-history/page.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/menu-history/VendorMenuHistoryClient.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/menu-history/VendorImportsSection.tsx`
- `src/app/admin/(dashboard)/vendors/[vendorId]/square-routing-debug/route.ts`
- `src/app/admin/(dashboard)/vendors/[vendorId]/admin-vendor-detail-provider.test.ts`
- `src/actions/admin-vendor.actions.ts`
- `src/services/admin-vendor-detail.service.ts`
- `src/lib/admin-vendor-summary.ts`
- `src/lib/admin-vendor-summary.test.ts`

Admin — pods

- `src/app/admin/(dashboard)/pods/page.tsx`
- `src/app/admin/(dashboard)/pods/AdminPodSearchForm.tsx`
- `src/app/admin/(dashboard)/pods/AdminPodsTable.tsx`
- `src/app/admin/(dashboard)/pods/AdminPodToggle.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/page.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/AdminPodOverview.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/AdminPodPayoutSection.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/PodPayoutSummaryCard.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/PodPayoutSettingsCard.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/PodPayoutAllocationsCard.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/PodPayoutTransfersCard.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/payouts/page.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/qr/page.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/diagnostics/page.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/AdminPodTechnicalDiagnostics.tsx`
- `src/app/admin/(dashboard)/pods/[podId]/admin-pod-detail-overview.test.ts`
- `src/app/admin/(dashboard)/pods/admin-pod-payout-ui.test.ts`
- `src/actions/admin-pod.actions.ts`
- `src/services/admin-pod-detail.service.ts`
- `src/lib/admin-pod-summary.ts`
- `src/lib/admin-pod-summary.test.ts`

- `src/lib/admin-pod-detail-layout.ts`

Vendor dashboard

- `src/app/vendor/[vendorId]/layout.tsx`
- `src/app/vendor/[vendorId]/VendorLayoutChrome.tsx`
- `src/app/vendor/[vendorId]/VendorAreaNav.tsx`
- `src/app/vendor/[vendorId]/page.tsx`
- `src/app/vendor/[vendorId]/dashboard/page.tsx`
- `src/app/vendor/[vendorId]/dashboard/VendorStoreStatusCard.tsx`
- `src/app/vendor/[vendorId]/dashboard/VendorDashboardActiveOrdersSection.tsx`
- `src/app/vendor/[vendorId]/dashboard/VendorNeedsAttentionSection.tsx`
- `src/app/vendor/[vendorId]/dashboard/VendorQuickLinksSection.tsx`
- `src/app/vendor/[vendorId]/dashboard/VendorTodayPerformanceSection.tsx`
- `src/app/vendor/[vendorId]/dashboard/VendorOnboardingProgress.tsx`
- `src/app/vendor/[vendorId]/dashboard/VendorOrders*` , `VendorPauseToggle.tsx` , `NewOrderSoundAlert.tsx` , live order components
- `src/app/vendor/[vendorId]/setup/page.tsx`
- `src/app/vendor/[vendorId]/orders/page.tsx` (+ `workbench/ledger/detail`)
- `src/app/vendor/[vendorId]/kitchen/page.tsx` (+ `board/header/cards/pause`)
- `src/app/vendor/[vendorId]/payouts/page.tsx`
- `src/app/vendor/[vendorId]/hours/page.tsx`
- `src/app/vendor/[vendorId]/settings/page.tsx` (+ `VendorStripePayoutCard.tsx` , profile forms)
- `src/app/vendor/[vendorId]/integrations/page.tsx`
- `src/app/vendor/[vendorId]/connect-pos/page.tsx`
- `src/app/vendor/[vendorId]/menu/page.tsx` , `menu-builder/page.tsx` , `menu-imports/**`
- `src/app/vendor/[vendorId]/analytics/page.tsx`
- `src/app/vendor/[vendorId]/issues/page.tsx`
- `src/components/vendor/VendorSetupChecklist.tsx`
- `src/components/vendor/VendorSetupStatusBanners.tsx`
- `src/components/vendor/VendorSetupIntegrationsSection.tsx`
- `src/components/vendor/VendorSquareConnectionCard.tsx`

Pod owner dashboard

- `src/app/pod/[podId]/layout.tsx`
- `src/app/pod/[podId]/PodLayoutChrome.tsx`
- `src/app/pod/[podId]/PodAreaNav.tsx`
- `src/app/pod/[podId]/dashboard/page.tsx`
- `src/app/pod/[podId]/dashboard/PodStatusCard.tsx`
- `src/app/pod/[podId]/dashboard/PodVendorReadinessSection.tsx`
- `src/app/pod/[podId]/dashboard/PodNeedsAttentionSection.tsx`
- `src/app/pod/[podId]/dashboard/PodTodayActivitySection.tsx`
- `src/app/pod/[podId]/dashboard/PodDashboardMetrics.tsx`
- `src/app/pod/[podId]/dashboard/PodVendorAdoptionBoard.tsx`
- `src/app/pod/[podId]/dashboard/PodVendorRosterPanel.tsx`
- `src/app/pod/[podId]/dashboard/PodRosterReadinessSummary.tsx`
- `src/app/pod/[podId]/dashboard/PodDashboardSetupChecklist.tsx`
- `src/app/pod/[podId]/vendors/page.tsx` (+ `roster/invite` components)
- `src/app/pod/[podId]/setup/page.tsx`
- `src/app/pod/[podId]/setup/PodReadinessSummarySection.tsx`
- `src/app/pod/[podId]/setup/PodReadinessPodSection.tsx`
- `src/app/pod/[podId]/setup/PodReadinessVendorSection.tsx`
- `src/app/pod/[podId]/analytics/page.tsx` , `PodAnalyticsView.tsx`

- `src/app/pod/[podId]/payouts/**`
- `src/app/pod/[podId]/settings/**` (incl. `PodPayoutSetupCard.tsx`)
- `src/app/pod/[podId]/promote/page.tsx`

Shared libs / services / customer surfaces

- `src/lib/vendor-readiness-states.ts` (+ tests)
- `src/lib/vendor-pod-readiness.ts` (+ tests)
- `src/lib/vendor-orderability-in-pod.ts` (+ tests)
- `src/lib/vendor-availability.ts`
- `src/lib/vendor-readiness-validation.server.ts`
- `src/lib/vendor-dashboard-data.server.ts`
- `src/lib/vendor-dashboard-attention.ts` (+ tests)
- `src/lib/vendor-operational-copy.ts`
- `src/lib/vendor-order-routing-mode.ts`
- `src/lib/pod-dashboard-data.server.ts`
- `src/lib/pod-dashboard-attention.ts`
- `src/lib/pod-vendor-adoption.ts` (+ tests)
- `src/lib/pod-readiness-page.ts` (+ tests)
- `src/lib/pod-operational-copy.ts`
- `src/lib/pod-customer-page-data.ts`
- `src/lib/pod-page-status.ts`
- `src/services/cart.service.ts`
- `src/services/order.service.ts`
- `src/components/pod/PodVendorCard.tsx`
- `src/components/pod/destination/DestinationPodVendorSection.tsx`
- `src/components/pod/destination/DestinationPodVendorCard.tsx`
- `src/app/account/AccountToolsGrid.tsx`
- `src/app/account/(authenticated)/setup/vendor/VendorSetupForm.tsx`
- `src/components/explore/ExploreHero.tsx`
- `prisma/schema.prisma` (`Vendor` , `Pod`)

10. Severity rollup / suggested implementation order

1. **Critical — data model + orderability core:** schema mode; short-circuit Stripe/POS requirements for Menu Only while hard-blocking cart/checkout; fix admin/pod "setup required" / "no orderable vendors" false alarms.
 2. **Required — operator UIs:** Admin Vendor Ordering controls + status cards; Admin lists filters; Vendor nav/setup/attention; Pod readiness/launch metrics.
 3. **Nice-to-have — polish:** copy passes, demoted analytics/orders empty states, explore/account marketing lines.
-

Related prior work

`docs/reports/public-vendor-orderability-fix.md` fixed Square public orderability loader bugs. It does **not** introduce Menu Only; it reinforces the existing binary "orderable vs not accepting orders" model this audit challenges.