

Vendor Setup Page Cleanup (Square)

Date: 2026-07-08

Status: Complete

Summary

Cleaned up the vendor setup page after Square connection/menu/order injection work. The page is now provider-agnostic, no longer duplicates Square OAuth management UI, and readiness logic correctly distinguishes **Square connection setup** from **admin order-injection enablement**.

Root cause: false "Connect Square — Needs attention"

The `pos` checklist item used `isVendorRoutingOperationalReady()`, which for Square mode requires:

- `squareOrderRoutingEnabled === true` (admin-only gate)
- `squareOrderRoutingReady === true` (published Square menu + full injection prerequisites)

Meanwhile the integration readiness card used `evaluateSquareConnectionHealth()`, which only checks OAuth connection + location. **Poke Sea had a healthy Square connection but failed the admin injection gate**, so the checklist showed "Connect Square — Needs attention" while the integration card showed "Connected".

Fix: Introduced `isVendorSetupPosReady()` for vendor-facing setup/orderability. Square mode now passes when `squareConnectionReady === true` (OAuth + location + token health). Admin injection remains gated separately via `isVendorRoutingOperationalReady()` (unchanged for post-payment routing).

Files changed

File	Change
<code>src/app/vendor/[vendorId]/setup/page.tsx</code>	Removed full Square card; added summary row
<code>src/components/vendor/VendorSquareSetupSummary.tsx</code>	New — compact Square status + CTA

<code>src/components/vendor/VendorIntegrationReadinessCard.tsx</code>	Simplified; admin enablement note; no mapping counts
<code>src/components/vendor/VendorSquareConnectionCard.tsx</code>	Hide env mismatch warnings from vendor UI
<code>src/lib/integrations/square/square-vendor-facing-health.ts</code>	New — filter internal diagnostic warnings
<code>src/lib/vendor-order-routing-mode.ts</code>	<code>isVendorSetupPosReady()</code> ; provider-agnostic copy
<code>src/lib/vendor-pod-readiness.ts</code>	Checklist uses setup POS readiness; updated labels
<code>src/lib/vendor-readiness-states.ts</code>	Orderability uses <code>isVendorSetupPosReady</code>
<code>src/lib/vendor-dashboard-data.server.ts</code>	Loads <code>squareConnectionReady</code> into <code>posSummary</code>
Tests	<code>square-vendor-facing-health.test.ts</code> , updated readiness + setup tests

Unchanged: `/vendor/[vendorId]/integrations/square` still hosts full `VendorSquareConnectionCard` (connect/reconnect/disconnect/location).

Removed from setup page

- Full `VendorSquareConnectionCard` (OAuth, merchant ID, location picker, reconnect/disconnect)
- Duplicate sandbox/production redirect warning
- Connection record details and provider mapping counts
- Square-specific page header copy

Added to setup page

- Provider-agnostic header: *"Complete your public profile, menu, hours, payouts, and order routing setup before accepting orders."*
- Simplified integration readiness summary
- `VendorSquareSetupSummary` when routing mode is Square:
 - "Square connection: Connected / Needs attention"

- "Manage Square integration" →
 `/vendor/[vendorId]/integrations/square`
 - Admin pending message when connected but
 `squareOrderRoutingEnabled=false`
-

Readiness logic (vendor-facing)

Routing mode	pos checklist requirement
<code>manual_dashboard</code>	Always ready ("Manual order dashboard ready")
<code>deliverect</code>	Deliverect connected + mappings
<code>square</code>	<code>evaluateSquareConnectionHealth().isReady</code> (connection + location)

Not required for vendor setup checklist:

- `squareOrderRoutingEnabled` (admin-only)
- Sandbox `SQUARE_ENVIRONMENT`
- `SQUARE_OAUTH_REDIRECT_URL` domain mismatch
- Missing `SQUARE_WEBHOOK_SIGNATURE_KEY`
- Production credentials in sandbox

Admin injection (`isVendorRoutingOperationalReady`) unchanged — still requires explicit admin enable + full injection prerequisites at routing time.

Sandbox/production warning handling

`SQUARE_OAUTH_REDIRECT_URL` uses production domain while `SQUARE_ENVIRONMENT` is sandbox is:

- **Not rendered** on vendor setup page
 - **Filtered out** of `VendorSquareConnectionCard` vendor warnings
 - **Not included** in readiness blockers (`evaluateSquareConnectionHealth` already only uses `missing[]` for `isReady` , not warnings)
 - Retained in server config diagnostics / logs for admins
-

Poke Sea expected state after fix

When Square is connected with location selected, Stripe ready, menu published, hours set, pod linked, and not paused:

- **Connect Square** checklist → **Ready** ("Square connected")
 - **Ordering closed** banner → should clear if all operational requirements pass
 - If `squareOrderRoutingEnabled=false` : informational note about admin enablement, not a false connection blocker
 - Post-payment Square injection still waits for admin enable (unchanged)
-

Tests / QA

#	Scenario	Status
1	Setup page does not render full Square connection card	✓
2	No Reconnect/Disconnect on setup page	✓
3	No sandbox redirect warning in vendor Square card	✓
4	Provider-agnostic setup header	✓
5	Square-connected vendor not marked Connect Square needs attention	✓
6	Env mismatch does not block setup readiness	✓
7–9	Mode-specific routing checklist labels	✓
10	Admin enablement pending copy, not connection missing	✓
11–12	Missing connection / mappings show correct requirements	✓ (existing menu + pos tests)
13	Deliverect/manual readiness unchanged	✓
14	Build passes	✓

Known limitations

1. Customers can pass setup readiness before admin enables Square order injection; paid orders may fail routing until admin toggles `squareOrderRoutingEnabled` (by design — injection gate unchanged).
2. Full Square OAuth management remains on integrations page only.

3. Internal env mismatch warnings still logged in `getSquareConfigSnapshot()` for operator diagnostics.
-

Unchanged systems

- Stripe checkout and payouts
- Square order injection service and admin gate
- Deliverect and manual routing
- Square OAuth security/hardening