Compass

Welcome

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

- cluster0.ctqhzou.mongodb.net
- LIVE_SERVER
- localhost
  - admin
  - angularLoginForm
  - config
  - grocerydelivery_app
  - local
  - mean_api
  - myFirstDatabase
  - newDb
  - rest-api-tutorial
  - restful_api

oDB Compass

u.mongodb.net

Create Database

Database Name

bloggingApp

Collection Name

users

☐ **Time-Series**

Time-series collections efficiently store sequences of measurements over a period of time. Learn More

Additional preferences (e.g. Custom collation, Clustered collections)

Cancel

Create Database

Connections Edit View Collection Help

Compass

My Queries

Data Modeling

CONNECTIONS (3)

Search connections

- cluster0.ctqhzou.mongodb.net
- LIVE_SERVER
- localhost
  - admin
  - angularLoginForm
  - bloggingApp
    - comments
    - likes
    - posts
    - users
  - config
  - grocerydelivery_app
  - local
  - mean_api
  - myFirstDatabase

Welcome | users | posts | comments

localhost > bloggingApp > comments

Open MongoDB shell

Documents 0 | Aggregations | Schema | Indexes 1 | Validation

Type a query: { field: 'value' } or Generate query

Explain | Reset | Find | Options

ADD DATA | UPDATE | DELETE | EXPORT DATA | EXPORT CODE

25 | 0 – 0 of 0

This collection has no data

It only takes a few seconds to import data from a JSON or CSV file.

Import data

Welcome | users | posts | mongosh: localhost

godb.net

>_MONGOSH

```
> show databases
< admin                 40.00 KiB
  angularLoginForm      60.00 KiB
  bloggingApp           32.00 KiB
  config               108.00 KiB
  grocerydelivery_app  180.00 KiB
  local                136.00 KiB
  mean_api             228.00 KiB
  myFirstDatabase      108.00 KiB
  newDb                 72.00 KiB
  rest-api-tutorial    144.00 KiB
  restful_api           72.00 KiB
admin> use bloggingApp
       use bloggingApp
```

Welcome | users | posts | mongosh: localhost

>_MONGOSH

```
> show databases
< admin                 40.00 KiB
  angularLoginForm      60.00 KiB
  bloggingApp           32.00 KiB
  config               108.00 KiB
  grocerydelivery_app  180.00 KiB
  local                136.00 KiB
  mean_api             228.00 KiB
  myFirstDatabase      108.00 KiB
  newDb                 72.00 KiB
  rest-api-tutorial    144.00 KiB
  restful_api           72.00 KiB
> use bloggingApp
< switched to db bloggingApp
bloggingApp> db.collection.find()
```

- db.collection.find
- db.collection.findOne
- db.collection.findOneAndDelete
- db.collection.findOneAndReplace
- db.collection.findOneAndUpdate

Welcome | users | posts | mongosh: localhost

>_MONGOSH

```
> show databases
< admin                 40.00 KiB
  angularLoginForm      60.00 KiB
  bloggingApp           32.00 KiB
  config               108.00 KiB
  grocerydelivery_app  180.00 KiB
  local                136.00 KiB
  mean_api             228.00 KiB
  myFirstDatabase      108.00 KiB
  newDb                 72.00 KiB
  rest-api-tutorial    144.00 KiB
  restful_api           72.00 KiB
> use bloggingApp
< switched to db bloggingApp
> db.collection.find()
<
bloggingApp>
```

Welcome | users | posts | mongosh: localhost

>_MONGOSH

```
bloggingApp > db.users.insertOne({
              firtname: "John",
              lastname: "Doe",
              username: "john1234",
              password: "1234",
              phone: "0402094578",
              address: "Sydney, Australia",
              created_at: new Date(),
              updated_at: new Date()
            })
```

>_MONGOSH

```
> db.users.insertOne({
    firtname: "John",
    lastname: "Doe",
    username: "john1234",
    password: "1234",
    phone: "0402094578",
    address: "Sydney, Australia",
    created_at: new Date(),
    updated_at: new Date()
  })
< {
    acknowledged: true,
    insertedId: ObjectId('69aeb5171ee2bc5edb6feebd')
  }
bloggingApp>
```

```
}
> db.posts.insertOne({
    user_id: ObjectId('69aeb5171ee2bc5edb6feebd'),
    title: "My First Blog Posts",
    description: "This is my first blog application posts",
    image_url: "blog1.jpg",
    created_at: new Date(),
    updated_at: new Date()
  })
< {
    acknowledged: true,
    insertedId: ObjectId('69aeb5871ee2bc5edb6feebe')
  }
```

```
}
> db.comments.insertMany([
  {
    post_id: ObjectId('69aeb5871ee2bc5edb6feebe'),
    user_id: ObjectId('69aeb5171ee2bc5edb6feebd'),
    comment_text: "Nice Blog it it relatable.",
    created_at: new Date(),
    updated_at: new Date()

  },
  {
    post_id: ObjectId('69aeb5871ee2bc5edb6feebe'),
    user_id: ObjectId('69aeb5171ee2bc5edb6feebd'),
    comment_text: "Helpful article.",
    created_at: new Date(),
    updated_at: new Date()
  },
  {
    post_id: ObjectId('69aeb5871ee2bc5edb6feebe'),
    user_id: ObjectId('69aeb5171ee2bc5edb6feebd'),
    comment_text: "Awesome Content.",
    created_at: new Date(),
    updated_at: new Date()
  }

])
< {
  acknowledged: true,
  insertedIds: {
    '0': ObjectId('69aeb68e1ee2bc5edb6feebf'),
    '1': ObjectId('69aeb68e1ee2bc5edb6feec0'),
    '2': ObjectId('69aeb68e1ee2bc5edb6feec1')
  }
}
```

```
> db.likes.insertMany([
    {
      post_id: ObjectId('69aeb5871ee2bc5edb6feebe'),
      user_id: ObjectId('69aeb5171ee2bc5edb6feebd'),
      created_at: new Date(),
      updated_at: new Date()
    },
    {
      post_id: ObjectId('69aeb5871ee2bc5edb6feebe'),
      user_id: ObjectId('69aeb5171ee2bc5edb6feebd'),
      created_at: new Date(),
      updated_at: new Date()
    },
    {
      post_id: ObjectId('69aeb5871ee2bc5edb6feebe'),
      user_id: ObjectId('69aeb5171ee2bc5edb6feebd'),
      created_at: new Date(),
      updated_at: new Date()
    },
    {
      post_id: ObjectId('69aeb5871ee2bc5edb6feebe'),
      user_id: ObjectId('69aeb5171ee2bc5edb6feebd'),
      created_at: new Date(),
      updated_at: new Date()
    }
  ])
< {
    acknowledged: true,
    insertedIds: {
      '0': ObjectId('69aeb7171ee2bc5edb6feec2'),
      '1': ObjectId('69aeb7171ee2bc5edb6feec3'),
      '2': ObjectId('69aeb7171ee2bc5edb6feec4'),
      '3': ObjectId('69aeb7171ee2bc5edb6feec5')
    }
  }
```