ENGINEERING ONLINE

Lecture Notes

Course Number: CSC 513

Instructor: Dr. Singh


Lecture Number: 14



Contextual Patterns: Penalize and Revert

Introducing an Org explicitly as the context the khiem context: C(context, creditor, penalty: C(debtor, original: C(debtor, context, cancel(Original), creditor, context, true, creditor, context, true, create(Penalty)) original-condition) penalty-condition) SWan fa15 base violated base satisfied (a) Penalize context: C(context, debtor, revert: C(creditor, progress: C(debtor. context, debtor, context, true. reditor, context, undo(precondition), undo(condition)) precondition, condition) deliver, pan released(Progress) or refund active(Revert) satisfied base Committed discharge base null undo(precondition) base satisfied

900





- Commitments as elements gybusiness relationships (contradual)
- Define service engagements via commitments
- Repeating patterns


 Create

 Delegate (Escalate) Structural

 Penalize

 Revert

 Revert



A Purchase Service Engagement

Demonstrates incremental specification as a form of stepwise refinement the engagement engagement. TRANSACTION Buyer Seller creditor debtor TRANSACTIONAL PATTERN DELEGATE
(TRANSFER
RESP)
STRUCTURE STRUCTURAL PATTERN (a) Pair of conditional commitments describing purchase **CONTEXTUAL PATTERN** delegatee-Transfer responsibility delegated commitment delegator ship, pay Buyer creditor. creditor pay ship delegated commitment Retain responsibility delegatee (b) Introducing bank and shipper via delegations of commitments context Transfer delegatee place responsibility Bank CONTENT reverted commitment delegated commitment delegator ship, pay creditor Seller debtor Buyer pay, ship delegator delegated commitment Retain Shipper responsibility delegatee 4) Q (V

(c) Allowing buyer to skip payment or get a refund upon returning goods

