



01 | Identify all the different components you know in the following motherboards.


NUMBER 01




NUMBER 02




NUMBER 03




NUMBER 04



NUMBER 05




NUMBER 06




Identify the external connectors in the following pictures

NUMBER 01



NUMBER 02



NUMBER 03

ASUS P6T DELUXE V2: ATX MOTHERBOARD



6 SERIAL-ATA CONNECTORS | SATA 3

SATA connectors 3.0 for HDD, SSD or optical drives. With bandwidth of up to 600MB/s.

PARALLEL ATA CONNECTORS | IDE

Older standard interface for HDDs and optical drive. With a bandwidth of up to 133MB/s. It's being gradually discarded for SATA connectors.

6 3.5mm JACKS for 7.1 AUDIO

3.5mm standard jacks to connect a 5.1 or 7.1 audio devices, microphone and lines in.

8 USB 2.0

Designed to standardize the connection of computer peripherals. Plug-and-Play systems (480Mbps).

1 IEEE 1394 FIREWIRE 6-pin port

Supports data transfer rates of up to 400 Mbps and can connect up to 63 external devices. Plug & Play System.

P2P Port


For keyboard or a mouse, gradually discarded for USB

SPDIF OUT OPTICAL & COAXIAL

The Sony/Philips Digital Interface to transmit digital audio. It connects components like home cinema and other digital high-fidelity.

1 eSATA Port

With much higher transfer rates than USB: Up to 5Gb/s



NUMBER 04

