

Overview

Dataset statistics

| | |
|-------------------------------|---------|
| Number of variables | 26 |
| Number of observations | 31 |
| Missing cells | 0 |
| Missing cells (%) | 0.0% |
| Duplicate rows | 0 |
| Duplicate rows (%) | 0.0% |
| Total size in memory | 6.4 KiB |
| Average record size in memory | 212.1 B |

Variable types

| | |
|-------------|----|
| Categorical | 24 |
| Boolean | 2 |

Alerts

[illegible]

| | |
|---|------------------|
| Do you smell odor or unusual smell? is highly correlated with Timestamp and 3 other fields (Timestamp, Age, Distraction from outside noise? , Distraction from background machine noise) | High correlation |
| Do you feel sleepy or headache when you get to the room ? is highly correlated with Timestamp and 3 other fields (Timestamp, Cloth Type, Distraction from outside noise? , Distraction from background machine noise) | High correlation |
| Comfortable under light colour is highly correlated with Timestamp and 1 other fields (Timestamp, Comfort under the current light level) | High correlation |
| Comfort under the current light level is highly correlated with Timestamp and 1 other fields (Timestamp, Comfortable under light colour) | High correlation |
| Describe the current light level is highly correlated with Timestamp and 2 other fields (Timestamp, Cloth Type, Ventilation and Air smell) | High correlation |
| Availability of natural light now is highly correlated with Timestamp | High correlation |
| Is there any luminare is OFF at this moment? is highly correlated with Timestamp and 1 other fields (Timestamp, Time in the office) | High correlation |
| Timestamp is uniformly distributed | Uniform |
| Timestamp has unique values | Unique |

Reproduction

| | |
|------------------------|---|
| Analysis started | 2022-08-24 12:05:15.737384 |
| Analysis finished | 2022-08-24 12:05:20.958658 |
| Duration | 5.22 seconds |
| Software version | pandas-profiling v3.2.0 (https://github.com/pandas-profiling/pandas-profiling) |
| Download configuration | config.json (data:text/plain;charset=utf-8,%7B%22title%22%3A%20%22Pandas%20Profiling%20Report%22%2C%20%22dataset%22%3A%20%7B%22description%22%3A%20%22%22%2C%20%22creator%22%3A%20%22%22%2C%2 |

Variables

| | |
|---|------------------|
| Timestamp | |
| Categorical | HIGH CORRELATION |
| (This variable has a high correlation with 25 fields: Air speed at this moment, Describe the current light level , Occupation , Comfort under the current light level, Distraction from background machine noise, Do you smell odor or unusual smell?, Activity , Height, Ventilation and Air smell, Comfortable under the current temperature., Room name and code, Cloth Type, Time in the office, Do you feel sleepy or headache when you get to the room ?, Comfortable under light colour , Distraction from people noise, Age, Comfort Under current noise Level, The Current temperature in the room , Describe noise at this moment , Availability of natural light now, Distraction from outside noise? , Is there any luminare is OFF at this moment?, Gender , Wieght) | |
| HIGH CORRELATION (This variable has a high correlation with 23 fields: Occupation , Age, Height, Wieght, Activity , Cloth Type, Time in the office, Comfortable under the current temperature., The Current temperature in the room , Distraction from outside noise? , Distraction from background machine noise, Distraction from people noise, Comfort Under current noise Level, Describe noise at this moment , Air speed at this moment, Ventilation and Air smell, Do you smell odor or unusual smell?, Do you feel sleepy or headache when you get to the room ?, Comfortable under light colour , Comfort under the current light level, Describe the current light level , Availability of natural light now, Is there any luminare is OFF at this moment?) | |
| UNIFORM | |
| UNIQUE | |
| Distinct | 31 |
| Distinct (%) | 100.0% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|-------------|
| Length | | |
| Max length | | 15 |
| Median length | | 15 |
| Mean length | | 14.64516129 |
| Min length | | 14 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 454 | |
| Distinct characters | 13 | |
| Distinct categories | 3 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.


| | | |
|------------|--------|---|
| Unique | | |
| Unique | 31 | ? |
| Unique (%) | 100.0% | |

| | | |
|---------|----------------|--|
| Sample | | |
| 1st row | 4/9/2019 13:35 | |
| 2nd row | 4/10/2019 8:31 | |
| 3rd row | 4/10/2019 8:34 | |
| 4th row | 4/10/2019 8:42 | |
| 5th row | 4/10/2019 8:45 | |

Common Values

| Value | Count | Frequency (%) |
|-------------------|-------|---------------|
| 4/9/2019 13:35 | 1 | 3.2% |
| 4/10/2019 11:14 | 1 | 3.2% |
| 4/10/2019 14:45 | 1 | 3.2% |
| 4/10/2019 13:44 | 1 | 3.2% |
| 4/10/2019 13:35 | 1 | 3.2% |
| 4/10/2019 13:27 | 1 | 3.2% |
| 4/10/2019 13:23 | 1 | 3.2% |
| 4/10/2019 12:15 | 1 | 3.2% |
| 4/10/2019 12:00 | 1 | 3.2% |
| 4/10/2019 11:57 | 1 | 3.2% |
| Other values (21) | 21 | 67.7% |

Length



| Value | Count | Frequency (%) |
|-------------------|-------|---------------|
| 4/10/2019 | 30 | 48.4% |
| 13:35 | 2 | 3.2% |
| 9:43 | 1 | 1.6% |
| 10:50 | 1 | 1.6% |
| 10:42 | 1 | 1.6% |
| 10:12 | 1 | 1.6% |
| 10:02 | 1 | 1.6% |
| 9:54 | 1 | 1.6% |
| 9:47 | 1 | 1.6% |
| 4/9/2019 | 1 | 1.6% |
| Other values (22) | 22 | 35.5% |

Most occurring characters

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| 1 | 95 | 20.9% |
| 0 | 71 | 15.6% |
| / | 62 | 13.7% |
| 4 | 46 | 10.1% |
| 2 | 41 | 9.0% |
| 9 | 38 | 8.4% |
| | 31 | 6.8% |
| : | 31 | 6.8% |
| 3 | 17 | 3.7% |
| 5 | 10 | 2.2% |
| Other values (3) | 12 | 2.6% |

Most occurring categories

| Value | Count | Frequency (%) |
|-------------------|-------|---------------|
| Decimal Number | 330 | 72.7% |
| Other Punctuation | 93 | 20.5% |
| Space Separator | 31 | 6.8% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 1 | 95 | 28.8% |
| 0 | 71 | 21.5% |
| 4 | 46 | 13.9% |
| 2 | 41 | 12.4% |
| 9 | 38 | 11.5% |
| 3 | 17 | 5.2% |
| 5 | 10 | 3.0% |
| 7 | 5 | 1.5% |
| 8 | 5 | 1.5% |
| 6 | 2 | 0.6% |

Other Punctuation

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| / | 62 | 66.7% |
| : | 31 | 33.3% |

Space Separator

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| | 31 | 100.0% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Common | 454 | 100.0% |

Most frequent character per script

| Common | | |
|------------------|-------|---------------|
| Value | Count | Frequency (%) |
| 1 | 95 | 20.9% |
| 0 | 71 | 15.6% |
| / | 62 | 13.7% |
| 4 | 46 | 10.1% |
| 2 | 41 | 9.0% |
| 9 | 38 | 8.4% |
| | 31 | 6.8% |
| : | 31 | 6.8% |
| 3 | 17 | 3.7% |
| 5 | 10 | 2.2% |
| Other values (3) | 12 | 2.6% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 454 | 100.0% |

Most frequent character per block

| ASCII | | |
|------------------|-------|---------------|
| Value | Count | Frequency (%) |
| 1 | 95 | 20.9% |
| 0 | 71 | 15.6% |
| / | 62 | 13.7% |
| 4 | 46 | 10.1% |
| 2 | 41 | 9.0% |
| 9 | 38 | 8.4% |
| | 31 | 6.8% |
| : | 31 | 6.8% |
| 3 | 17 | 3.7% |
| 5 | 10 | 2.2% |
| Other values (3) | 12 | 2.6% |

Room-name-and-code

Categorical

CONSTANT

HIGH CORRELATION (This variable has a high correlation with 25 fields: Air speed at this moment, Describe the current light level , Occupation , Comfort under the current light level, Distraction from background machine noise, Do you smell odor or unusual smell?, Activity , Height, Ventilation and Air smell, Comfortable under the current temperature., Cloth Type, Time in the office, Do you feel sleepy or headache when you get to the room ?, Comfortable under light colour , Distraction from people noise, Age, Comfort Under current noise Level, The Current temperature in the room , Timestamp, Describe noise at this moment , Availability of natural light now, Distraction from outside noise? , Is there any luminaire is OFF at this moment?, Gender , Weight)

REJECTED

| | |
|--------------|---------|
| Distinct | 1 |
| Distinct (%) | 3.2% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

Length

| | |
|---------------|---|
| Max length | 6 |
| Median length | 6 |
| Mean length | 6 |
| Min length | 6 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 186 | |
| Distinct characters | 5 | |
| Distinct categories | 2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

| | | |
|------------|------|---|
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|--------|
| 1st row | STU211 |
| 2nd row | STU211 |
| 3rd row | STU211 |
| 4th row | STU211 |
| 5th row | STU211 |


Common Values

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| STU211 | 31 | 100.0% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|--------|-------|---------------|
| stu211 | 31 | 100.0% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 1 | 62 | 33.3% |
| S | 31 | 16.7% |
| T | 31 | 16.7% |
| U | 31 | 16.7% |
| 2 | 31 | 16.7% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Decimal Number | 93 | 50.0% |
| Uppercase Letter | 93 | 50.0% |

Most frequent character per category

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| S | 31 | 33.3% |
| T | 31 | 33.3% |
| U | 31 | 33.3% |

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 1 | 62 | 66.7% |
| 2 | 31 | 33.3% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Common | 93 | 50.0% |
| Latin | 93 | 50.0% |

Most frequent character per script

Latin

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| S | 31 | 33.3% |
| T | 31 | 33.3% |
| U | 31 | 33.3% |

Common

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 1 | 62 | 66.7% |
| 2 | 31 | 33.3% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 186 | 100.0% |

Most frequent character per block

ASCII

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 1 | 62 | 33.3% |
| 5 | 31 | 16.7% |
| T | 31 | 16.7% |
| U | 31 | 16.7% |
| 2 | 31 | 16.7% |

Gender-
Categorical

CONSTANT

HIGH CORRELATION (This variable has a high correlation with 25 fields: Air speed at this moment, Describe the current light level , Occupation , Comfort under the current light level, Distraction from background machine noise, Do you smell odor or unusual smell?, Activity , Height, Ventilation and Air smell, Comfortable under the current temperature., Room name and code, Cloth Type, Time in the office, Do you feel sleepy or headache when you get to the room ?, Comfortable under light colour , Distraction from people noise, Age, Comfort Under current noise Level, The Current temperature in the room , Timestamp, Describe noise at this moment , Availability of natural light now, Distraction from outside noise? , Is there any luminaire is OFF at this moment?, Weight)

REJECTED

| | |
|--------------|---------|
| Distinct | 1 |
| Distinct (%) | 3.2% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

Length

| | |
|---------------|---|
| Max length | 4 |
| Median length | 4 |
| Mean length | 4 |
| Min length | 4 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 124 | |
| Distinct characters | 4 | |
| Distinct categories | 2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

| | | |
|------------|------|---|
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|------|
| 1st row | Male |
| 2nd row | Male |
| 3rd row | Male |
| 4th row | Male |
| 5th row | Male |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Male | 31 | 100.0% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| male | 31 | 100.0% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| M | 31 | 25.0% |
| a | 31 | 25.0% |
| I | 31 | 25.0% |
| e | 31 | 25.0% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 93 | 75.0% |
| Uppercase Letter | 31 | 25.0% |

Most frequent character per category

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| a | 31 | 33.3% |
| i | 31 | 33.3% |
| e | 31 | 33.3% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| M | 31 | 100.0% |

Most occurring scripts

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Latin | 124 | 100.0% |

Most frequent character per script

Latin

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| M | 31 | 25.0% |
| a | 31 | 25.0% |
| l | 31 | 25.0% |
| e | 31 | 25.0% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 124 | 100.0% |

Most frequent character per block

ASCII

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| M | 31 | 25.0% |
| a | 31 | 25.0% |
| l | 31 | 25.0% |
| e | 31 | 25.0% |

Occupation

Categorical

HIGH CORRELATION

(This variable has a high correlation with 5 fields: Room name and code, Age, Comfort Under current noise Level, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 3 fields: Timestamp, Wieght, Comfortable under the current temperature.)

| | |
|--------------|---------|
| Distinct | 2 |
| Distinct (%) | 6.5% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 5 |
| Median length | | 5 |
| Mean length | | 5 |
| Min length | | 5 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 155 | |
| Distinct characters | 5 | |
| Distinct categories | 3 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|-------|
| 1st row | Occ02 |
| 2nd row | Occ02 |
| 3rd row | Occ02 |
| 4th row | Occ02 |
| 5th row | Occ02 |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Occ01 | 22 | 71.0% |
| Occ02 | 9 | 29.0% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| occ01 | 22 | 71.0% |
| occ02 | 9 | 29.0% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| c | 62 | 40.0% |
| O | 31 | 20.0% |
| 0 | 31 | 20.0% |
| 1 | 22 | 14.2% |
| 2 | 9 | 5.8% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 62 | 40.0% |
| Decimal Number | 62 | 40.0% |
| Uppercase Letter | 31 | 20.0% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 0 | 31 | 50.0% |
| 1 | 22 | 35.5% |
| 2 | 9 | 14.5% |

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| c | 62 | 100.0% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| O | 31 | 100.0% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Latin | 93 | 60.0% |
| Common | 62 | 40.0% |

Most frequent character per script

Common

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 0 | 31 | 50.0% |
| 1 | 22 | 35.5% |
| 2 | 9 | 14.5% |

Latin

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| c | 62 | 66.7% |
| o | 31 | 33.3% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 155 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| c | 62 | 40.0% |
| O | 31 | 20.0% |
| 0 | 31 | 20.0% |
| 1 | 22 | 14.2% |
| 2 | 9 | 5.8% |

Age

Categorical

HIGH CORRELATION

(This variable has a high correlation with 4 fields: Occupation , Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 5 fields: Timestamp, Height, Wieght, Cloth Type, Do you smell odor or unusual smell?)

| | |
|--------------|---------|
| Distinct | 3 |
| Distinct (%) | 9.7% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 5 |
| Median length | | 5 |
| Mean length | | 5 |
| Min length | | 5 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 155 | |
| Distinct characters | 7 | |
| Distinct categories | 3 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|-------|
| 1st row | Age02 |
| 2nd row | Age02 |
| 3rd row | Age01 |
| 4th row | Age03 |
| 5th row | Age02 |

Common Values


| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Age01 | 23 | 74.2% |
| Age02 | 6 | 19.4% |
| Age03 | 2 | 6.5% |

Length



Histogram of lengths of the category

Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| age01 | 23 | 74.2% |
| age02 | 6 | 19.4% |
| age03 | 2 | 6.5% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| A | 31 | 20.0% |
| g | 31 | 20.0% |
| e | 31 | 20.0% |
| 0 | 31 | 20.0% |
| 1 | 23 | 14.8% |
| 2 | 6 | 3.9% |
| 3 | 2 | 1.3% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 62 | 40.0% |
| Decimal Number | 62 | 40.0% |
| Uppercase Letter | 31 | 20.0% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 0 | 31 | 50.0% |
| 1 | 23 | 37.1% |
| 2 | 6 | 9.7% |
| 3 | 2 | 3.2% |

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| g | 31 | 50.0% |
| e | 31 | 50.0% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| A | 31 | 100.0% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Latin | 93 | 60.0% |
| Common | 62 | 40.0% |

Most frequent character per script

Common

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 0 | 31 | 50.0% |
| 1 | 23 | 37.1% |
| 2 | 6 | 9.7% |
| 3 | 2 | 3.2% |

Latin

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| A | 31 | 33.3% |
| g | 31 | 33.3% |
| e | 31 | 33.3% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 155 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| A | 31 | 20.0% |
| g | 31 | 20.0% |
| e | 31 | 20.0% |
| 0 | 31 | 20.0% |
| 1 | 23 | 14.8% |
| 2 | 6 | 3.9% |
| 3 | 2 | 1.3% |

Height

Categorical

HIGH CORRELATION

(This variable has a high correlation with 4 fields: Distraction from background machine noise, Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 5 fields: Timestamp, Age, The Current temperature in the room , Distraction from outside noise? , Distraction from background machine noise)

| | |
|--------------|---------|
| Distinct | 6 |
| Distinct (%) | 19.4% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | |
|---------------|---|
| Length | |
| Max length | 7 |
| Median length | 7 |
| Mean length | 7 |
| Min length | 7 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 217 | |
| Distinct characters | 12 | |
| Distinct categories | 3 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 3 | ? |
| Unique (%) | 9.7% | |


Sample

| | |
|---------|---------|
| 1st row | Hight03 |
| 2nd row | Hight04 |
| 3rd row | Hight04 |
| 4th row | Hight06 |
| 5th row | Hight04 |


Common Values

| Value | Count | Frequency (%) |
|---------|-------|---------------|
| Hight04 | 16 | 51.6% |
| Hight03 | 10 | 32.3% |
| Hight05 | 2 | 6.5% |
| Hight06 | 1 | 3.2% |
| Hight01 | 1 | 3.2% |
| Hight02 | 1 | 3.2% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|---------|-------|---------------|
| hight04 | 16 | 51.6% |
| hight03 | 10 | 32.3% |
| hight05 | 2 | 6.5% |
| hight06 | 1 | 3.2% |
| hight01 | 1 | 3.2% |
| hight02 | 1 | 3.2% |

Most occurring characters

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| H | 31 | 14.3% |
| i | 31 | 14.3% |
| g | 31 | 14.3% |
| h | 31 | 14.3% |
| t | 31 | 14.3% |
| 0 | 31 | 14.3% |
| 4 | 16 | 7.4% |
| 3 | 10 | 4.6% |
| 5 | 2 | 0.9% |
| 6 | 1 | 0.5% |
| Other values (2) | 2 | 0.9% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 124 | 57.1% |
| Decimal Number | 62 | 28.6% |
| Uppercase Letter | 31 | 14.3% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 0 | 31 | 50.0% |
| 4 | 16 | 25.8% |
| 3 | 10 | 16.1% |
| 5 | 2 | 3.2% |
| 6 | 1 | 1.6% |
| 1 | 1 | 1.6% |
| 2 | 1 | 1.6% |

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| i | 31 | 25.0% |
| g | 31 | 25.0% |
| h | 31 | 25.0% |
| t | 31 | 25.0% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| H | 31 | 100.0% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Latin | 155 | 71.4% |
| Common | 62 | 28.6% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| 0 | 31 | 50.0% |
| 4 | 16 | 25.8% |
| 3 | 10 | 16.1% |
| 5 | 2 | 3.2% |
| 6 | 1 | 1.6% |
| 1 | 1 | 1.6% |
| 2 | 1 | 1.6% |
| Latin | | |
| Value | Count | Frequency (%) |
| H | 31 | 20.0% |
| i | 31 | 20.0% |
| g | 31 | 20.0% |
| h | 31 | 20.0% |
| t | 31 | 20.0% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 217 | 100.0% |

Most frequent character per block

| ASCII | | |
|------------------|-------|---------------|
| Value | Count | Frequency (%) |
| H | 31 | 14.3% |
| i | 31 | 14.3% |
| g | 31 | 14.3% |
| h | 31 | 14.3% |
| t | 31 | 14.3% |
| 0 | 31 | 14.3% |
| 4 | 16 | 7.4% |
| 3 | 10 | 4.6% |
| 5 | 2 | 0.9% |
| 6 | 1 | 0.5% |
| Other values (2) | 2 | 0.9% |

Wiegth

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 4 fields: Timestamp, Occupation , Age, Distraction from people noise)

| | |
|--------------|---------|
| Distinct | 6 |
| Distinct (%) | 19.4% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 6 |
| Median length | | 6 |
| Mean length | | 6 |
| Min length | | 6 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 186 | |
| Distinct characters | 11 | |
| Distinct categories | 3 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|--------|
| 1st row | Wieg05 |
| 2nd row | Wieg05 |
| 3rd row | Wieg03 |
| 4th row | Wieg04 |
| 5th row | Wieg06 |


Common Values

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Wieg01 | 9 | 29.0% |
| Wieg05 | 8 | 25.8% |
| Wieg02 | 7 | 22.6% |
| Wieg03 | 3 | 9.7% |
| Wieg04 | 2 | 6.5% |
| Wieg06 | 2 | 6.5% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|--------|-------|---------------|
| wieg01 | 9 | 29.0% |
| wieg05 | 8 | 25.8% |
| wieg02 | 7 | 22.6% |
| wieg03 | 3 | 9.7% |
| wieg04 | 2 | 6.5% |
| wieg06 | 2 | 6.5% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| W | 31 | 16.7% |
| i | 31 | 16.7% |
| e | 31 | 16.7% |
| g | 31 | 16.7% |
| 0 | 31 | 16.7% |
| 1 | 9 | 4.8% |
| 5 | 8 | 4.3% |
| 2 | 7 | 3.8% |
| 3 | 3 | 1.6% |
| 4 | 2 | 1.1% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 93 | 50.0% |
| Decimal Number | 62 | 33.3% |
| Uppercase Letter | 31 | 16.7% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 0 | 31 | 50.0% |
| 1 | 9 | 14.5% |
| 5 | 8 | 12.9% |
| 2 | 7 | 11.3% |
| 3 | 3 | 4.8% |
| 4 | 2 | 3.2% |
| 6 | 2 | 3.2% |

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| i | 31 | 33.3% |
| e | 31 | 33.3% |
| g | 31 | 33.3% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| W | 31 | 100.0% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Latin | 124 | 66.7% |
| Common | 62 | 33.3% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| 0 | 31 | 50.0% |
| 1 | 9 | 14.5% |
| 5 | 8 | 12.9% |
| 2 | 7 | 11.3% |
| 3 | 3 | 4.8% |
| 4 | 2 | 3.2% |
| 6 | 2 | 3.2% |
| Latin | | |
| Value | Count | Frequency (%) |
| W | 31 | 25.0% |
| i | 31 | 25.0% |
| e | 31 | 25.0% |
| g | 31 | 25.0% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 186 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| W | 31 | 16.7% |
| i | 31 | 16.7% |
| e | 31 | 16.7% |
| g | 31 | 16.7% |
| 0 | 31 | 16.7% |
| 1 | 9 | 4.8% |
| 5 | 8 | 4.3% |
| 2 | 7 | 3.8% |
| 3 | 3 | 1.6% |
| 4 | 2 | 1.1% |

Activity
Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)
HIGH CORRELATION (This variable has a high correlation with 1 fields: Timestamp)

| | |
|--------------|---------|
| Distinct | 6 |
| Distinct (%) | 19.4% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | |
|---------------|-------------|
| Length | |
| Max length | 14 |
| Median length | 7 |
| Mean length | 7.290322581 |
| Min length | 5 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 226 | |
| Distinct characters | 19 | |
| Distinct categories | 2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|---------|
| 1st row | Working |
| 2nd row | Walking |
| 3rd row | Walking |
| 4th row | Walking |
| 5th row | Stall |


Common Values

| Value | Count | Frequency (%) |
|----------------|-------|---------------|
| Walking | 10 | 32.3% |
| Working | 6 | 19.4% |
| Running | 6 | 19.4% |
| Stall | 4 | 12.9% |
| Sleeping | 3 | 9.7% |
| ClimbingStairs | 2 | 6.5% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|----------------|-------|---------------|
| walking | 10 | 32.3% |
| working | 6 | 19.4% |
| running | 6 | 19.4% |
| stall | 4 | 12.9% |
| sleeping | 3 | 9.7% |
| climbingstairs | 2 | 6.5% |

Most occurring characters

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| n | 39 | 17.3% |
| i | 31 | 13.7% |
| g | 27 | 11.9% |
| l | 23 | 10.2% |
| w | 16 | 7.1% |
| k | 16 | 7.1% |
| a | 16 | 7.1% |
| s | 9 | 4.0% |
| r | 8 | 3.5% |
| e | 6 | 2.7% |
| Other values (9) | 35 | 15.5% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 193 | 85.4% |
| Uppercase Letter | 33 | 14.6% |

Most frequent character per category

Lowercase Letter

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| n | 39 | 20.2% |
| i | 31 | 16.1% |
| g | 27 | 14.0% |
| l | 23 | 11.9% |
| k | 16 | 8.3% |
| a | 16 | 8.3% |
| r | 8 | 4.1% |
| e | 6 | 3.1% |
| t | 6 | 3.1% |
| u | 6 | 3.1% |
| Other values (5) | 15 | 7.8% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| W | 16 | 48.5% |
| S | 9 | 27.3% |
| R | 6 | 18.2% |
| C | 2 | 6.1% |

Most occurring scripts

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Latin | 226 | 100.0% |

Most frequent character per script

| Latin | | |
|------------------|-------|---------------|
| Value | Count | Frequency (%) |
| n | 39 | 17.3% |
| i | 31 | 13.7% |
| g | 27 | 11.9% |
| l | 23 | 10.2% |
| w | 16 | 7.1% |
| k | 16 | 7.1% |
| a | 16 | 7.1% |
| s | 9 | 4.0% |
| r | 8 | 3.5% |
| e | 6 | 2.7% |
| Other values (9) | 35 | 15.5% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 226 | 100.0% |

Most frequent character per block

| ASCII | | |
|------------------|-------|---------------|
| Value | Count | Frequency (%) |
| n | 39 | 17.3% |
| i | 31 | 13.7% |
| g | 27 | 11.9% |
| l | 23 | 10.2% |
| W | 16 | 7.1% |
| k | 16 | 7.1% |
| a | 16 | 7.1% |
| S | 9 | 4.0% |
| r | 8 | 3.5% |
| e | 6 | 2.7% |
| Other values (9) | 35 | 15.5% |

| | |
|--|---------|
| Cloth Type | |
| Categorical | |
| (This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender) | |
| HIGH CORRELATION (This variable has a high correlation with 5 fields: Timestamp, Age, Ventilation and Air smell, Do you feel sleepy or headache when you get to the room ?, Describe the current light level) | |
| Distinct | 8 |
| Distinct (%) | 25.8% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

Length

| | |
|---------------|-------------|
| Max length | 9 |
| Median length | 9 |
| Mean length | 8.935483871 |
| Min length | 8 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 277 | |
| Distinct characters | 13 | |
| Distinct categories | 4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

| | | |
|------------|------|---|
| Unique | 3 | ? |
| Unique (%) | 9.7% | |


Sample

| | |
|---------|-----------|
| 1st row | Dress_192 |
| 2nd row | Dress_220 |
| 3rd row | Dress_364 |
| 4th row | Dress_150 |
| 5th row | Dress_365 |


Common Values

| Value | Count | Frequency (%) |
|-----------|-------|---------------|
| Dress_364 | 11 | 35.5% |
| Dress_213 | 5 | 16.1% |
| Dress_192 | 4 | 12.9% |
| Dress_220 | 4 | 12.9% |
| Dress_365 | 4 | 12.9% |
| Dress_150 | 1 | 3.2% |
| Dress_99 | 1 | 3.2% |
| Dress_22 | 1 | 3.2% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-----------|-------|---------------|
| dress_364 | 11 | 35.5% |
| dress_213 | 5 | 16.1% |
| dress_192 | 4 | 12.9% |
| dress_220 | 4 | 12.9% |
| dress_365 | 4 | 12.9% |
| dress_150 | 1 | 3.2% |
| dress_99 | 1 | 3.2% |
| dress_22 | 1 | 3.2% |

Most occurring characters

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| s | 62 | 22.4% |
| D | 31 | 11.2% |
| r | 31 | 11.2% |
| e | 31 | 11.2% |
| - | 31 | 11.2% |
| 3 | 20 | 7.2% |
| 2 | 19 | 6.9% |
| 6 | 15 | 5.4% |
| 4 | 11 | 4.0% |
| 1 | 10 | 3.6% |
| Other values (3) | 16 | 5.8% |

Most occurring categories

| Value | Count | Frequency (%) |
|-----------------------|-------|---------------|
| Lowercase Letter | 124 | 44.8% |
| Decimal Number | 91 | 32.9% |
| Uppercase Letter | 31 | 11.2% |
| Connector Punctuation | 31 | 11.2% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 20 | 22.0% |
| 2 | 19 | 20.9% |
| 6 | 15 | 16.5% |
| 4 | 11 | 12.1% |
| 1 | 10 | 11.0% |
| 9 | 6 | 6.6% |
| 0 | 5 | 5.5% |
| 5 | 5 | 5.5% |

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| s | 62 | 50.0% |
| r | 31 | 25.0% |
| e | 31 | 25.0% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| D | 31 | 100.0% |

Connector Punctuation

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| - | 31 | 100.0% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Latin | 155 | 56.0% |
| Common | 122 | 44.0% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| - | 31 | 25.4% |
| 3 | 20 | 16.4% |
| 2 | 19 | 15.6% |
| 6 | 15 | 12.3% |
| 4 | 11 | 9.0% |
| 1 | 10 | 8.2% |
| 9 | 6 | 4.9% |
| 0 | 5 | 4.1% |
| 5 | 5 | 4.1% |
| Latin | | |
| Value | Count | Frequency (%) |
| s | 62 | 40.0% |
| D | 31 | 20.0% |
| r | 31 | 20.0% |
| e | 31 | 20.0% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 277 | 100.0% |

Most frequent character per block

| ASCII | | |
|------------------|-------|---------------|
| Value | Count | Frequency (%) |
| s | 62 | 22.4% |
| D | 31 | 11.2% |
| r | 31 | 11.2% |
| e | 31 | 11.2% |
| - | 31 | 11.2% |
| 3 | 20 | 7.2% |
| 2 | 19 | 6.9% |
| 6 | 15 | 5.4% |
| 4 | 11 | 4.0% |
| 1 | 10 | 3.6% |
| Other values (3) | 16 | 5.8% |

Time in the office
Categorical

HIGH CORRELATION

(This variable has a high correlation with 4 fields: Room name and code, Timestamp, Is there any luminare is OFF at this moment?, Gender)
HIGH CORRELATION (This variable has a high correlation with 2 fields: Timestamp, Is there any luminare is OFF at this moment?)

| | |
|--------------|---------|
| Distinct | 4 |
| Distinct (%) | 12.9% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 9 |
| Median length | | 9 |
| Mean length | | 9 |
| Min length | | 9 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 279 | |
| Distinct characters | 12 | |
| Distinct categories | 4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|-----------|
| 1st row | Period_05 |
| 2nd row | Period_04 |
| 3rd row | Period_03 |
| 4th row | Period_03 |
| 5th row | Period_04 |


Common Values

| Value | Count | Frequency (%) |
|-----------|-------|---------------|
| Period_03 | 11 | 35.5% |
| Period_04 | 9 | 29.0% |
| Period_05 | 7 | 22.6% |
| Period_02 | 4 | 12.9% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-----------|-------|---------------|
| period_03 | 11 | 35.5% |
| period_04 | 9 | 29.0% |
| period_05 | 7 | 22.6% |
| period_02 | 4 | 12.9% |

Most occurring characters

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| P | 31 | 11.1% |
| e | 31 | 11.1% |
| r | 31 | 11.1% |
| i | 31 | 11.1% |
| o | 31 | 11.1% |
| d | 31 | 11.1% |
| - | 31 | 11.1% |
| 0 | 31 | 11.1% |
| 3 | 11 | 3.9% |
| 4 | 9 | 3.2% |
| Other values (2) | 11 | 3.9% |

Most occurring categories

| Value | Count | Frequency (%) |
|-----------------------|-------|---------------|
| Lowercase Letter | 155 | 55.6% |
| Decimal Number | 62 | 22.2% |
| Uppercase Letter | 31 | 11.1% |
| Connector Punctuation | 31 | 11.1% |

Most frequent character per category

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| e | 31 | 20.0% |
| r | 31 | 20.0% |
| i | 31 | 20.0% |
| o | 31 | 20.0% |
| d | 31 | 20.0% |

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 0 | 31 | 50.0% |
| 3 | 11 | 17.7% |
| 4 | 9 | 14.5% |
| 5 | 7 | 11.3% |
| 2 | 4 | 6.5% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| P | 31 | 100.0% |

Connector Punctuation

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| - | 31 | 100.0% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Latin | 186 | 66.7% |
| Common | 93 | 33.3% |

Most frequent character per script

Latin

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| p | 31 | 16.7% |
| e | 31 | 16.7% |
| r | 31 | 16.7% |
| i | 31 | 16.7% |
| o | 31 | 16.7% |
| d | 31 | 16.7% |

Common

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| - | 31 | 33.3% |
| 0 | 31 | 33.3% |
| 3 | 11 | 11.8% |
| 4 | 9 | 9.7% |
| 5 | 7 | 7.5% |
| 2 | 4 | 4.3% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 279 | 100.0% |

Most frequent character per block

| ASCII | | |
|------------------|-------|---------------|
| Value | Count | Frequency (%) |
| P | 31 | 11.1% |
| e | 31 | 11.1% |
| r | 31 | 11.1% |
| i | 31 | 11.1% |
| o | 31 | 11.1% |
| d | 31 | 11.1% |
| - | 31 | 11.1% |
| 0 | 31 | 11.1% |
| 3 | 11 | 3.9% |
| 4 | 9 | 3.2% |
| Other values (2) | 11 | 3.9% |

Comfortable under the current temperature.

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 2 fields: Timestamp, Occupation)

| | |
|--------------|---------|
| Distinct | 4 |
| Distinct (%) | 12.9% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 1 |
| Median length | | 1 |
| Mean length | | 1 |
| Min length | | 1 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 31 | |
| Distinct characters | 4 | |
| Distinct categories | 1 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|---|
| 1st row | 2 |
| 2nd row | 2 |
| 3rd row | 4 |
| 4th row | 4 |
| 5th row | 4 |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 13 | 41.9% |
| 2 | 8 | 25.8% |
| 3 | 8 | 25.8% |
| 1 | 2 | 6.5% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 13 | 41.9% |
| 2 | 8 | 25.8% |
| 3 | 8 | 25.8% |
| 1 | 2 | 6.5% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 13 | 41.9% |
| 2 | 8 | 25.8% |
| 3 | 8 | 25.8% |
| 1 | 2 | 6.5% |

Most occurring categories

| Value | Count | Frequency (%) |
|----------------|-------|---------------|
| Decimal Number | 31 | 100.0% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 13 | 41.9% |
| 2 | 8 | 25.8% |
| 3 | 8 | 25.8% |
| 1 | 2 | 6.5% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Common | 31 | 100.0% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| 4 | 13 | 41.9% |
| 2 | 8 | 25.8% |
| 3 | 8 | 25.8% |
| 1 | 2 | 6.5% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 31 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| 4 | 13 | 41.9% |
| 2 | 8 | 25.8% |
| 3 | 8 | 25.8% |
| 1 | 2 | 6.5% |

The Current temperature in the room

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 2 fields: Timestamp, Height)

| | |
|--------------|---------|
| Distinct | 3 |
| Distinct (%) | 9.7% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 1 |
| Median length | | 1 |
| Mean length | | 1 |
| Min length | | 1 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 31 | |
| Distinct characters | 3 | |
| Distinct categories | 1 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|---|
| 1st row | 2 |
| 2nd row | 2 |
| 3rd row | 4 |
| 4th row | 2 |
| 5th row | 2 |

Common Values


| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 13 | 41.9% |
| 4 | 10 | 32.3% |
| 2 | 8 | 25.8% |

Length



Histogram of lengths of the category

Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 13 | 41.9% |
| 4 | 10 | 32.3% |
| 2 | 8 | 25.8% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 13 | 41.9% |
| 4 | 10 | 32.3% |
| 2 | 8 | 25.8% |

Most occurring categories

| Value | Count | Frequency (%) |
|----------------|-------|---------------|
| Decimal Number | 31 | 100.0% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 13 | 41.9% |
| 4 | 10 | 32.3% |
| 2 | 8 | 25.8% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Common | 31 | 100.0% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| 3 | 13 | 41.9% |
| 4 | 10 | 32.3% |
| 2 | 8 | 25.8% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 31 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| 3 | 13 | 41.9% |
| 4 | 10 | 32.3% |
| 2 | 8 | 25.8% |

Distraction from outside noise?
Categorical

HIGH CORRELATION

| | |
|--|---------|
| (This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender) | |
| HIGH CORRELATION (This variable has a high correlation with 4 fields: Timestamp, Height, Do you smell odor or unusual smell?, Do you feel sleepy or headache when you get to the room ?) | |
| Distinct | 3 |
| Distinct (%) | 9.7% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | |
|---------------|-------------|
| Length | |
| Max length | 5 |
| Median length | 2 |
| Mean length | 2.290322581 |
| Min length | 2 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 71 | |
| Distinct characters | 9 | |
| Distinct categories | 2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|----|
| 1st row | No |
| 2nd row | No |
| 3rd row | No |
| 4th row | No |
| 5th row | No |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| No | 26 | 83.9% |
| Yes | 3 | 9.7% |
| Maybe | 2 | 6.5% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| no | 26 | 83.9% |
| yes | 3 | 9.7% |
| maybe | 2 | 6.5% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| N | 26 | 36.6% |
| o | 26 | 36.6% |
| e | 5 | 7.0% |
| Y | 3 | 4.2% |
| s | 3 | 4.2% |
| M | 2 | 2.8% |
| a | 2 | 2.8% |
| y | 2 | 2.8% |
| b | 2 | 2.8% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 40 | 56.3% |
| Uppercase Letter | 31 | 43.7% |

Most frequent character per category

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| o | 26 | 65.0% |
| e | 5 | 12.5% |
| s | 3 | 7.5% |
| a | 2 | 5.0% |
| y | 2 | 5.0% |
| b | 2 | 5.0% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| N | 26 | 83.9% |
| Y | 3 | 9.7% |
| M | 2 | 6.5% |

Most occurring scripts

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Latin | 71 | 100.0% |

Most frequent character per script

| Latin | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| N | 26 | 36.6% |
| o | 26 | 36.6% |
| e | 5 | 7.0% |
| Y | 3 | 4.2% |
| s | 3 | 4.2% |
| M | 2 | 2.8% |
| a | 2 | 2.8% |
| y | 2 | 2.8% |
| b | 2 | 2.8% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 71 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| N | 26 | 36.6% |
| o | 26 | 36.6% |
| e | 5 | 7.0% |
| Y | 3 | 4.2% |
| s | 3 | 4.2% |
| M | 2 | 2.8% |
| a | 2 | 2.8% |
| y | 2 | 2.8% |
| b | 2 | 2.8% |

Distraction from background machine noise

Categorical

HIGH CORRELATION

(This variable has a high correlation with 5 fields: Height, Room name and code, Timestamp, Is there any luminare is OFF at this moment?, Gender)

HIGH CORRELATION (This variable has a high correlation with 4 fields: Timestamp, Height, Do you smell odor or unusual smell?, Do you feel sleepy or headache when you get to the room ?)

| | |
|--------------|---------|
| Distinct | 3 |
| Distinct (%) | 9.7% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|-------------|--|
| Length | | |
| Max length | 5 | |
| Median length | 2 | |
| Mean length | 2.419354839 | |
| Min length | 2 | |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 75 | |
| Distinct characters | 9 | |
| Distinct categories | 2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.


| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |

| | | |
|---------|----|--|
| Sample | | |
| 1st row | No | |
| 2nd row | No | |
| 3rd row | No | |
| 4th row | No | |
| 5th row | No | |

Common Values


| Value | Count | Frequency (%) |
|-------|-------|---------------|
| No | 24 | 77.4% |
| Yes | 4 | 12.9% |
| Maybe | 3 | 9.7% |

Length



Histogram of lengths of the category

Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| no | 24 | 77.4% |
| yes | 4 | 12.9% |
| maybe | 3 | 9.7% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| N | 24 | 32.0% |
| o | 24 | 32.0% |
| e | 7 | 9.3% |
| Y | 4 | 5.3% |
| s | 4 | 5.3% |
| M | 3 | 4.0% |
| a | 3 | 4.0% |
| y | 3 | 4.0% |
| b | 3 | 4.0% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 44 | 58.7% |
| Uppercase Letter | 31 | 41.3% |

Most frequent character per category

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| o | 24 | 54.5% |
| e | 7 | 15.9% |
| s | 4 | 9.1% |
| a | 3 | 6.8% |
| y | 3 | 6.8% |
| b | 3 | 6.8% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| N | 24 | 77.4% |
| Y | 4 | 12.9% |
| M | 3 | 9.7% |

Most occurring scripts

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Latin | 75 | 100.0% |

Most frequent character per script

| Latin | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| N | 24 | 32.0% |
| o | 24 | 32.0% |
| e | 7 | 9.3% |
| Y | 4 | 5.3% |
| s | 4 | 5.3% |
| M | 3 | 4.0% |
| a | 3 | 4.0% |
| y | 3 | 4.0% |
| b | 3 | 4.0% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 75 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| N | 24 | 32.0% |
| o | 24 | 32.0% |
| e | 7 | 9.3% |
| Y | 4 | 5.3% |
| s | 4 | 5.3% |
| M | 3 | 4.0% |
| a | 3 | 4.0% |
| y | 3 | 4.0% |
| b | 3 | 4.0% |

Distraction from people noise

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 3 fields: Timestamp, Wieght, Comfort Under current noise Level)

| | |
|--------------|---------|
| Distinct | 3 |
| Distinct (%) | 9.7% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|-------------|--|
| Length | | |
| Max length | 5 | |
| Median length | 3 | |
| Mean length | 2.903225806 | |
| Min length | 2 | |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 90 | |
| Distinct characters | 9 | |
| Distinct categories | 2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.


| | | |
|------------|------|---|
| Unique | | |
| Unique | 1 | ? |
| Unique (%) | 3.2% | |

| | | |
|---------|-----|--|
| Sample | | |
| 1st row | Yes | |
| 2nd row | Yes | |
| 3rd row | Yes | |
| 4th row | Yes | |
| 5th row | Yes | |

Common Values


| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Yes | 25 | 80.6% |
| No | 5 | 16.1% |
| Maybe | 1 | 3.2% |

Length



Histogram of lengths of the category

Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| yes | 25 | 80.6% |
| no | 5 | 16.1% |
| maybe | 1 | 3.2% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| e | 26 | 28.9% |
| Y | 25 | 27.8% |
| s | 25 | 27.8% |
| N | 5 | 5.6% |
| o | 5 | 5.6% |
| M | 1 | 1.1% |
| a | 1 | 1.1% |
| y | 1 | 1.1% |
| b | 1 | 1.1% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 59 | 65.6% |
| Uppercase Letter | 31 | 34.4% |

Most frequent character per category

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| e | 26 | 44.1% |
| s | 25 | 42.4% |
| o | 5 | 8.5% |
| a | 1 | 1.7% |
| y | 1 | 1.7% |
| b | 1 | 1.7% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Y | 25 | 80.6% |
| N | 5 | 16.1% |
| M | 1 | 3.2% |

Most occurring scripts

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Latin | 90 | 100.0% |

Most frequent character per script

| Latin | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| e | 26 | 28.9% |
| Y | 25 | 27.8% |
| s | 25 | 27.8% |
| N | 5 | 5.6% |
| o | 5 | 5.6% |
| M | 1 | 1.1% |
| a | 1 | 1.1% |
| y | 1 | 1.1% |
| b | 1 | 1.1% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 90 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| e | 26 | 28.9% |
| Y | 25 | 27.8% |
| s | 25 | 27.8% |
| N | 5 | 5.6% |
| o | 5 | 5.6% |
| M | 1 | 1.1% |
| a | 1 | 1.1% |
| y | 1 | 1.1% |
| b | 1 | 1.1% |

Comfort Under current noise Level

Categorical

HIGH CORRELATION

(This variable has a high correlation with 4 fields: Occupation , Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 3 fields: Timestamp, Distraction from people noise, Describe noise at this moment)

| | |
|--------------|---------|
| Distinct | 5 |
| Distinct (%) | 16.1% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 1 |
| Median length | | 1 |
| Mean length | | 1 |
| Min length | | 1 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 31 | |
| Distinct characters | 5 | |
| Distinct categories | 1 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|---|
| 1st row | 3 |
| 2nd row | 3 |
| 3rd row | 3 |
| 4th row | 4 |
| 5th row | 3 |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 12 | 38.7% |
| 4 | 8 | 25.8% |
| 2 | 6 | 19.4% |
| 1 | 3 | 9.7% |
| 5 | 2 | 6.5% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 12 | 38.7% |
| 4 | 8 | 25.8% |
| 2 | 6 | 19.4% |
| 1 | 3 | 9.7% |
| 5 | 2 | 6.5% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 12 | 38.7% |
| 4 | 8 | 25.8% |
| 2 | 6 | 19.4% |
| 1 | 3 | 9.7% |
| 5 | 2 | 6.5% |

Most occurring categories

| Value | Count | Frequency (%) |
|----------------|-------|---------------|
| Decimal Number | 31 | 100.0% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 12 | 38.7% |
| 4 | 8 | 25.8% |
| 2 | 6 | 19.4% |
| 1 | 3 | 9.7% |
| 5 | 2 | 6.5% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Common | 31 | 100.0% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| 3 | 12 | 38.7% |
| 4 | 8 | 25.8% |
| 2 | 6 | 19.4% |
| 1 | 3 | 9.7% |
| 5 | 2 | 6.5% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 31 | 100.0% |

Most frequent character per block

| ASCII | | | |
|-------|-------|---------------|--|
| Value | Count | Frequency (%) | |
| 3 | 12 | 38.7% | |
| 4 | 8 | 25.8% | |
| 2 | 6 | 19.4% | |
| 1 | 3 | 9.7% | |
| 5 | 2 | 6.5% | |

Describe noise at this moment

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 2 fields: Timestamp, Comfort Under current noise Level)

| | |
|--------------|---------|
| Distinct | 5 |
| Distinct (%) | 16.1% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 1 |
| Median length | | 1 |
| Mean length | | 1 |
| Min length | | 1 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 31 | |
| Distinct characters | 5 | |
| Distinct categories | 1 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.


| | | |
|------------|------|---|
| Unique | | |
| Unique | 1 | ? |
| Unique (%) | 3.2% | |

| | | |
|---------|---|--|
| Sample | | |
| 1st row | 2 | |
| 2nd row | 2 | |
| 3rd row | 2 | |
| 4th row | 2 | |
| 5th row | 2 | |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 2 | 15 | 48.4% |
| 3 | 10 | 32.3% |
| 4 | 3 | 9.7% |
| 1 | 2 | 6.5% |
| 5 | 1 | 3.2% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 2 | 15 | 48.4% |
| 3 | 10 | 32.3% |
| 4 | 3 | 9.7% |
| 1 | 2 | 6.5% |
| 5 | 1 | 3.2% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 2 | 15 | 48.4% |
| 3 | 10 | 32.3% |
| 4 | 3 | 9.7% |
| 1 | 2 | 6.5% |
| 5 | 1 | 3.2% |

Most occurring categories

| Value | Count | Frequency (%) |
|----------------|-------|---------------|
| Decimal Number | 31 | 100.0% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 2 | 15 | 48.4% |
| 3 | 10 | 32.3% |
| 4 | 3 | 9.7% |
| 1 | 2 | 6.5% |
| 5 | 1 | 3.2% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Common | 31 | 100.0% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| 2 | 15 | 48.4% |
| 3 | 10 | 32.3% |
| 4 | 3 | 9.7% |
| 1 | 2 | 6.5% |
| 5 | 1 | 3.2% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 31 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| 2 | 15 | 48.4% |
| 3 | 10 | 32.3% |
| 4 | 3 | 9.7% |
| 1 | 2 | 6.5% |
| 5 | 1 | 3.2% |

Air speed at this moment

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)
HIGH CORRELATION (This variable has a high correlation with 1 fields: Timestamp)

| | |
|--------------|---------|
| Distinct | 2 |
| Distinct (%) | 6.5% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|-------------|
| Length | | |
| Max length | | 11 |
| Median length | | 11 |
| Mean length | | 10.58064516 |
| Min length | | 10 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 328 | |
| Distinct characters | 13 | |
| Distinct categories | 2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|-------------|
| 1st row | Negligable |
| 2nd row | LittleWindy |
| 3rd row | Negligable |
| 4th row | Negligable |
| 5th row | LittleWindy |


Common Values

| Value | Count | Frequency (%) |
|-------------|-------|---------------|
| LittleWindy | 18 | 58.1% |
| Negligible | 13 | 41.9% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------------|-------|---------------|
| littlewindy | 18 | 58.1% |
| negligable | 13 | 41.9% |

Most occurring characters

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| i | 49 | 14.9% |
| l | 44 | 13.4% |
| e | 44 | 13.4% |
| t | 36 | 11.0% |
| g | 26 | 7.9% |
| L | 18 | 5.5% |
| W | 18 | 5.5% |
| n | 18 | 5.5% |
| d | 18 | 5.5% |
| y | 18 | 5.5% |
| Other values (3) | 39 | 11.9% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 279 | 85.1% |
| Uppercase Letter | 49 | 14.9% |

Most frequent character per category

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| i | 49 | 17.6% |
| l | 44 | 15.8% |
| e | 44 | 15.8% |
| t | 36 | 12.9% |
| g | 26 | 9.3% |
| n | 18 | 6.5% |
| d | 18 | 6.5% |
| y | 18 | 6.5% |
| a | 13 | 4.7% |
| b | 13 | 4.7% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| L | 18 | 36.7% |
| W | 18 | 36.7% |
| N | 13 | 26.5% |

Most occurring scripts

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Latin | 328 | 100.0% |

Most frequent character per script

| Latin | | |
|------------------|-------|---------------|
| Value | Count | Frequency (%) |
| i | 49 | 14.9% |
| l | 44 | 13.4% |
| e | 44 | 13.4% |
| t | 36 | 11.0% |
| g | 26 | 7.9% |
| L | 18 | 5.5% |
| W | 18 | 5.5% |
| n | 18 | 5.5% |
| d | 18 | 5.5% |
| y | 18 | 5.5% |
| Other values (3) | 39 | 11.9% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 328 | 100.0% |

Most frequent character per block

| ASCII | | |
|------------------|-------|---------------|
| Value | Count | Frequency (%) |
| i | 49 | 14.9% |
| l | 44 | 13.4% |
| e | 44 | 13.4% |
| t | 36 | 11.0% |
| g | 26 | 7.9% |
| L | 18 | 5.5% |
| W | 18 | 5.5% |
| n | 18 | 5.5% |
| d | 18 | 5.5% |
| y | 18 | 5.5% |
| Other values (3) | 39 | 11.9% |

Ventilation and Air smell

Categorical

HIGH CORRELATION

(This variable has a high correlation with 1 fields: Describe the current light level)

HIGH CORRELATION (This variable has a high correlation with 1 fields: Describe the current light level)

HIGH CORRELATION (This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 3 fields: Timestamp, Cloth Type, Describe the current light level)

| | |
|--------------|---------|
| Distinct | 5 |
| Distinct (%) | 16.1% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 1 |
| Median length | | 1 |
| Mean length | | 1 |
| Min length | | 1 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 31 | |
| Distinct characters | 5 | |
| Distinct categories | 1 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|---|
| 1st row | 5 |
| 2nd row | 4 |
| 3rd row | 4 |
| 4th row | 2 |
| 5th row | 3 |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 12 | 38.7% |
| 3 | 11 | 35.5% |
| 1 | 4 | 12.9% |
| 5 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 12 | 38.7% |
| 3 | 11 | 35.5% |
| 1 | 4 | 12.9% |
| 5 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 12 | 38.7% |
| 3 | 11 | 35.5% |
| 1 | 4 | 12.9% |
| 5 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Most occurring categories

| Value | Count | Frequency (%) |
|----------------|-------|---------------|
| Decimal Number | 31 | 100.0% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 12 | 38.7% |
| 3 | 11 | 35.5% |
| 1 | 4 | 12.9% |
| 5 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Common | 31 | 100.0% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| 4 | 12 | 38.7% |
| 3 | 11 | 35.5% |
| 1 | 4 | 12.9% |
| 5 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 31 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| 4 | 12 | 38.7% |
| 3 | 11 | 35.5% |
| 1 | 4 | 12.9% |
| 5 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Do you smell odor or unusual smell?

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 4 fields: Timestamp, Age, Distraction from outside noise? , Distraction from background machine noise)

| | |
|--------------|---------|
| Distinct | 3 |
| Distinct (%) | 9.7% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | |
|---------------|-------------|
| Length | |
| Max length | 5 |
| Median length | 2 |
| Mean length | 2.419354839 |
| Min length | 2 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 75 | |
| Distinct characters | 9 | |
| Distinct categories | 2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|-----|
| 1st row | No |
| 2nd row | Yes |
| 3rd row | No |
| 4th row | No |
| 5th row | No |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| No | 24 | 77.4% |
| Yes | 4 | 12.9% |
| Maybe | 3 | 9.7% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| no | 24 | 77.4% |
| yes | 4 | 12.9% |
| maybe | 3 | 9.7% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| N | 24 | 32.0% |
| o | 24 | 32.0% |
| e | 7 | 9.3% |
| Y | 4 | 5.3% |
| s | 4 | 5.3% |
| M | 3 | 4.0% |
| a | 3 | 4.0% |
| y | 3 | 4.0% |
| b | 3 | 4.0% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 44 | 58.7% |
| Uppercase Letter | 31 | 41.3% |

Most frequent character per category

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| o | 24 | 54.5% |
| e | 7 | 15.9% |
| s | 4 | 9.1% |
| a | 3 | 6.8% |
| y | 3 | 6.8% |
| b | 3 | 6.8% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| N | 24 | 77.4% |
| Y | 4 | 12.9% |
| M | 3 | 9.7% |

Most occurring scripts

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Latin | 75 | 100.0% |

Most frequent character per script

| Latin | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| N | 24 | 32.0% |
| o | 24 | 32.0% |
| e | 7 | 9.3% |
| Y | 4 | 5.3% |
| s | 4 | 5.3% |
| M | 3 | 4.0% |
| a | 3 | 4.0% |
| y | 3 | 4.0% |
| b | 3 | 4.0% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 75 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| N | 24 | 32.0% |
| o | 24 | 32.0% |
| e | 7 | 9.3% |
| Y | 4 | 5.3% |
| s | 4 | 5.3% |
| M | 3 | 4.0% |
| a | 3 | 4.0% |
| y | 3 | 4.0% |
| b | 3 | 4.0% |

Do you feel sleepy or headache when you get to the room ?

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 4 fields: Timestamp, Cloth Type, Distraction from outside noise? , Distraction from background machine noise)

| | |
|--------------|---------|
| Distinct | 3 |
| Distinct (%) | 9.7% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | |
|---------------|-------------|
| Length | |
| Max length | 5 |
| Median length | 2 |
| Mean length | 2.548387097 |
| Min length | 2 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 79 | |
| Distinct characters | 9 | |
| Distinct categories | 2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|----|
| 1st row | No |
| 2nd row | No |
| 3rd row | No |
| 4th row | No |
| 5th row | No |

Common Values


| Value | Count | Frequency (%) |
|-------|-------|---------------|
| No | 20 | 64.5% |
| Yes | 8 | 25.8% |
| Maybe | 3 | 9.7% |

Length



Histogram of lengths of the category

Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| no | 20 | 64.5% |
| yes | 8 | 25.8% |
| maybe | 3 | 9.7% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| N | 20 | 25.3% |
| o | 20 | 25.3% |
| e | 11 | 13.9% |
| Y | 8 | 10.1% |
| s | 8 | 10.1% |
| M | 3 | 3.8% |
| a | 3 | 3.8% |
| y | 3 | 3.8% |
| b | 3 | 3.8% |

Most occurring categories

| Value | Count | Frequency (%) |
|------------------|-------|---------------|
| Lowercase Letter | 48 | 60.8% |
| Uppercase Letter | 31 | 39.2% |

Most frequent character per category

Lowercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| o | 20 | 41.7% |
| e | 11 | 22.9% |
| s | 8 | 16.7% |
| a | 3 | 6.2% |
| y | 3 | 6.2% |
| b | 3 | 6.2% |

Uppercase Letter

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| N | 20 | 64.5% |
| Y | 8 | 25.8% |
| M | 3 | 9.7% |

Most occurring scripts

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| Latin | 79 | 100.0% |

Most frequent character per script

| Latin | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| N | 20 | 25.3% |
| o | 20 | 25.3% |
| e | 11 | 13.9% |
| Y | 8 | 10.1% |
| s | 8 | 10.1% |
| M | 3 | 3.8% |
| a | 3 | 3.8% |
| y | 3 | 3.8% |
| b | 3 | 3.8% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 79 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| N | 20 | 25.3% |
| o | 20 | 25.3% |
| e | 11 | 13.9% |
| Y | 8 | 10.1% |
| s | 8 | 10.1% |
| M | 3 | 3.8% |
| a | 3 | 3.8% |
| y | 3 | 3.8% |
| b | 3 | 3.8% |

Comfortable under light colour

Categorical

HIGH CORRELATION

(This variable has a high correlation with 1 fields: Comfort under the current light level)
HIGH CORRELATION (This variable has a high correlation with 1 fields: Comfort under the current light level)
HIGH CORRELATION (This variable has a high correlation with 1 fields: Comfort under the current light level)
HIGH CORRELATION (This variable has a high correlation with 4 fields: Comfort under the current light level, Room name and code, Timestamp, Gender)
HIGH CORRELATION (This variable has a high correlation with 2 fields: Timestamp, Comfort under the current light level)

| | |
|--------------|---------|
| Distinct | 5 |
| Distinct (%) | 16.1% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 1 |
| Median length | | 1 |
| Mean length | | 1 |
| Min length | | 1 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 31 | |
| Distinct characters | 5 | |
| Distinct categories | 1 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|---|
| 1st row | 5 |
| 2nd row | 5 |
| 3rd row | 4 |
| 4th row | 4 |
| 5th row | 2 |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 11 | 35.5% |
| 5 | 9 | 29.0% |
| 3 | 6 | 19.4% |
| 2 | 3 | 9.7% |
| 1 | 2 | 6.5% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 11 | 35.5% |
| 5 | 9 | 29.0% |
| 3 | 6 | 19.4% |
| 2 | 3 | 9.7% |
| 1 | 2 | 6.5% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 11 | 35.5% |
| 5 | 9 | 29.0% |
| 3 | 6 | 19.4% |
| 2 | 3 | 9.7% |
| 1 | 2 | 6.5% |

Most occurring categories

| Value | Count | Frequency (%) |
|----------------|-------|---------------|
| Decimal Number | 31 | 100.0% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 4 | 11 | 35.5% |
| 5 | 9 | 29.0% |
| 3 | 6 | 19.4% |
| 2 | 3 | 9.7% |
| 1 | 2 | 6.5% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Common | 31 | 100.0% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| 4 | 11 | 35.5% |
| 5 | 9 | 29.0% |
| 3 | 6 | 19.4% |
| 2 | 3 | 9.7% |
| 1 | 2 | 6.5% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 31 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| 4 | 11 | 35.5% |
| 5 | 9 | 29.0% |
| 3 | 6 | 19.4% |
| 2 | 3 | 9.7% |
| 1 | 2 | 6.5% |

Comfort under the current light level

Categorical

HIGH CORRELATION

(This variable has a high correlation with 1 fields: Comfortable under light colour)

HIGH CORRELATION (This variable has a high correlation with 1 fields: Comfortable under light colour)

HIGH CORRELATION (This variable has a high correlation with 1 fields: Comfortable under light colour)

HIGH CORRELATION (This variable has a high correlation with 4 fields: Room name and code, Comfortable under light colour , Timestamp, Gender)

HIGH CORRELATION (This variable has a high correlation with 2 fields: Timestamp, Comfortable under light colour)

| | |
|--------------|---------|
| Distinct | 5 |
| Distinct (%) | 16.1% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 1 |
| Median length | | 1 |
| Mean length | | 1 |
| Min length | | 1 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 31 | |
| Distinct characters | 5 | |
| Distinct categories | 1 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 1 | ? |
| Unique (%) | 3.2% | |


Sample

| | |
|---------|---|
| 1st row | 5 |
| 2nd row | 5 |
| 3rd row | 4 |
| 4th row | 5 |
| 5th row | 2 |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 5 | 10 | 32.3% |
| 4 | 10 | 32.3% |
| 3 | 8 | 25.8% |
| 2 | 2 | 6.5% |
| 1 | 1 | 3.2% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 5 | 10 | 32.3% |
| 4 | 10 | 32.3% |
| 3 | 8 | 25.8% |
| 2 | 2 | 6.5% |
| 1 | 1 | 3.2% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 5 | 10 | 32.3% |
| 4 | 10 | 32.3% |
| 3 | 8 | 25.8% |
| 2 | 2 | 6.5% |
| 1 | 1 | 3.2% |

Most occurring categories

| Value | Count | Frequency (%) |
|----------------|-------|---------------|
| Decimal Number | 31 | 100.0% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 5 | 10 | 32.3% |
| 4 | 10 | 32.3% |
| 3 | 8 | 25.8% |
| 2 | 2 | 6.5% |
| 1 | 1 | 3.2% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Common | 31 | 100.0% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| 5 | 10 | 32.3% |
| 4 | 10 | 32.3% |
| 3 | 8 | 25.8% |
| 2 | 2 | 6.5% |
| 1 | 1 | 3.2% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 31 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| 5 | 10 | 32.3% |
| 4 | 10 | 32.3% |
| 3 | 8 | 25.8% |
| 2 | 2 | 6.5% |
| 1 | 1 | 3.2% |

Describe the current light level

Categorical

HIGH CORRELATION

(This variable has a high correlation with 1 fields: Ventilation and Air smell)
HIGH CORRELATION (This variable has a high correlation with 1 fields: Ventilation and Air smell)
HIGH CORRELATION (This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)
HIGH CORRELATION (This variable has a high correlation with 3 fields: Timestamp, Cloth Type, Ventilation and Air smell)

| | |
|--------------|---------|
| Distinct | 5 |
| Distinct (%) | 16.1% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 376.0 B |

| | | |
|---------------|--|---|
| Length | | |
| Max length | | 1 |
| Median length | | 1 |
| Mean length | | 1 |
| Min length | | 1 |

Characters and Unicode

| | | |
|---------------------|---|---|
| Total characters | 31 | |
| Distinct characters | 5 | |
| Distinct categories | 1 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category) | ? |
| Distinct scripts | 1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode) | ? |
| Distinct blocks | 1 (https://en.wikipedia.org/wiki/Unicode_block) | ? |

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

| | | |
|------------|------|---|
| Unique | | |
| Unique | 0 | ? |
| Unique (%) | 0.0% | |


Sample

| | |
|---------|---|
| 1st row | 5 |
| 2nd row | 3 |
| 3rd row | 3 |
| 4th row | 1 |
| 5th row | 3 |


Common Values

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 18 | 58.1% |
| 5 | 5 | 16.1% |
| 4 | 4 | 12.9% |
| 1 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Length



Category Frequency Plot



| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 18 | 58.1% |
| 5 | 5 | 16.1% |
| 4 | 4 | 12.9% |
| 1 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Most occurring characters

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 18 | 58.1% |
| 5 | 5 | 16.1% |
| 4 | 4 | 12.9% |
| 1 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Most occurring categories

| Value | Count | Frequency (%) |
|----------------|-------|---------------|
| Decimal Number | 31 | 100.0% |

Most frequent character per category

Decimal Number

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| 3 | 18 | 58.1% |
| 5 | 5 | 16.1% |
| 4 | 4 | 12.9% |
| 1 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Most occurring scripts

| Value | Count | Frequency (%) |
|--------|-------|---------------|
| Common | 31 | 100.0% |

Most frequent character per script

| Common | | |
|--------|-------|---------------|
| Value | Count | Frequency (%) |
| 3 | 18 | 58.1% |
| 5 | 5 | 16.1% |
| 4 | 4 | 12.9% |
| 1 | 2 | 6.5% |
| 2 | 2 | 6.5% |

Most occurring blocks

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| ASCII | 31 | 100.0% |

Most frequent character per block

| ASCII | | |
|-------|-------|---------------|
| Value | Count | Frequency (%) |
| 3 | 18 | 58.1% |
| 5 | 5 | 16.1% |
| 4 | 4 | 12.9% |
| 1 | 2 | 6.5% |
| 2 | 2 | 6.5% |


Availability of natural light now
Boolean

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Room name and code, Timestamp, Gender)
HIGH CORRELATION (This variable has a high correlation with 1 fields: Timestamp)

| | |
|--------------|---------|
| Distinct | 2 |
| Distinct (%) | 6.5% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 159.0 B |

| Value | Count | Frequency (%) |
|-------|-------|---------------|
| True | 23 | 74.2% |
| False | 8 | 25.8% |



True
False


Is there any luminare is OFF at this moment?
Boolean

HIGH CORRELATION


(This variable has a high correlation with 5 fields: Distraction from background machine noise, Room name and code, Time in the office, Timestamp, Gender)
HIGH CORRELATION (This variable has a high correlation with 2 fields: Timestamp, Time in the office)


| | |
|--------------|---------|
| Distinct | 2 |
| Distinct (%) | 6.5% |
| Missing | 0 |
| Missing (%) | 0.0% |
| Memory size | 159.0 B |


| Value | Count | Frequency (%) |
|-------|-------|---------------|
| False | 25 | 80.6% |
| True | 6 | 19.4% |





Correlations













Missing values



A simple visualization of nullity by column.



Nullity matrix is a data-dense display which lets you quickly visually pick out patterns in data completion.

Sample

First rows

| | Timestamp | Room name and code | Gender | Occupation | Age | Height | Wiegth | Activity | Cloth Type | Time in the office | Comfortable under the current temperature. | The Cu |
|---|----------------|--------------------|--------|------------|-------|---------|--------|----------|------------|--------------------|--|--------|
| 0 | 4/9/2019 13:35 | STU211 | Male | Occ02 | Age02 | Hight03 | Wieg05 | Working | Dress_192 | Period_05 | 2 | 2 |
| 1 | 4/10/2019 8:31 | STU211 | Male | Occ02 | Age02 | Hight04 | Wieg05 | Walking | Dress_220 | Period_04 | 2 | 2 |
| 2 | 4/10/2019 8:34 | STU211 | Male | Occ02 | Age01 | Hight04 | Wieg03 | Walking | Dress_364 | Period_03 | 4 | 4 |
| 3 | 4/10/2019 8:42 | STU211 | Male | Occ02 | Age03 | Hight06 | Wieg04 | Walking | Dress_150 | Period_03 | 4 | 2 |
| 4 | 4/10/2019 8:45 | STU211 | Male | Occ02 | Age02 | Hight04 | Wieg06 | Stall | Dress_365 | Period_04 | 4 | 2 |
| 5 | 4/10/2019 9:22 | STU211 | Male | Occ01 | Age01 | Hight03 | Wieg01 | Working | Dress_364 | Period_02 | 4 | 3 |
| 6 | 4/10/2019 9:30 | STU211 | Male | Occ01 | Age01 | Hight03 | Wieg02 | Walking | Dress_99 | Period_04 | 3 | 3 |
| 7 | 4/10/2019 9:36 | STU211 | Male | Occ02 | Age02 | Hight04 | Wieg05 | Walking | Dress_364 | Period_02 | 2 | 4 |
| 8 | 4/10/2019 9:43 | STU211 | Male | Occ01 | Age01 | Hight03 | Wieg01 | Running | Dress_364 | Period_02 | 3 | 2 |
| 9 | 4/10/2019 9:47 | STU211 | Male | Occ01 | Age01 | Hight03 | Wieg02 | Stall | Dress_213 | Period_03 | 3 | 3 |

Last rows

| | Timestamp | Room name and code | Gender | Occupation | Age | Height | Wiegth | Activity | Cloth Type | Time in the office | Comfortable under the current temperature. | |
|----|-----------------|--------------------|--------|------------|-------|---------|--------|----------------|------------|--------------------|--|--|
| 21 | 4/10/2019 11:45 | STU211 | Male | Occ01 | Age01 | Hight05 | Wieg02 | Stall | Dress_213 | Period_05 | 2 | |
| 22 | 4/10/2019 11:57 | STU211 | Male | Occ01 | Age01 | Hight02 | Wieg05 | Walking | Dress_364 | Period_04 | 4 | |
| 23 | 4/10/2019 12:00 | STU211 | Male | Occ01 | Age01 | Hight04 | Wieg01 | ClimbingStairs | Dress_213 | Period_05 | 3 | |
| 24 | 4/10/2019 12:15 | STU211 | Male | Occ01 | Age01 | Hight03 | Wieg01 | Working | Dress_364 | Period_02 | 4 | |
| 25 | 4/10/2019 13:23 | STU211 | Male | Occ01 | Age01 | Hight04 | Wieg02 | Working | Dress_220 | Period_03 | 2 | |
| 26 | 4/10/2019 13:27 | STU211 | Male | Occ01 | Age01 | Hight04 | Wieg04 | Walking | Dress_365 | Period_03 | 4 | |
| 27 | 4/10/2019 13:35 | STU211 | Male | Occ01 | Age01 | Hight04 | Wieg05 | Working | Dress_365 | Period_03 | 3 | |
| 28 | 4/10/2019 13:44 | STU211 | Male | Occ01 | Age01 | Hight05 | Wieg01 | Running | Dress_220 | Period_03 | 2 | |
| 29 | 4/10/2019 14:45 | STU211 | Male | Occ01 | Age02 | Hight03 | Wieg02 | Walking | Dress_365 | Period_05 | 4 | |
| 30 | 4/10/2019 16:37 | STU211 | Male | Occ02 | Age03 | Hight04 | Wieg05 | Running | Dress_213 | Period_05 | 4 | |