

Overview

Dataset statistics

Number of variables	38
Number of observations	96
Missing cells	1010
Missing cells (%)	27.7%
Duplicate rows	0
Duplicate rows (%)	0.0%
Total size in memory	28.6 KiB
Average record size in memory	305.3 B

Variable types

Categorical	37
Boolean	1

Alerts

Gender has constant value "Male"	Constant
Timestamp has a high cardinality: 88 distinct values	High cardinality
How would you describe the noise in building generally is highly correlated with How would describe noise at this moment	High correlation
How would describe noise at this moment is highly correlated with How would you describe the noise in building generally	High correlation
How would you rate the level of cleanliness of the building is highly correlated with How clean is your work-space	High correlation
How clean is your work-space is highly correlated with How would you rate the level of cleanliness of the building	High correlation
How would you describe the noise in building generally is highly correlated with How would describe noise at this moment	High correlation
How would describe noise at this moment is highly correlated with How would you describe the noise in building generally	High correlation
How would you rate the level of cleanliness of the building is highly correlated with How clean is your work-space	High correlation
How clean is your work-space is highly correlated with How would you rate the level of cleanliness of the building	High correlation
Timestamp is highly correlated with Room name and distribution and 23 other fields (Room name and distribution, Occupation , Your Wieght. , How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [Office], In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [laboratory], In average day how much time do you spend in the following types of space [STU], In average day how much time do you spend in the following types of space [Cafeteria], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], Unnamed: 16, How would you describe the noise in building generally , How would describe noise at this moment , Does the quality of air in this part of building have a negative effect on your work performance ?, How would you describe the ventilation and air quality of building , Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Is there availability of natural light , Are there blinds or shutters blocking the natural light ?, Do you have control over artificial lightning , Unnamed: 29, On which floor is your work space located (work space is the place where you spend most of the time), How accessible is from the parking lot to the main door of the college , How is easy to go from one floor to another , How easy is the horizontal circulation (moving in the corridors))	High correlation
Room name and distribution is highly correlated with Timestamp and 15 other fields (Timestamp, Occupation , Age, How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [Office], In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [STU], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], Unnamed: 15, Unnamed: 16, Does the quality of air in this part of building have a negative effect on your work performance ?, Do you have control over air condition system ?, Is there availability of natural light , Are there blinds or shutters blocking the natural light ?, How easy is the horizontal circulation (moving in the corridors), How easy is to get out of the building in emergency situation)	High correlation
Occupation is highly correlated with Timestamp and 8 other fields (Timestamp, Room name and distribution, Age, Your Wieght. , In average day how much time do you spend in the following types of space [Office], In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [STU], Unnamed: 15, Do you feel sleepy or headache when you get to your work-space ?)	High correlation
Age is highly correlated with Room name and distribution and 8 other fields (Room name and distribution, Occupation , Your Wieght. , In average day how much time do you spend in the following types of space [Office], In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [STU], Unnamed: 15, Do you feel sleepy or headache when you get to your work-space ?, On which floor is your work space located (work space is the place where you spend most of the time))	High correlation
Your Wieght. is highly correlated with Timestamp and 4 other fields (Timestamp, Occupation , Age, In average day how much time do you spend in the following types of space [working at computer (average hours per day)], Unnamed: 15)	High correlation
Please select which one describe your clothing is highly correlated with In average day how much time do you spend in the following types of space [Office] and 4 other fields (In average day how much time do you spend in the following types of space [Office], In average day how much time do you spend in the following types of space [Lecture room], Unnamed: 15, Do you know the route to the nearest emergency door , How clean is your work-space)	High correlation
How long do you spend in the building during the day is highly correlated with Timestamp and 8 other fields (Timestamp, Room name and distribution, Does the quality of air in this part of building have a negative effect on your work performance ?, Do you feel sleepy or headache when you get to your work-space ?, Do you have control over air condition system ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Are there blinds or shutters blocking the natural light ?, Do you have control over artificial lightning , Unnamed: 29)	High correlation
Unnamed: 8 is highly correlated with In average day how much time do you spend in the following types of space [Cafeteria] and 1 other fields (In average day how much time do you spend in the following types of space [Cafeteria], On which floor is your work space located (work space is the place where you spend most of the time))	High correlation
In average day how much time do you spend in the following types of space [Office] is highly correlated with Timestamp and 5 other fields (Timestamp, Room name and distribution, Occupation , Age, Please select which one describe your clothing , How easy is to get out of the building in emergency situation)	High correlation
In average day how much time do you spend in the following types of space [Lecture room] is highly correlated with Timestamp and 10 other fields (Timestamp, Room name and distribution, Occupation , Age, Please select which one describe your clothing , In average day how much time do you spend in the following types of space [STU], Unnamed: 16, Is there significant distraction from background noise (machine and undefined noise sources)? , Do you feel sleepy or headache when you get to your work-space ?, How would you describe the ventilation and air quality of building , Do you have control over artificial lightning)	High correlation
In average day how much time do you spend in the following types of space [laboratory] is highly correlated with Timestamp and 1 other fields (Timestamp, Unnamed: 15)	High correlation
In average day how much time do you spend in the following types of space [STU] is highly correlated with Timestamp and 9 other fields (Timestamp, Room name and distribution, Occupation , Age, In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [Cafeteria], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], Unnamed: 15, Unnamed: 16, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space))	High correlation
In average day how much time do you spend in the following types of space [Cafeteria] is highly correlated with Timestamp and 6 other fields (Timestamp, Unnamed: 8, In average day how much time do you spend in the following types of space [STU], How would describe noise at this moment , Does the quality of air in this part of building have a negative effect on your work performance ?, Do you smell odor or unusual smell in your work-space ?, Do you have control over artificial lightning)	High correlation
In average day how much time do you spend in the following types of space [working at computer (average hours per day)] is highly correlated with Timestamp and 6 other fields (Timestamp, Room name and distribution, Your Wieght. , In average day how much time do you spend in the following types of space [STU], Unnamed: 16, Does the quality of air in this part of building have a negative effect on your work performance ?, How would you describe the ventilation and air quality of building)	High correlation
Unnamed: 15 is highly correlated with Room name and distribution and 10 other fields (Room name and distribution, Occupation , Age, Your Wieght. , Please select which one describe your clothing , In average day how much time do you spend in the following types of space [laboratory], In average day how much time do you spend in the following types of space [STU], Is there significant distraction from background noise (machine and undefined noise sources)? , How would you describe the noise in building generally , Is there availability of natural light , Are there blinds or shutters blocking the natural light ?,)	High correlation
Unnamed: 16 is highly correlated with Timestamp and 6 other fields (Timestamp, Room name and distribution, In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [STU], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], How would you describe the noise in building generally , Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space))	High correlation
Is there significant distraction from background noise (machine and undefined noise sources)? is highly correlated with In average day how much time do you spend in the following types of space [Lecture room] and 2 other fields (In average day how much time do you spend in the following types of space [Lecture room], Unnamed: 15, Do you smell odor or unusual smell in your work-space ?)	High correlation
How would you describe the noise in building generally is highly correlated with Timestamp and 6 other fields (Timestamp, Unnamed: 15, Unnamed: 16, How would describe noise at this moment , How easy is to get out of the building in emergency situation , Do you know the route to the nearest emergency door , How clean is your work-space)	High correlation
How would describe noise at this moment is highly correlated with Timestamp and 3 other fields (Timestamp, In average day how much time do you spend in the following types of space [Cafeteria], How would you describe the noise in building generally , How accessible is from the parking lot to the main door of the college)	High correlation
Does the quality of air in this part of building have a negative effect on your work performance ? is highly correlated with Timestamp and 9 other fields (Timestamp, Room name and distribution, How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [Cafeteria], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], Do you have control over air condition system ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Is there availability of natural light , Are there blinds or shutters blocking the natural light ?, Do you have control over artificial lightning)	High correlation
Do you smell odor or unusual smell in your work-space ? is highly correlated with In average day how much time do you spend in the following types of space [Cafeteria] and 1 other fields (In average day how much time do you spend in the following types of space [Cafeteria], Is there significant distraction from background noise (machine and undefined noise sources)?)	High correlation
Do you feel sleepy or headache when you get to your work-space ? is highly correlated with Occupation and 3 other fields (Occupation , Age, How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [Lecture room])	High correlation
Do you have control over air condition system ? is highly correlated with Room name and distribution and 8 other fields (Room name and distribution, How long do you spend in the building during the day , Does the quality of air in this part of building have a negative effect on your work performance ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Is there availability of natural light , Are there blinds or shutters blocking the natural light ?, Do you have control over artificial lightning , Unnamed: 29, Do you know the route to the nearest emergency door)	High correlation

How would you describe the ventilation and air quality of building is highly correlated with Timestamp and 3 other fields (Timestamp, In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], How is easy to go from one floor to another)

High correlation

Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space) is highly correlated with Timestamp and 8 other fields (Timestamp, How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [STU], Unnamed: 16, Does the quality of air in this part of building have a negative effect on your work performance ?, Do you have control over air condition system ?, Is there availability of natural light , Are there blinds or shutters blocking the natural light ?, Do you have control over artificial lightning).

High correlation

Is there availability of natural light is highly correlated with Timestamp and 7 other fields (Timestamp, Room name and distribution, Unnamed: 15, Does the quality of air in this part of building have a negative effect on your work performance ?, Do you have control over air condition system ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), How accessible is from the parking lot to the main door of the college , How is easy to go from one floor to another).

High correlation

Are there blinds or shutters blocking the natural light ? is highly correlated with Timestamp and 7 other fields (Timestamp, Room name and distribution, How long do you spend in the building during the day , Unnamed: 15, Does the quality of air in this part of building have a negative effect on your work performance ?, Do you have control over air condition system ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Do you have control over artificial lightning).

High correlation

Do you have control over artificial lightning is highly correlated with Timestamp and 8 other fields (Timestamp, How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [Cafeteria], Does the quality of air in this part of building have a negative effect on your work performance ?, Do you have control over air condition system ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Are there blinds or shutters blocking the natural light ?, On which floor is your work space located (work space is the place where you spend most of the time)).

High correlation

Unnamed: 29 is highly correlated with Timestamp and 2 other fields (Timestamp, How long do you spend in the building during the day , Do you have control over air condition system ?).

High correlation

On which floor is your work space located (work space is the place where you spend most of the time) is highly correlated with Timestamp and 3 other fields (Timestamp, Age, Unnamed: 8, Do you have control over artificial lightning).

High correlation

How accessible is from the parking lot to the main door of the college is highly correlated with Timestamp and 2 other fields (Timestamp, How would describe noise at this moment , Is there availability of natural light).

High correlation

How is easy to go from one floor to another is highly correlated with Timestamp and 3 other fields (Timestamp, How would you describe the ventilation and air quality of building , Is there availability of natural light , How easy is the horizontal circulation (moving in the corridors)).

High correlation

How easy is the horizontal circulation (moving in the corridors) is highly correlated with Timestamp and 4 other fields (Timestamp, Room name and distribution, How is easy to go from one floor to another , How easy is to get out of the building in emergency situation , How would you rate the level of cleanliness of the building).

High correlation

How easy is to get out of the building in emergency situation is highly correlated with Room name and distribution and 3 other fields (Room name and distribution, In average day how much time do you spend in the following types of space [Office], How would you describe the noise in building generally , How easy is the horizontal circulation (moving in the corridors)).

High correlation

Do you know the route to the nearest emergency door is highly correlated with Please select which one describe your clothing and 2 other fields (Please select which one describe your clothing , How would you describe the noise in building generally , Do you have control over air condition system ?).

High correlation

How would you rate the level of cleanliness of the building is highly correlated with How easy is the horizontal circulation (moving in the corridors) and 1 other fields (How easy is the horizontal circulation (moving in the corridors), How clean is your work-space).

High correlation

How clean is your work-space is highly correlated with Please select which one describe your clothing and 2 other fields (Please select which one describe your clothing , How would you describe the noise in building generally , How would you rate the level of cleanliness of the building).

High correlation

Timestamp has 1 (1.0%) missing values

Missing

Room name and distribution has 3 (3.1%) missing values

Missing

Gender has 2 (2.1%) missing values

Missing

Occupation has 3 (3.1%) missing values

Missing

Age has 3 (3.1%) missing values

Missing

Your Wiegth. has 2 (2.1%) missing values

Missing

Please select which one describe your clothing has 2 (2.1%) missing values

Missing

How long do you spend in the building during the day has 5 (5.2%) missing values

Missing

Unnamed: 8 has 33 (34.4%) missing values

Missing

In average day how much time do you spend in the following types of space [Office] has 38 (39.6%) missing values

Missing

In average day how much time do you spend in the following types of space [Lecture room] has 34 (35.4%) missing values

Missing

In average day how much time do you spend in the following types of space [laboratory] has 38 (39.6%) missing values

Missing

In average day how much time do you spend in the following types of space [STU] has 35 (36.5%) missing values

Missing

In average day how much time do you spend in the following types of space [Cafeteria] has 36 (37.5%) missing values

Missing

In average day how much time do you spend in the following types of space [working at computer (average hours per day)] has 33 (34.4%) missing values

Missing

Unnamed: 15 has 75 (78.1%) missing values

Missing

Unnamed: 16 has 75 (78.1%) missing values

Missing

Is there significant distraction from background noise (machine and undefined noise sources)? has 2 (2.1%) missing values

Missing

How would you describe the noise in building generally has 34 (35.4%) missing values

Missing

How would describe noise at this moment has 2 (2.1%) missing values

Missing

Does the quality of air in this part of building have a negative effect on your work performance ? has 3 (3.1%) missing values

Missing

Do you smell odor or unusual smell in your work-space ? has 4 (4.2%) missing values

Missing

Do you feel sleepy or headache when you get to your work-space ? has 2 (2.1%) missing values

Missing

Do you have control over air condition system ? has 3 (3.1%) missing values

Missing

How would you describe the ventilation and air quality of building has 54 (56.2%) missing values

Missing

Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space) has 3 (3.1%) missing values

Missing

Is there availability of natural light has 2 (2.1%) missing values

Missing

Are there blinds or shutters blocking the natural light ? has 2 (2.1%) missing values

Missing

Do you have control over artificial lightning has 2 (2.1%) missing values

Missing

Unnamed: 29 has 44 (45.8%) missing values

Missing

On which floor is your work space located (work space is the place where you spend most of the time) has 56 (58.3%) missing values

Missing

How accessible is from the parking lot to the main door of the college has 54 (56.2%) missing values

Missing

How is easy to go from one floor to another has 54 (56.2%) missing values

Missing

How easy is the horizontal circulation (moving in the corridors) has 54 (56.2%) missing values

Missing

How easy is to get out of the building in emergency situation has 54 (56.2%) missing values

Missing

Do you know the route to the nearest emergency door has 55 (57.3%) missing values

Missing

How would you rate the level of cleanliness of the building has 54 (56.2%) missing values

Missing

How clean is your work-space has 54 (56.2%) missing values

Missing

Timestamp is uniformly distributed

Uniform

Reproduction

Variables

Timestamp
Categorical

HIGH CARDINALITY

HIGH CORRELATION (This variable has a high correlation with 24 fields: Room name and distribution, Occupation , Your Wieght. , How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [Office], In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [laboratory], In average day how much time do you spend in the following types of space [STU], In average day how much time do you spend in the following types of space [Cafeteria], In average day how much time do you spend in the following types of space [working at computer (average hours per day)]. Unnamed: 16, How would you describe the noise in building generally , How would describe noise at this moment , Does the quality of air in this part of building have a negative effect on your work performance ?, How would you describe the ventilation and air quality of building , Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Is there availability of natural light , Are there blinds or shutters blocking the natural light ? , Do you have control over artificial lightning , Unnamed: 29, On which floor is your work space located (work space is the place where you spend most of the time), How accessible is from the parking lot to the main door of the college , How is easy to go from one floor to another , How easy is the horizontal circulation (moving in the corridors)).

MISSING

UNIFORM

Distinct

88

Distinct (%)

92.6%

Missing

1

Missing (%)

1.0%

Memory size

896.0 B

Length

Max length	15
Median length	14
Mean length	14.43157895
Min length	13

Characters and Unicode

Total characters	1371
Distinct characters	13
Distinct categories	3
Distinct scripts	1
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	81	?
Unique (%)	85.3%	?


Sample

1st row	3/30/2019 15:27
2nd row	3/30/2019 16:14
3rd row	3/30/2019 16:15
4th row	3/30/2019 17:13
5th row	3/30/2019 17:19

Common Values

Value	Count	Frequency (%)
3/30/2019 17:59	2	2.1%
3/30/2019 17:19	2	2.1%
3/30/2019 17:20	2	2.1%
4/7/2019 15:17	2	2.1%
4/7/2019 15:19	2	2.1%
4/6/2019 16:58	2	2.1%
3/30/2019 18:21	2	2.1%
4/9/2019 13:35	1	1.0%
4/10/2019 9:36	1	1.0%
4/10/2019 9:30	1	1.0%
Other values (78)	78	81.2%

Length



Value	Count	Frequency (%)
4/10/2019	30	15.8%
3/30/2019	22	11.6%
4/7/2019	21	11.1%
4/6/2019	7	3.7%
4/5/2019	4	2.1%
4/1/2019	4	2.1%
4/2/2019	3	1.6%
15:19	2	1.1%
17:20	2	1.1%
17:59	2	1.1%
Other values (87)	93	48.9%

Most occurring characters

Value	Count	Frequency (%)
1	256	18.7%
/	190	13.9%
0	166	12.1%
2	134	9.8%
9	112	8.2%
4	109	8.0%
	95	6.9%
:	95	6.9%
3	77	5.6%
7	52	3.8%
Other values (3)	85	6.2%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	991	72.3%
Other Punctuation	285	20.8%
Space Separator	95	6.9%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
1	256	25.8%
0	166	16.8%
2	134	13.5%
9	112	11.3%
4	109	11.0%
3	77	7.8%
7	52	5.2%
5	41	4.1%
6	28	2.8%
8	16	1.6%

Other Punctuation

Value	Count	Frequency (%)
/	190	66.7%
:	95	33.3%

Space Separator

Value	Count	Frequency (%)
	95	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	1371	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
1	256	18.7%
/	190	13.9%
0	166	12.1%
2	134	9.8%
9	112	8.2%
4	109	8.0%
:	95	6.9%
3	77	5.6%
7	52	3.8%
Other values (3)	85	6.2%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	1371	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
1	256	18.7%
/	190	13.9%
0	166	12.1%
2	134	9.8%
9	112	8.2%
4	109	8.0%
:	95	6.9%
3	77	5.6%
7	52	3.8%
Other values (3)	85	6.2%

Room name and distribution

Categorical

HIGH CORRELATION

(This variable has a high correlation with 16 fields: Timestamp, Occupation , Age, How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [Office], In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [STU], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], Unnamed: 15, Unnamed: 16, Does the quality of air in this part of building have a negative effect on your work performance ?, Do you have control over air condition system ?, Is there availability of natural light , Are there blinds or shutters blocking the natural light ? , How easy is the horizontal circulation (moving in the corridors), How easy is to get out of the building in emergency situation)

MISSING

Distinct	23
Distinct (%)	24.7%
Missing	3
Missing (%)	3.1%
Memory size	896.0 B

Length

Max length	9
Median length	6
Mean length	5.913978495
Min length	5

Characters and Unicode

Total characters	550
Distinct characters	29
Distinct categories	4
Distinct scripts	2
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	12
Unique (%)	12.9%


Sample

1st row	STU203
2nd row	STU203
3rd row	STU203
4th row	STU203
5th row	STU203

Common Values

Value	Count	Frequency (%)
STU211	31	32.3%
STU203	24	25.0%
lobby	7	7.3%
STU302	3	3.1%
STU201	3	3.1%
CL302	3	3.1%
LAB302	2	2.1%
AD316	2	2.1%
STU301	2	2.1%
STU207	2	2.1%
Other values (13)	14	14.6%
(Missing)	3	3.1%

Length



Value	Count	Frequency (%)
stu211	31	33.3%
stu203	25	26.9%
lobby	7	7.5%
stu201	4	4.3%
cl302	3	3.2%
stu304	3	3.2%
stu302	3	3.2%
lab302	2	2.2%
ad316	2	2.2%
stu301	2	2.2%
Other values (10)	11	11.8%

Most occurring characters

Value	Count	Frequency (%)
1	76	13.8%
S	73	13.3%
T	73	13.3%
U	72	13.1%
2	71	12.9%
0	50	9.1%
3	45	8.2%
b	14	2.5%
L	11	2.0%
o	8	1.5%
Other values (19)	57	10.4%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	253	46.0%
Uppercase Letter	249	45.3%
Lowercase Letter	41	7.5%
Space Separator	7	1.3%

Most frequent character per category

Uppercase Letter

Value	Count	Frequency (%)
S	73	29.3%
T	73	29.3%
U	72	28.9%
L	11	4.4%
C	8	3.2%
A	4	1.6%
D	2	0.8%
B	2	0.8%
E	2	0.8%
V	1	0.4%

Lowercase Letter

Value	Count	Frequency (%)
b	14	34.1%
o	8	19.5%
l	7	17.1%
y	7	17.1%
u	1	2.4%
s	1	2.4%
i	1	2.4%
n	1	2.4%
g	1	2.4%

Decimal Number

Value	Count	Frequency (%)
1	76	30.0%
2	71	28.1%
0	50	19.8%
3	45	17.8%
6	4	1.6%
4	4	1.6%
7	2	0.8%
8	1	0.4%

Space Separator

Value	Count	Frequency (%)
	7	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	290	52.7%
Common	260	47.3%

Most frequent character per script

Latin

Value	Count	Frequency (%)
S	73	25.2%
T	73	25.2%
U	72	24.8%
b	14	4.8%
L	11	3.8%
o	8	2.8%
C	8	2.8%
I	7	2.4%
y	7	2.4%
A	4	1.4%
Other values (10)	13	4.5%

Common

Value	Count	Frequency (%)
1	76	29.2%
2	71	27.3%
0	50	19.2%
3	45	17.3%
	7	2.7%
6	4	1.5%
4	4	1.5%
7	2	0.8%
8	1	0.4%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	550	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
1	76	13.8%
S	73	13.3%
T	73	13.3%
U	72	13.1%
2	71	12.9%
0	50	9.1%
3	45	8.2%
b	14	2.5%
L	11	2.0%
o	8	1.5%
Other values (19)	57	10.4%

Gender
Categorical
MISSING
REJECTED

CONSTANT

Distinct	1
Distinct (%)	1.1%
Missing	2
Missing (%)	2.1%
Memory size	896.0 B

Length

Max length	4
Median length	4
Mean length	4
Min length	4

Characters and Unicode

Total characters	376
Distinct characters	4
Distinct categories	2
Distinct scripts	1
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0
Unique (%)	0.0%


Sample

1st row	Male
2nd row	Male
3rd row	Male
4th row	Male
5th row	Male

Common Values

Value	Count	Frequency (%)
Male	94	97.9%
{Missing}	2	2.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
male	94	100.0%

Most occurring characters

Value	Count	Frequency (%)
M	94	25.0%
a	94	25.0%
i	94	25.0%
e	94	25.0%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	282	75.0%
Uppercase Letter	94	25.0%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
a	94	33.3%
i	94	33.3%
e	94	33.3%

Uppercase Letter

Value	Count	Frequency (%)
M	94	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	376	100.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
M	94	25.0%
a	94	25.0%
i	94	25.0%
e	94	25.0%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	376	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
M	94	25.0%
a	94	25.0%
i	94	25.0%
e	94	25.0%

Occupation

Categorical

HIGH CORRELATION

(This variable has a high correlation with 9 fields: Timestamp, Room name and distribution, Age, Your Wieght. , In average day how much time do you spend in the following types of space [Office], In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [STU], Unnamed: 15, Do you feel sleepy or headache when you get to your work-space ?)

MISSING

Distinct

3

Distinct (%)

3.2%

Missing

3

Missing (%)

3.1%

Memory size

896.0 B

Length

Max length	5
Median length	5
Mean length	5
Min length	5

Characters and Unicode

Total characters	465
Distinct characters	6
Distinct categories	3 <small>(https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)</small>
Distinct scripts	2 <small>(https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)</small>
Distinct blocks	1 <small>(https://en.wikipedia.org/wiki/Unicode_block)</small>

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	


Sample

1st row	Occ01
2nd row	Occ01
3rd row	Occ01
4th row	Occ01
5th row	Occ01


Common Values

Value	Count	Frequency (%)
Occ01	73	76.0%
Occ02	18	18.8%
Occ03	2	2.1%
(Missing)	3	3.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
occ01	73	78.5%
occ02	18	19.4%
occ03	2	2.2%

Most occurring characters

Value	Count	Frequency (%)
c	186	40.0%
O	93	20.0%
0	93	20.0%
1	73	15.7%
2	18	3.9%
3	2	0.4%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	186	40.0%
Decimal Number	186	40.0%
Uppercase Letter	93	20.0%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	93	50.0%
1	73	39.2%
2	18	9.7%
3	2	1.1%

Lowercase Letter

Value	Count	Frequency (%)
c	186	100.0%

Uppercase Letter

Value	Count	Frequency (%)
0	93	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	279	60.0%
Common	186	40.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
0	93	50.0%
1	73	39.2%
2	18	9.7%
3	2	1.1%

Latin

Value	Count	Frequency (%)
c	186	66.7%
o	93	33.3%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	465	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
c	186	40.0%
O	93	20.0%
0	93	20.0%
1	73	15.7%
2	18	3.9%
3	2	0.4%

Age

Categorical

HIGH CORRELATION

(This variable has a high correlation with 9 fields: Room name and distribution, Occupation , Your Wieght. , In average day how much time do you spend in the following types of space [Office] , In average day how much time do you spend in the following types of space [Lecture room] , In average day how much time do you spend in the following types of space [STU] , Unnamed: 15, Do you feel sleepy or headache when you get to your work-space ?, On which floor is your work space located (work space is the place where you spend most of the time))

MISSING

Distinct

3

Distinct (%)

3.2%

Missing

3

Missing (%)

3.1%

Memory size

896.0 B

Length

Max length	5
Median length	5
Mean length	5
Min length	5

Characters and Unicode

Total characters	465
Distinct characters	7
Distinct categories	3 <small>(https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)</small>
Distinct scripts	2 <small>(https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)</small>
Distinct blocks	1 <small>(https://en.wikipedia.org/wiki/Unicode_block)</small>

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Age01
2nd row	Age01
3rd row	Age01
4th row	Age01
5th row	Age01


Common Values

Value	Count	Frequency (%)
Age01	74	77.1%
Age02	15	15.6%
Age03	4	4.2%
(Missing)	3	3.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
age01	74	79.6%
age02	15	16.1%
age03	4	4.3%

Most occurring characters

Value	Count	Frequency (%)
A	93	20.0%
g	93	20.0%
e	93	20.0%
0	93	20.0%
1	74	15.9%
2	15	3.2%
3	4	0.9%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	186	40.0%
Decimal Number	186	40.0%
Uppercase Letter	93	20.0%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	93	50.0%
1	74	39.8%
2	15	8.1%
3	4	2.2%

Lowercase Letter

Value	Count	Frequency (%)
g	93	50.0%
e	93	50.0%

Uppercase Letter

Value	Count	Frequency (%)
A	93	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	279	60.0%
Common	186	40.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
0	93	50.0%
1	74	39.8%
2	15	8.1%
3	4	2.2%

Latin

Value	Count	Frequency (%)
A	93	33.3%
g	93	33.3%
e	93	33.3%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	465	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
A	93	20.0%
g	93	20.0%
e	93	20.0%
0	93	20.0%
1	74	15.9%
2	15	3.2%
3	4	0.9%

Your Wieght.

Categorical

HIGH CORRELATION

(This variable has a high correlation with 5 fields: Timestamp, Occupation , Age, In average day how much time do you spend in the following types of space [working at computer (average hours per day)], Unnamed: 15)

MISSING

Distinct

6

Distinct (%)

6.4%

Missing

2

Missing (%)

2.1%

Memory size

896.0 B

Length

Max length	6
Median length	6
Mean length	6
Min length	6

Characters and Unicode

Total characters	564
Distinct characters	11
Distinct categories	3 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Wieg05
2nd row	Wieg05
3rd row	Wieg06
4th row	Wieg06
5th row	Wieg03


Common Values

Value	Count	Frequency (%)
Wieg02	23	24.0%
Wieg01	23	24.0%
Wieg03	21	21.9%
Wieg05	13	13.5%
Wieg04	10	10.4%
Wieg06	4	4.2%
(Missing)	2	2.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
wieg02	23	24.5%
wieg01	23	24.5%
wieg03	21	22.3%
wieg05	13	13.8%
wieg04	10	10.6%
wieg06	4	4.3%

Most occurring characters

Value	Count	Frequency (%)
W	94	16.7%
i	94	16.7%
e	94	16.7%
g	94	16.7%
o	94	16.7%
2	23	4.1%
1	23	4.1%
3	21	3.7%
5	13	2.3%
4	10	1.8%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	282	50.0%
Decimal Number	188	33.3%
Uppercase Letter	94	16.7%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	94	50.0%
2	23	12.2%
1	23	12.2%
3	21	11.2%
5	13	6.9%
4	10	5.3%
6	4	2.1%

Lowercase Letter

Value	Count	Frequency (%)
i	94	33.3%
e	94	33.3%
g	94	33.3%

Uppercase Letter

Value	Count	Frequency (%)
w	94	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	376	66.7%
Common	188	33.3%

Most frequent character per script

Common

Value	Count	Frequency (%)
0	94	50.0%
2	23	12.2%
1	23	12.2%
3	21	11.2%
5	13	6.9%
4	10	5.3%
6	4	2.1%

Latin

Value	Count	Frequency (%)
W	94	25.0%
i	94	25.0%
e	94	25.0%
g	94	25.0%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	564	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
w	94	16.7%
i	94	16.7%
e	94	16.7%
g	94	16.7%
o	94	16.7%
2	23	4.1%
1	23	4.1%
3	21	3.7%
5	13	2.3%
4	10	1.8%

Please select which one describe your clothing

Categorical

HIGH CORRELATION

(This variable has a high correlation with 5 fields: In average day how much time do you spend in the following types of space [Office], In average day how much time do you spend in the following types of space [Lecture room], Unnamed: 15, Do you know the route to the nearest emergency door , How clean is your work-space)

MISSING

Distinct

14

Distinct (%)

14.9%

Missing

2

Missing (%)

2.1%

Memory size

896.0 B

Length

Max length	9
Median length	9
Mean length	8.914893617
Min length	8

Characters and Unicode

Total characters	838
Distinct characters	15
Distinct categories	4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	5	?
Unique (%)	5.3%	?


Sample

1st row	Dress_213
2nd row	Dress_364
3rd row	Dress_94
4th row	Dress_220
5th row	Dress_213

Common Values

Value	Count	Frequency (%)
Dress_364	35	36.5%
Dress_213	12	12.5%
Dress_220	12	12.5%
Dress_192	12	12.5%
Dress_365	6	6.2%
Dress_150	5	5.2%
Dress_94	3	3.1%
Dress_194	2	2.1%
Dress_99	2	2.1%
Dress_95	1	1.0%
Other values (4)	4	4.2%
(Missing)	2	2.1%

Length



Value	Count	Frequency (%)
dress_364	35	37.2%
dress_213	12	12.8%
dress_220	12	12.8%
dress_192	12	12.8%
dress_365	6	6.4%
dress_150	5	5.3%
dress_94	3	3.2%
dress_194	2	2.1%
dress_99	2	2.1%
dress_95	1	1.1%
Other values (4)	4	4.3%

Most occurring characters

Value	Count	Frequency (%)
s	188	22.4%
D	94	11.2%
r	94	11.2%
e	94	11.2%
-	94	11.2%
3	54	6.4%
2	51	6.1%
6	43	5.1%
4	40	4.8%
1	32	3.8%
Other values (5)	54	6.4%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	376	44.9%
Decimal Number	274	32.7%
Uppercase Letter	94	11.2%
Connector Punctuation	94	11.2%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
3	54	19.7%
2	51	18.6%
6	43	15.7%
4	40	14.6%
1	32	11.7%
9	22	8.0%
0	17	6.2%
5	13	4.7%
7	1	0.4%
8	1	0.4%

Lowercase Letter

Value	Count	Frequency (%)
s	188	50.0%
r	94	25.0%
e	94	25.0%

Uppercase Letter

Value	Count	Frequency (%)
D	94	100.0%

Connector Punctuation

Value	Count	Frequency (%)
-	94	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	470	56.1%
Common	368	43.9%

Most frequent character per script

Common

Value	Count	Frequency (%)
-	94	25.5%
3	54	14.7%
2	51	13.9%
6	43	11.7%
4	40	10.9%
1	32	8.7%
9	22	6.0%
0	17	4.6%
5	13	3.5%
7	1	0.3%

Latin

Value	Count	Frequency (%)
s	188	40.0%
D	94	20.0%
r	94	20.0%
e	94	20.0%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	838	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
s	188	22.4%
D	94	11.2%
r	94	11.2%
e	94	11.2%
-	94	11.2%
3	54	6.4%
2	51	6.1%
6	43	5.1%
4	40	4.8%
1	32	3.8%
Other values (5)	54	6.4%

How long do you spend in the building during the day

HIGH CORRELATION

Categorical

(This variable has a high correlation with 9 fields: Timestamp, Room name and distribution, Does the quality of air in this part of building have a negative effect on your work performance ?, Do you feel sleepy or headache when you get to your work-space ?, Do you have control over air condition system ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Are there blinds or shutters blocking the natural light ?, Do you have control over artificial lightning , Unnamed: 29)

MISSING

Distinct

8

Distinct (%)

8.8%

Missing

5

Missing (%)

5.2%

Memory size

896.0 B

Length

Max length	9
Median length	9
Mean length	9
Min length	9

Characters and Unicode

Total characters	819
Distinct characters	16
Distinct categories	4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Period_07
2nd row	Period_07
3rd row	Period_07
4th row	Period_07
5th row	Period_09


Common Values

Value	Count	Frequency (%)
Period_08	22	22.9%
Period_07	21	21.9%
Period_09	11	11.5%
Period_03	11	11.5%
Period_04	9	9.4%
Period_05	7	7.3%
Period_10	6	6.2%
Period_02	4	4.2%
(Missing)	5	5.2%

Length



Category Frequency Plot



Value	Count	Frequency (%)
period_08	22	24.2%
period_07	21	23.1%
period_09	11	12.1%
period_03	11	12.1%
period_04	9	9.9%
period_05	7	7.7%
period_10	6	6.6%
period_02	4	4.4%

Most occurring characters

Value	Count	Frequency (%)
P	91	11.1%
e	91	11.1%
r	91	11.1%
i	91	11.1%
o	91	11.1%
d	91	11.1%
-	91	11.1%
0	91	11.1%
8	22	2.7%
7	21	2.6%
Other values (6)	48	5.9%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	455	55.6%
Decimal Number	182	22.2%
Uppercase Letter	91	11.1%
Connector Punctuation	91	11.1%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	91	50.0%
8	22	12.1%
7	21	11.5%
9	11	6.0%
3	11	6.0%
4	9	4.9%
5	7	3.8%
1	6	3.3%
2	4	2.2%

Lowercase Letter

Value	Count	Frequency (%)
e	91	20.0%
r	91	20.0%
i	91	20.0%
o	91	20.0%
d	91	20.0%

Uppercase Letter

Value	Count	Frequency (%)
P	91	100.0%

Connector Punctuation

Value	Count	Frequency (%)
-	91	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	546	66.7%
Common	273	33.3%

Most frequent character per script

Common

Value	Count	Frequency (%)
-	91	33.3%
0	91	33.3%
8	22	8.1%
7	21	7.7%
9	11	4.0%
3	11	4.0%
4	9	3.3%
5	7	2.6%
1	6	2.2%
2	4	1.5%

Latin

Value	Count	Frequency (%)
P	91	16.7%
e	91	16.7%
r	91	16.7%
i	91	16.7%
o	91	16.7%
d	91	16.7%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	819	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
P	91	11.1%
e	91	11.1%
r	91	11.1%
i	91	11.1%
o	91	11.1%
d	91	11.1%
-	91	11.1%
0	91	11.1%
8	22	2.7%
7	21	2.6%
Other values (6)	48	5.9%

Unnamed: 8

Categorical

HIGH CORRELATION

(This variable has a high correlation with 2 fields: In average day how much time do you spend in the following types of space [Cafeteria], On which floor is your work space located (work space is the place where you spend most of the time))

MISSING

Distinct

6

Distinct (%)

9.5%

Missing

33

Missing (%)

34.4%

Memory size

896.0 B

Length

Max length	13
Median length	13
Mean length	13
Min length	13

Characters and Unicode

Total characters	819
Distinct characters	18
Distinct categories	5 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Stu-Period_04
2nd row	Stu-Period_02
3rd row	Stu-Period_04
4th row	Stu-Period_02
5th row	Stu-Period_03


Common Values

Value	Count	Frequency (%)
Stu-Period_03	29	30.2%
Stu-Period_02	18	18.8%
Stu-Period_04	6	6.2%
Stu-Period_01	5	5.2%
Stu-Period_06	3	3.1%
Stu-Period_05	2	2.1%
(Missing)	33	34.4%

Length



Category Frequency Plot



Value	Count	Frequency (%)
stu-period_03	29	46.0%
stu-period_02	18	28.6%
stu-period_04	6	9.5%
stu-period_01	5	7.9%
stu-period_06	3	4.8%
stu-period_05	2	3.2%

Most occurring characters

Value	Count	Frequency (%)
s	63	7.7%
i	63	7.7%
o	63	7.7%
-	63	7.7%
t	63	7.7%
o	63	7.7%
d	63	7.7%
r	63	7.7%
e	63	7.7%
p	63	7.7%
Other values (8)	189	23.1%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	441	53.8%
Uppercase Letter	126	15.4%
Decimal Number	126	15.4%
Connector Punctuation	63	7.7%
Dash Punctuation	63	7.7%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
i	63	14.3%
t	63	14.3%
o	63	14.3%
d	63	14.3%
r	63	14.3%
e	63	14.3%
u	63	14.3%

Decimal Number

Value	Count	Frequency (%)
0	63	50.0%
3	29	23.0%
2	18	14.3%
4	6	4.8%
1	5	4.0%
6	3	2.4%
5	2	1.6%

Uppercase Letter

Value	Count	Frequency (%)
S	63	50.0%
P	63	50.0%

Connector Punctuation

Value	Count	Frequency (%)
-	63	100.0%

Dash Punctuation

Value	Count	Frequency (%)
-	63	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	567	69.2%
Common	252	30.8%

Most frequent character per script

Latin

Value	Count	Frequency (%)
s	63	11.1%
i	63	11.1%
t	63	11.1%
o	63	11.1%
d	63	11.1%
r	63	11.1%
e	63	11.1%
p	63	11.1%
u	63	11.1%

Common

Value	Count	Frequency (%)
0	63	25.0%
-	63	25.0%
-	63	25.0%
3	29	11.5%
2	18	7.1%
4	6	2.4%
1	5	2.0%
6	3	1.2%
5	2	0.8%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	819	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
s	63	7.7%
i	63	7.7%
o	63	7.7%
-	63	7.7%
t	63	7.7%
o	63	7.7%
d	63	7.7%
r	63	7.7%
e	63	7.7%
p	63	7.7%
Other values (8)	189	23.1%

In average day how much time do you spend in the following types of space [Office]

HIGH CORRELATION

Categorical

(This variable has a high correlation with 6 fields: Timestamp, Room name and distribution, Occupation , Age, Please select which one describe your clothing , How easy is to get out of the building in emergency situation)

MISSING

Distinct

5

Distinct (%)

8.6%

Missing

38

Missing (%)

39.6%

Memory size

896.0 B

Length

Max length	9
Median length	9
Mean length	9
Min length	9

Characters and Unicode

Total characters	522
Distinct characters	12
Distinct categories	4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	1	?
Unique (%)	1.7%	?


Sample

1st row	Period_01
2nd row	Period_11
3rd row	Period_01
4th row	Period_01
5th row	Period_01


Common Values

Value	Count	Frequency (%)
Period_01	31	32.3%
Period_11	12	12.5%
Period_07	8	8.3%
Period_12	6	6.2%
Period_08	1	1.0%
(Missing)	38	39.6%

Length



Category Frequency Plot



Value	Count	Frequency (%)
period_01	31	53.4%
period_11	12	20.7%
period_07	8	13.8%
period_12	6	10.3%
period_08	1	1.7%

Most occurring characters

Value	Count	Frequency (%)
1	61	11.7%
P	58	11.1%
e	58	11.1%
r	58	11.1%
i	58	11.1%
o	58	11.1%
d	58	11.1%
-	58	11.1%
0	40	7.7%
7	8	1.5%
Other values (2)	7	1.3%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	290	55.6%
Decimal Number	116	22.2%
Uppercase Letter	58	11.1%
Connector Punctuation	58	11.1%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
1	61	52.6%
0	40	34.5%
7	8	6.9%
2	6	5.2%
8	1	0.9%

Lowercase Letter

Value	Count	Frequency (%)
e	58	20.0%
r	58	20.0%
i	58	20.0%
o	58	20.0%
d	58	20.0%

Uppercase Letter

Value	Count	Frequency (%)
P	58	100.0%

Connector Punctuation

Value	Count	Frequency (%)
-	58	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	348	66.7%
Common	174	33.3%

Most frequent character per script

Common

Value	Count	Frequency (%)
1	61	35.1%
-	58	33.3%
0	40	23.0%
7	8	4.6%
2	6	3.4%
8	1	0.6%

Latin

Value	Count	Frequency (%)
P	58	16.7%
e	58	16.7%
r	58	16.7%
i	58	16.7%
o	58	16.7%
d	58	16.7%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	522	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
1	61	11.7%
P	58	11.1%
e	58	11.1%
r	58	11.1%
i	58	11.1%
o	58	11.1%
d	58	11.1%
-	58	11.1%
0	40	7.7%
7	8	1.5%
Other values (2)	7	1.3%

In average day how much time do you spend in the following types of space [Lecture room]**HIGH CORRELATION**

Categorical

(This variable has a high correlation with 11 fields: Timestamp, Room name and distribution, Occupation , Age, Please select which one describe your clothing , In average day how much time do you spend in the following types of space [STU], Unnamed: 16, Is there significant distraction from background noise (machine and undefined noise sources)? , Do you feel sleepy or headache when you get to your work-space ?, How would you describe the ventilation and air quality of building , Do you have control over artificial lightning)

MISSING

Distinct

6

Distinct (%)

9.7%

Missing

34

Missing (%)

35.4%

Memory size

896.0 B

Length

Max length	9
Median length	9
Mean length	9
Min length	9

Characters and Unicode

Total characters	558
Distinct characters	13
Distinct categories	4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	1	?
Unique (%)	1.6%	?


Sample

1st row	Period_12
2nd row	Period_12
3rd row	Period_12
4th row	Period_12
5th row	Period_07


Common Values

Value	Count	Frequency (%)
Period_12	31	32.3%
Period_07	13	13.5%
Period_11	12	12.5%
Period_08	3	3.1%
Period_01	2	2.1%
Period_13	1	1.0%
(Missing)	34	35.4%

Length



Category Frequency Plot



Value	Count	Frequency (%)
period_12	31	50.0%
period_07	13	21.0%
period_11	12	19.4%
period_08	3	4.8%
period_01	2	3.2%
period_13	1	1.6%

Most occurring characters

Value	Count	Frequency (%)
P	62	11.1%
e	62	11.1%
r	62	11.1%
i	62	11.1%
o	62	11.1%
d	62	11.1%
-	62	11.1%
1	58	10.4%
2	31	5.6%
0	18	3.2%
Other values (3)	17	3.0%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	310	55.6%
Decimal Number	124	22.2%
Uppercase Letter	62	11.1%
Connector Punctuation	62	11.1%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
1	58	46.8%
2	31	25.0%
0	18	14.5%
7	13	10.5%
8	3	2.4%
3	1	0.8%

Lowercase Letter

Value	Count	Frequency (%)
e	62	20.0%
r	62	20.0%
i	62	20.0%
o	62	20.0%
d	62	20.0%

Uppercase Letter

Value	Count	Frequency (%)
P	62	100.0%

Connector Punctuation

Value	Count	Frequency (%)
-	62	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	372	66.7%
Common	186	33.3%

Most frequent character per script

Common

Value	Count	Frequency (%)
-	62	33.3%
1	58	31.2%
2	31	16.7%
0	18	9.7%
7	13	7.0%
8	3	1.6%
3	1	0.5%

Latin

Value	Count	Frequency (%)
p	62	16.7%
e	62	16.7%
r	62	16.7%
i	62	16.7%
o	62	16.7%
d	62	16.7%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	558	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
P	62	11.1%
e	62	11.1%
r	62	11.1%
i	62	11.1%
o	62	11.1%
d	62	11.1%
-	62	11.1%
1	58	10.4%
2	31	5.6%
0	18	3.2%
Other values (3)	17	3.0%

In average day how much time do you spend in the following types of space [laboratory]

Categorical

HIGH CORRELATION

(This variable has a high correlation with 2 fields: Timestamp, Unnamed: 15)

MISSING

Distinct

4

Distinct (%)

6.9%

Missing

38

Missing (%)

39.6%

Memory size

896.0 B

Length

Max length	9
Median length	9
Mean length	9
Min length	9

Characters and Unicode

Total characters	522
Distinct characters	11
Distinct categories	4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Period_01
2nd row	Period_01
3rd row	Period_11
4th row	Period_11
5th row	Period_11


Common Values

Value	Count	Frequency (%)
Period_01	30	31.2%
Period_11	18	18.8%
Period_12	8	8.3%
Period_07	2	2.1%
(Missing)	38	39.6%

Length



Category Frequency Plot



Value	Count	Frequency (%)
period_01	30	51.7%
period_11	18	31.0%
period_12	8	13.8%
period_07	2	3.4%

Most occurring characters

Value	Count	Frequency (%)
l	74	14.2%
P	58	11.1%
e	58	11.1%
r	58	11.1%
i	58	11.1%
o	58	11.1%
d	58	11.1%
-	58	11.1%
0	32	6.1%
2	8	1.5%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	290	55.6%
Decimal Number	116	22.2%
Uppercase Letter	58	11.1%
Connector Punctuation	58	11.1%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
e	58	20.0%
r	58	20.0%
i	58	20.0%
o	58	20.0%
d	58	20.0%

Decimal Number

Value	Count	Frequency (%)
1	74	63.8%
0	32	27.6%
2	8	6.9%
7	2	1.7%

Uppercase Letter

Value	Count	Frequency (%)
P	58	100.0%

Connector Punctuation

Value	Count	Frequency (%)
-	58	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	348	66.7%
Common	174	33.3%

Most frequent character per script

Latin

Value	Count	Frequency (%)
P	58	16.7%
e	58	16.7%
r	58	16.7%
i	58	16.7%
o	58	16.7%
d	58	16.7%

Common

Value	Count	Frequency (%)
1	74	42.5%
-	58	33.3%
0	32	18.4%
2	8	4.6%
7	2	1.1%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	522	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
1	74	14.2%
P	58	11.1%
e	58	11.1%
r	58	11.1%
i	58	11.1%
o	58	11.1%
d	58	11.1%
-	58	11.1%
0	32	6.1%
2	8	1.5%

In average day how much time do you spend in the following types of space [STU]**HIGH CORRELATION**

Categorical

(This variable has a high correlation with 10 fields: Timestamp, Room name and distribution, Occupation , Age, In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [Cafeteria], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], Unnamed: 15, Unnamed: 16, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space))

MISSING

Distinct

6

Distinct (%)

9.8%

Missing

35

Missing (%)

36.5%

Memory size

896.0 B

Length

Max length	9
Median length	9
Mean length	9
Min length	9

Characters and Unicode

Total characters	549
Distinct characters	13
Distinct categories	4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Period_07
2nd row	Period_07
3rd row	Period_12
4th row	Period_12
5th row	Period_13


Common Values

Value	Count	Frequency (%)
Period_12	26	27.1%
Period_07	17	17.7%
Period_13	6	6.2%
Period_08	5	5.2%
Period_11	4	4.2%
Period_01	3	3.1%
(Missing)	35	36.5%

Length



Category Frequency Plot



Value	Count	Frequency (%)
period_12	26	42.6%
period_07	17	27.9%
period_13	6	9.8%
period_08	5	8.2%
period_11	4	6.6%
period_01	3	4.9%

Most occurring characters

Value	Count	Frequency (%)
P	61	11.1%
e	61	11.1%
r	61	11.1%
i	61	11.1%
o	61	11.1%
d	61	11.1%
-	61	11.1%
1	43	7.8%
2	26	4.7%
0	25	4.6%
Other values (3)	28	5.1%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	305	55.6%
Decimal Number	122	22.2%
Uppercase Letter	61	11.1%
Connector Punctuation	61	11.1%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
1	43	35.2%
2	26	21.3%
0	25	20.5%
7	17	13.9%
3	6	4.9%
8	5	4.1%

Lowercase Letter

Value	Count	Frequency (%)
e	61	20.0%
r	61	20.0%
i	61	20.0%
o	61	20.0%
d	61	20.0%

Uppercase Letter

Value	Count	Frequency (%)
P	61	100.0%

Connector Punctuation

Value	Count	Frequency (%)
-	61	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	366	66.7%
Common	183	33.3%

Most frequent character per script

Common

Value	Count	Frequency (%)
-	61	33.3%
1	43	23.5%
2	26	14.2%
0	25	13.7%
7	17	9.3%
3	6	3.3%
8	5	2.7%

Latin

Value	Count	Frequency (%)
p	61	16.7%
e	61	16.7%
r	61	16.7%
i	61	16.7%
o	61	16.7%
d	61	16.7%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	549	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
P	61	11.1%
e	61	11.1%
r	61	11.1%
i	61	11.1%
o	61	11.1%
d	61	11.1%
-	61	11.1%
1	43	7.8%
2	26	4.7%
0	25	4.6%
Other values (3)	28	5.1%

In average day how much time do you spend in the following types of space [Cafeteria]**HIGH CORRELATION**

Categorical

(This variable has a high correlation with 7 fields: Timestamp, Unnamed: 8, In average day how much time do you spend in the following types of space [STU], How would describe noise at this moment , Does the quality of air in this part of building have a negative effect on your work performance ?, Do you smell odor or unusual smell in your work-space ?, Do you have control over artificial lightning)

MISSING

Distinct

3

Distinct (%)

5.0%

Missing

36

Missing (%)

37.5%

Memory size

896.0 B

Length

Max length	9
Median length	9
Mean length	9
Min length	9

Characters and Unicode

Total characters	540
Distinct characters	10
Distinct categories	4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	1	?
Unique (%)	1.7%	?


Sample

1st row	Period_11
2nd row	Period_01
3rd row	Period_11
4th row	Period_11
5th row	Period_11


Common Values

Value	Count	Frequency (%)
Period_11	34	35.4%
Period_01	25	26.0%
Period_12	1	1.0%
(Missing)	36	37.5%

Length



Category Frequency Plot



Value	Count	Frequency (%)
period_11	34	56.7%
period_01	25	41.7%
period_12	1	1.7%

Most occurring characters

Value	Count	Frequency (%)
1	94	17.4%
P	60	11.1%
e	60	11.1%
r	60	11.1%
i	60	11.1%
o	60	11.1%
d	60	11.1%
-	60	11.1%
0	25	4.6%
2	1	0.2%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	300	55.6%
Decimal Number	120	22.2%
Uppercase Letter	60	11.1%
Connector Punctuation	60	11.1%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
e	60	20.0%
r	60	20.0%
i	60	20.0%
o	60	20.0%
d	60	20.0%

Decimal Number

Value	Count	Frequency (%)
1	94	78.3%
0	25	20.8%
2	1	0.8%

Uppercase Letter

Value	Count	Frequency (%)
P	60	100.0%

Connector Punctuation

Value	Count	Frequency (%)
-	60	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	360	66.7%
Common	180	33.3%

Most frequent character per script

Latin

Value	Count	Frequency (%)
P	60	16.7%
e	60	16.7%
r	60	16.7%
i	60	16.7%
o	60	16.7%
d	60	16.7%

Common

Value	Count	Frequency (%)
1	94	52.2%
-	60	33.3%
0	25	13.9%
2	1	0.6%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	540	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
1	94	17.4%
P	60	11.1%
e	60	11.1%
r	60	11.1%
i	60	11.1%
o	60	11.1%
d	60	11.1%
-	60	11.1%
0	25	4.6%
2	1	0.2%

In average day how much time do you spend in the following types of space [working at computer (average hours per day)]

Categorical

HIGH CORRELATION

(This variable has a high correlation with 7 fields: Timestamp, Room name and distribution, Your Wieght. , In average day how much time do you spend in the following types of space [STU], Unnamed: 16, Does the quality of air in this part of building have a negative effect on your work performance ?, How would you describe the ventilation and air quality of building)

MISSING

Distinct

6

Distinct (%)

9.5%

Missing

33

Missing (%)

34.4%

Memory size

896.0 B

Length

Max length	9
Median length	9
Mean length	9
Min length	9

Characters and Unicode

Total characters	567
Distinct characters	13
Distinct categories	4 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Period_13
2nd row	Period_12
3rd row	Period_12
4th row	Period_01
5th row	Period_13


Common Values

Value	Count	Frequency (%)
Period_12	23	24.0%
Period_07	17	17.7%
Period_08	9	9.4%
Period_13	8	8.3%
Period_11	4	4.2%
Period_01	2	2.1%
(Missing)	33	34.4%

Length



Category Frequency Plot



Value	Count	Frequency (%)
period_12	23	36.5%
period_07	17	27.0%
period_08	9	14.3%
period_13	8	12.7%
period_11	4	6.3%
period_01	2	3.2%

Most occurring characters

Value	Count	Frequency (%)
P	63	11.1%
e	63	11.1%
r	63	11.1%
i	63	11.1%
o	63	11.1%
d	63	11.1%
-	63	11.1%
1	41	7.2%
0	28	4.9%
2	23	4.1%
Other values (3)	34	6.0%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	315	55.6%
Decimal Number	126	22.2%
Uppercase Letter	63	11.1%
Connector Punctuation	63	11.1%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
1	41	32.5%
0	28	22.2%
2	23	18.3%
7	17	13.5%
8	9	7.1%
3	8	6.3%

Lowercase Letter

Value	Count	Frequency (%)
e	63	20.0%
r	63	20.0%
i	63	20.0%
o	63	20.0%
d	63	20.0%

Uppercase Letter

Value	Count	Frequency (%)
P	63	100.0%

Connector Punctuation

Value	Count	Frequency (%)
-	63	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	378	66.7%
Common	189	33.3%

Most frequent character per script

Common

Value	Count	Frequency (%)
-	63	33.3%
1	41	21.7%
0	28	14.8%
2	23	12.2%
7	17	9.0%
8	9	4.8%
3	8	4.2%

Latin

Value	Count	Frequency (%)
p	63	16.7%
e	63	16.7%
r	63	16.7%
i	63	16.7%
o	63	16.7%
d	63	16.7%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	567	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
P	63	11.1%
e	63	11.1%
r	63	11.1%
i	63	11.1%
o	63	11.1%
d	63	11.1%
-	63	11.1%
1	41	7.2%
0	28	4.9%
2	23	4.1%
Other values (3)	34	6.0%

Unnamed: 15

HIGH CORRELATION

Categorical
(This variable has a high correlation with 11 fields: Room name and distribution, Occupation , Age, Your Wieght. , Please select which one describe your clothing , In average day how much time do you spend in the following types of space [laboratory], In average day how much time do you spend in the following types of space [STU], Is there significant distraction from background noise (machine and undefined noise sources)? , How would you describe the noise in building generally , Is there availability of natural light , Are there blinds or shutters blocking the natural light ?)

MISSING

Distinct	3
Distinct (%)	14.3%
Missing	75
Missing (%)	78.1%
Memory size	896.0 B

Length

Max length	5
Median length	3
Mean length	2.619047619
Min length	2

Characters and Unicode

Total characters	55
Distinct characters	9
Distinct categories	2
Distinct scripts	1
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	1	?
Unique (%)	4.8%	?


Sample

1st row	Yes
2nd row	No
3rd row	No
4th row	No
5th row	No


Common Values

Value	Count	Frequency (%)
Yes	10	10.4%
No	10	10.4%
Maybe	1	1.0%
(Missing)	75	78.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
yes	10	47.6%
no	10	47.6%
maybe	1	4.8%

Most occurring characters

Value	Count	Frequency (%)
e	11	20.0%
Y	10	18.2%
s	10	18.2%
N	10	18.2%
o	10	18.2%
M	1	1.8%
a	1	1.8%
y	1	1.8%
b	1	1.8%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	34	61.8%
Uppercase Letter	21	38.2%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
e	11	32.4%
s	10	29.4%
o	10	29.4%
a	1	2.9%
y	1	2.9%
b	1	2.9%

Uppercase Letter

Value	Count	Frequency (%)
Y	10	47.6%
N	10	47.6%
M	1	4.8%

Most occurring scripts

Value	Count	Frequency (%)
Latin	55	100.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
e	11	20.0%
Y	10	18.2%
s	10	18.2%
N	10	18.2%
o	10	18.2%
M	1	1.8%
a	1	1.8%
y	1	1.8%
b	1	1.8%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	55	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
e	11	20.0%
Y	10	18.2%
s	10	18.2%
N	10	18.2%
o	10	18.2%
M	1	1.8%
a	1	1.8%
y	1	1.8%
b	1	1.8%

Unnamed: 16

Categorical

HIGH CORRELATION

(This variable has a high correlation with 7 fields: Timestamp, Room name and distribution, In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [STU], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], How would you describe the noise in building generally , Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space))

MISSING

Distinct	3
Distinct (%)	14.3%
Missing	75
Missing (%)	78.1%
Memory size	896.0 B

Length

Max length	5
Median length	2
Mean length	2.333333333
Min length	2

Characters and Unicode

Total characters	49
Distinct characters	9
Distinct categories	2
Distinct scripts	1
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	1	?
Unique (%)	4.8%	?


Sample

1st row	No
2nd row	No
3rd row	No
4th row	No
5th row	No


Common Values

Value	Count	Frequency (%)
No	18	18.8%
Maybe	2	2.1%
Yes	1	1.0%
(Missing)	75	78.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
no	18	85.7%
maybe	2	9.5%
yes	1	4.8%

Most occurring characters

Value	Count	Frequency (%)
N	18	36.7%
o	18	36.7%
e	3	6.1%
M	2	4.1%
a	2	4.1%
y	2	4.1%
b	2	4.1%
Y	1	2.0%
s	1	2.0%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	28	57.1%
Uppercase Letter	21	42.9%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
o	18	64.3%
e	3	10.7%
a	2	7.1%
y	2	7.1%
b	2	7.1%
s	1	3.6%

Uppercase Letter

Value	Count	Frequency (%)
N	18	85.7%
M	2	9.5%
Y	1	4.8%

Most occurring scripts

Value	Count	Frequency (%)
Latin	49	100.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
N	18	36.7%
o	18	36.7%
e	3	6.1%
M	2	4.1%
a	2	4.1%
y	2	4.1%
b	2	4.1%
Y	1	2.0%
s	1	2.0%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	49	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
N	18	36.7%
o	18	36.7%
e	3	6.1%
M	2	4.1%
a	2	4.1%
y	2	4.1%
b	2	4.1%
Y	1	2.0%
s	1	2.0%

Is there significant distraction from background noise (machine and undefined noise sources)?

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: In average day how much time do you spend in the following types of space [Lecture room], Unnamed: 15, Do you smell odor or unusual smell in your work-space ?)

MISSING

Distinct

3

Distinct (%)

3.2%

Missing

2

Missing (%)

2.1%

Memory size

896.0 B

Length

Max length	5
Median length	2
Mean length	2.691489362
Min length	2

Characters and Unicode

Total characters	253
Distinct characters	9
Distinct categories	2
Distinct scripts	1
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	No
2nd row	No
3rd row	No
4th row	Yes
5th row	Yes


Common Values

Value	Count	Frequency (%)
No	55	57.3%
Yes	26	27.1%
Maybe	13	13.5%
(Missing)	2	2.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
no	55	58.5%
yes	26	27.7%
maybe	13	13.8%

Most occurring characters

Value	Count	Frequency (%)
N	55	21.7%
o	55	21.7%
e	39	15.4%
Y	26	10.3%
s	26	10.3%
M	13	5.1%
a	13	5.1%
y	13	5.1%
b	13	5.1%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	159	62.8%
Uppercase Letter	94	37.2%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
o	55	34.6%
e	39	24.5%
s	26	16.4%
a	13	8.2%
y	13	8.2%
b	13	8.2%

Uppercase Letter

Value	Count	Frequency (%)
N	55	58.5%
Y	26	27.7%
M	13	13.8%

Most occurring scripts

Value	Count	Frequency (%)
Latin	253	100.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
N	55	21.7%
o	55	21.7%
e	39	15.4%
Y	26	10.3%
s	26	10.3%
M	13	5.1%
a	13	5.1%
y	13	5.1%
b	13	5.1%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	253	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
N	55	21.7%
o	55	21.7%
e	39	15.4%
Y	26	10.3%
s	26	10.3%
M	13	5.1%
a	13	5.1%
y	13	5.1%
b	13	5.1%

How would you describe the noise in building generally

HIGH CORRELATION

Categorical

(This variable has a high correlation with 1 fields: How would describe noise at this moment.)

HIGH CORRELATION (This variable has a high correlation with 1 fields: How would describe noise at this moment.)

HIGH CORRELATION (This variable has a high correlation with 7 fields: Timestamp, Unnamed: 15, Unnamed: 16, How would describe noise at this moment , How easy is to get out of the building in emergency situation , Do you know the route to the nearest emergency door , How clean is your work-space .)

MISSING

Distinct

5

Distinct (%)

8.1%

Missing

34

Missing (%)

35.4%

Memory size

896.0 B

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	186
Distinct characters	7
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	1	?
Unique (%)	1.6%	?


Sample

1st row	4.0
2nd row	3.0
3rd row	4.0
4th row	4.0
5th row	2.0


Common Values

Value	Count	Frequency (%)
3.0	23	24.0%
4.0	22	22.9%
2.0	13	13.5%
5.0	3	3.1%
1.0	1	1.0%
(Missing)	34	35.4%

Length



Category Frequency Plot



Value	Count	Frequency (%)
3.0	23	37.1%
4.0	22	35.5%
2.0	13	21.0%
5.0	3	4.8%
1.0	1	1.6%

Most occurring characters

Value	Count	Frequency (%)
.	62	33.3%
0	62	33.3%
3	23	12.4%
4	22	11.8%
2	13	7.0%
5	3	1.6%
1	1	0.5%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	124	66.7%
Other Punctuation	62	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	62	50.0%
3	23	18.5%
4	22	17.7%
2	13	10.5%
5	3	2.4%
1	1	0.8%

Other Punctuation

Value	Count	Frequency (%)
.	62	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	186	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
.	62	33.3%
0	62	33.3%
3	23	12.4%
4	22	11.8%
2	13	7.0%
5	3	1.6%
1	1	0.5%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	186	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
.	62	33.3%
0	62	33.3%
3	23	12.4%
4	22	11.8%
2	13	7.0%
5	3	1.6%
1	1	0.5%

How would describe noise at this moment

HIGH CORRELATION

Categorical

(This variable has a high correlation with 1 fields: How would you describe the noise in building generally)

HIGH CORRELATION (This variable has a high correlation with 1 fields: How would you describe the noise in building generally)

HIGH CORRELATION (This variable has a high correlation with 4 fields: Timestamp, In average day how much time do you spend in the following types of space [Cafeteria], How would you describe the noise in building generally , How accessible is from the parking lot to the main door of the college)

MISSING

Distinct

5

Distinct (%)

5.3%

Missing

2

Missing (%)

2.1%

Memory size

896.0 B

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	282
Distinct characters	7
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	4.0
2nd row	3.0
3rd row	4.0
4th row	4.0
5th row	3.0


Common Values

Value	Count	Frequency (%)
4.0	28	29.2%
3.0	27	28.1%
2.0	27	28.1%
5.0	8	8.3%
1.0	4	4.2%
(Missing)	2	2.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
4.0	28	29.8%
3.0	27	28.7%
2.0	27	28.7%
5.0	8	8.5%
1.0	4	4.3%

Most occurring characters

Value	Count	Frequency (%)
.	94	33.3%
0	94	33.3%
4	28	9.9%
3	27	9.6%
2	27	9.6%
5	8	2.8%
1	4	1.4%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	188	66.7%
Other Punctuation	94	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	94	50.0%
4	28	14.9%
3	27	14.4%
2	27	14.4%
5	8	4.3%
1	4	2.1%

Other Punctuation

Value	Count	Frequency (%)
.	94	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	282	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
.	94	33.3%
0	94	33.3%
4	28	9.9%
3	27	9.6%
2	27	9.6%
5	8	2.8%
1	4	1.4%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	282	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
.	94	33.3%
0	94	33.3%
4	28	9.9%
3	27	9.6%
2	27	9.6%
5	8	2.8%
1	4	1.4%

Does the quality of air in this part of building have a negative effect on your work performance ?

Categorical

HIGH CORRELATION

(This variable has a high correlation with 10 fields: Timestamp, Room name and distribution, How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [Cafeteria], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], Do you have control over air condition system ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Is there availability of natural light , Are there blinds or shutters blocking the natural light ? , Do you have control over artificial lightning)

MISSING

Distinct

5

Distinct (%)

5.4%

Missing

3

Missing (%)

3.1%

Memory size

896.0 B

Length

Max length	12
Median length	10
Mean length	5.516129032
Min length	2

Characters and Unicode

Total characters	513
Distinct characters	17
Distinct categories	3
Distinct scripts	2
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	No
2nd row	No
3rd row	Yes
4th row	Yes
5th row	Yes


Common Values

Value	Count	Frequency (%)
No	33	34.4%
Yes	22	22.9%
little windy	18	18.8%
negligible	13	13.5%
Maybe	7	7.3%
(Missing)	3	3.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
no	33	29.7%
yes	22	19.8%
little	18	16.2%
windy	18	16.2%
negligible	13	11.7%
maybe	7	6.3%

Most occurring characters

Value	Count	Frequency (%)
e	73	14.2%
l	62	12.1%
i	49	9.6%
t	36	7.0%
N	33	6.4%
o	33	6.4%
n	31	6.0%
g	26	5.1%
y	25	4.9%
Y	22	4.3%
Other values (7)	123	24.0%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	433	84.4%
Uppercase Letter	62	12.1%
Space Separator	18	3.5%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
e	73	16.9%
l	62	14.3%
i	49	11.3%
t	36	8.3%
o	33	7.6%
n	31	7.2%
g	26	6.0%
y	25	5.8%
s	22	5.1%
b	20	4.6%
Other values (3)	56	12.9%

Uppercase Letter

Value	Count	Frequency (%)
N	33	53.2%
Y	22	35.5%
M	7	11.3%

Space Separator

Value	Count	Frequency (%)
	18	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	495	96.5%
Common	18	3.5%

Most frequent character per script

Latin

Value	Count	Frequency (%)
e	73	14.7%
l	62	12.5%
i	49	9.9%
t	36	7.3%
N	33	6.7%
o	33	6.7%
n	31	6.3%
g	26	5.3%
y	25	5.1%
Y	22	4.4%
Other values (6)	105	21.2%

Common

Value	Count	Frequency (%)
	18	100.0%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	513	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
e	73	14.2%
l	62	12.1%
i	49	9.6%
t	36	7.0%
N	33	6.4%
o	33	6.4%
n	31	6.0%
g	26	5.1%
y	25	4.9%
Y	22	4.3%
Other values (7)	123	24.0%

Do you smell odor or unusual smell in your work-space ?

Categorical

HIGH CORRELATION

(This variable has a high correlation with 2 fields: In average day how much time do you spend in the following types of space [Cafeteria], Is there significant distraction from background noise (machine and undefined noise sources)?)

MISSING

Distinct

3

Distinct (%)

3.3%

Missing

4

Missing (%)

4.2%

Memory size

896.0 B

Length

Max length	5
Median length	2
Mean length	2.554347826
Min length	2

Characters and Unicode

Total characters	235
Distinct characters	9
Distinct categories	2
Distinct scripts	1
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	No
2nd row	No
3rd row	No
4th row	No
5th row	No


Common Values

Value	Count	Frequency (%)
No	63	65.6%
Yes	18	18.8%
Maybe	11	11.5%
(Missing)	4	4.2%

Length



Category Frequency Plot



Value	Count	Frequency (%)
no	63	68.5%
yes	18	19.6%
maybe	11	12.0%

Most occurring characters

Value	Count	Frequency (%)
N	63	26.8%
o	63	26.8%
e	29	12.3%
Y	18	7.7%
s	18	7.7%
M	11	4.7%
a	11	4.7%
y	11	4.7%
b	11	4.7%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	143	60.9%
Uppercase Letter	92	39.1%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
o	63	44.1%
e	29	20.3%
s	18	12.6%
a	11	7.7%
y	11	7.7%
b	11	7.7%

Uppercase Letter

Value	Count	Frequency (%)
N	63	68.5%
Y	18	19.6%
M	11	12.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	235	100.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
N	63	26.8%
o	63	26.8%
e	29	12.3%
Y	18	7.7%
s	18	7.7%
M	11	4.7%
a	11	4.7%
y	11	4.7%
b	11	4.7%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	235	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
N	63	26.8%
o	63	26.8%
e	29	12.3%
Y	18	7.7%
s	18	7.7%
M	11	4.7%
a	11	4.7%
y	11	4.7%
b	11	4.7%

Do you feel sleepy or headache when you get to your work-space ?

Categorical

HIGH CORRELATION

(This variable has a high correlation with 4 fields: Occupation , Age, How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [Lecture room]).

MISSING

Distinct

3

Distinct (%)

3.2%

Missing

2

Missing (%)

2.1%

Memory size

896.0 B

Length

Max length	5
Median length	3
Mean length	2.946808511
Min length	2

Characters and Unicode

Total characters	277
Distinct characters	9
Distinct categories	2
Distinct scripts	1
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Maybe
2nd row	Yes
3rd row	No
4th row	No
5th row	Maybe


Common Values

Value	Count	Frequency (%)
No	43	44.8%
Yes	32	33.3%
Maybe	19	19.8%
(Missing)	2	2.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
no	43	45.7%
yes	32	34.0%
maybe	19	20.2%

Most occurring characters

Value	Count	Frequency (%)
e	51	18.4%
N	43	15.5%
o	43	15.5%
Y	32	11.6%
s	32	11.6%
M	19	6.9%
a	19	6.9%
y	19	6.9%
b	19	6.9%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	183	66.1%
Uppercase Letter	94	33.9%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
e	51	27.9%
o	43	23.5%
s	32	17.5%
a	19	10.4%
y	19	10.4%
b	19	10.4%

Uppercase Letter

Value	Count	Frequency (%)
N	43	45.7%
Y	32	34.0%
M	19	20.2%

Most occurring scripts

Value	Count	Frequency (%)
Latin	277	100.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
e	51	18.4%
N	43	15.5%
o	43	15.5%
Y	32	11.6%
s	32	11.6%
M	19	6.9%
a	19	6.9%
y	19	6.9%
b	19	6.9%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	277	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
e	51	18.4%
N	43	15.5%
o	43	15.5%
Y	32	11.6%
s	32	11.6%
M	19	6.9%
a	19	6.9%
y	19	6.9%
b	19	6.9%

Do you have control over air condition system ?HIGH CORRELATION

(This variable has a high correlation with 9 fields: Room name and distribution, How long do you spend in the building during the day , Does the quality of air in this part of building have a negative effect on your work performance ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Is there availability of natural light , Are there blinds or shutters blocking the natural light ? , Do you have control over artificial lightning , Unnamed: 29, Do you know the route to the nearest emergency door)

MISSING

Distinct	11
Distinct (%)	11.8%
Missing	3
Missing (%)	3.1%
Memory size	896.0 B

Length

Max length	5
Median length	3
Mean length	2.193548387
Min length	1

Characters and Unicode

Total characters	204
Distinct characters	16
Distinct categories	3 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Yes
2nd row	Yes
3rd row	Maybe
4th row	Yes
5th row	Maybe

Common Values

Value	Count	Frequency (%)
Yes	17	17.7%
no	17	17.7%
No	16	16.7%
4	12	12.5%
3	11	11.5%
Maybe	8	8.3%
1	4	4.2%
yes	2	2.1%
maybe	2	2.1%
5	2	2.1%
(Missing)	3	3.1%

Length



Value	Count	Frequency (%)
no	33	35.5%
yes	19	20.4%
4	12	12.9%
3	11	11.8%
maybe	10	10.8%
1	4	4.3%
5	2	2.2%
2	2	2.2%

Most occurring characters

Value	Count	Frequency (%)
o	33	16.2%
e	29	14.2%
s	19	9.3%
Y	17	8.3%
n	17	8.3%
N	16	7.8%
4	12	5.9%
y	12	5.9%
3	11	5.4%
a	10	4.9%
Other values (6)	28	13.7%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	132	64.7%
Uppercase Letter	41	20.1%
Decimal Number	31	15.2%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
o	33	25.0%
e	29	22.0%
s	19	14.4%
n	17	12.9%
y	12	9.1%
a	10	7.6%
b	10	7.6%
m	2	1.5%

Decimal Number

Value	Count	Frequency (%)
4	12	38.7%
3	11	35.5%
1	4	12.9%
5	2	6.5%
2	2	6.5%

Uppercase Letter

Value	Count	Frequency (%)
Y	17	41.5%
N	16	39.0%
M	8	19.5%

Most occurring scripts

Value	Count	Frequency (%)
Latin	173	84.8%
Common	31	15.2%

Most frequent character per script

Latin

Value	Count	Frequency (%)
o	33	19.1%
e	29	16.8%
s	19	11.0%
Y	17	9.8%
n	17	9.8%
N	16	9.2%
y	12	6.9%
a	10	5.8%
b	10	5.8%
M	8	4.6%

Common

Value	Count	Frequency (%)
4	12	38.7%
3	11	35.5%
1	4	12.9%
5	2	6.5%
2	2	6.5%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	204	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
o	33	16.2%
e	29	14.2%
s	19	9.3%
Y	17	8.3%
n	17	8.3%
N	16	7.8%
4	12	5.9%
y	12	5.9%
3	11	5.4%
a	10	4.9%
Other values (6)	28	13.7%

How would you describe the ventilation and air quality of building

Categorical

HIGH CORRELATION

(This variable has a high correlation with 4 fields: Timestamp, In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [working at computer (average hours per day)], How is easy to go from one floor to another)

MISSING

Distinct

5

Distinct (%)

11.9%

Missing

54

Missing (%)

56.2%

Memory size

896.0 B

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	126
Distinct characters	7
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	1	?
Unique (%)	2.4%	?


Sample

1st row	1.0
2nd row	2.0
3rd row	3.0
4th row	1.0
5th row	2.0


Common Values

Value	Count	Frequency (%)
3.0	20	20.8%
2.0	15	15.6%
4.0	4	4.2%
1.0	2	2.1%
5.0	1	1.0%
(Missing)	54	56.2%

Length



Category Frequency Plot



Value	Count	Frequency (%)
3.0	20	47.6%
2.0	15	35.7%
4.0	4	9.5%
1.0	2	4.8%
5.0	1	2.4%

Most occurring characters

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
3	20	15.9%
2	15	11.9%
4	4	3.2%
1	2	1.6%
5	1	0.8%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	84	66.7%
Other Punctuation	42	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	42	50.0%
3	20	23.8%
2	15	17.9%
4	4	4.8%
1	2	2.4%
5	1	1.2%

Other Punctuation

Value	Count	Frequency (%)
.	42	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	126	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
3	20	15.9%
2	15	11.9%
4	4	3.2%
1	2	1.6%
5	1	0.8%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	126	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
3	20	15.9%
2	15	11.9%
4	4	3.2%
1	2	1.6%
5	1	0.8%

Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space)

Categorical

HIGH CORRELATION

(This variable has a high correlation with 9 fields: Timestamp, How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [STU], Unnamed: 16, Does the quality of air in this part of building have a negative effect on your work performance ?, Do you have control over air condition system ?, Is there availability of natural light , Are there blinds or shutters blocking the natural light ?, Do you have control over artificial lightning)

MISSING

Distinct

8

Distinct (%)

8.6%

Missing

3

Missing (%)

3.1%

Memory size

896.0 B

Length

Max length	5
Median length	3
Mean length	2.279569892
Min length	1

Characters and Unicode

Total characters	212
Distinct characters	14
Distinct categories	3 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	2 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	1	?
Unique (%)	1.1%	?


Sample

1st row	No
2nd row	Maybe
3rd row	No
4th row	Yes
5th row	Yes


Common Values

Value	Count	Frequency (%)
No	27	28.1%
Yes	24	25.0%
Maybe	11	11.5%
5	10	10.4%
4	10	10.4%
3	8	8.3%
2	2	2.1%
1	1	1.0%
(Missing)	3	3.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
no	27	29.0%
yes	24	25.8%
maybe	11	11.8%
5	10	10.8%
4	10	10.8%
3	8	8.6%
2	2	2.2%
1	1	1.1%

Most occurring characters

Value	Count	Frequency (%)
e	35	16.5%
N	27	12.7%
o	27	12.7%
Y	24	11.3%
s	24	11.3%
M	11	5.2%
a	11	5.2%
y	11	5.2%
b	11	5.2%
5	10	4.7%
Other values (4)	21	9.9%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	119	56.1%
Uppercase Letter	62	29.2%
Decimal Number	31	14.6%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
e	35	29.4%
o	27	22.7%
s	24	20.2%
a	11	9.2%
y	11	9.2%
b	11	9.2%

Decimal Number

Value	Count	Frequency (%)
5	10	32.3%
4	10	32.3%
3	8	25.8%
2	2	6.5%
1	1	3.2%

Uppercase Letter

Value	Count	Frequency (%)
N	27	43.5%
Y	24	38.7%
M	11	17.7%

Most occurring scripts

Value	Count	Frequency (%)
Latin	181	85.4%
Common	31	14.6%

Most frequent character per script

Latin

Value	Count	Frequency (%)
e	35	19.3%
N	27	14.9%
o	27	14.9%
Y	24	13.3%
s	24	13.3%
M	11	6.1%
a	11	6.1%
y	11	6.1%
b	11	6.1%

Common

Value	Count	Frequency (%)
5	10	32.3%
4	10	32.3%
3	8	25.8%
2	2	6.5%
1	1	3.2%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	212	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
e	35	16.5%
N	27	12.7%
o	27	12.7%
Y	24	11.3%
s	24	11.3%
M	11	5.2%
a	11	5.2%
y	11	5.2%
b	11	5.2%
5	10	4.7%
Other values (4)	21	9.9%

Is there availability of natural light

Categorical

HIGH CORRELATION

(This variable has a high correlation with 8 fields: Timestamp, Room name and distribution, Unnamed: 15, Does the quality of air in this part of building have a negative effect on your work performance ?, Do you have control over air condition system ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), How accessible is from the parking lot to the main door of the college , How is easy to go from one floor to another)

MISSING

Distinct

5

Distinct (%)

5.3%

Missing

2

Missing (%)

2.1%

Memory size

896.0 B

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	282
Distinct characters	7
Distinct categories	2
Distinct scripts	1
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	2.0
2nd row	1.0
3rd row	1.0
4th row	2.0
5th row	4.0


Common Values

Value	Count	Frequency (%)
3.0	27	28.1%
4.0	20	20.8%
2.0	19	19.8%
1.0	17	17.7%
5.0	11	11.5%
(Missing)	2	2.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
3.0	27	28.7%
4.0	20	21.3%
2.0	19	20.2%
1.0	17	18.1%
5.0	11	11.7%

Most occurring characters

Value	Count	Frequency (%)
.	94	33.3%
0	94	33.3%
3	27	9.6%
4	20	7.1%
2	19	6.7%
1	17	6.0%
5	11	3.9%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	188	66.7%
Other Punctuation	94	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	94	50.0%
3	27	14.4%
4	20	10.6%
2	19	10.1%
1	17	9.0%
5	11	5.9%

Other Punctuation

Value	Count	Frequency (%)
.	94	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	282	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
.	94	33.3%
0	94	33.3%
3	27	9.6%
4	20	7.1%
2	19	6.7%
1	17	6.0%
5	11	3.9%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	282	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
.	94	33.3%
0	94	33.3%
3	27	9.6%
4	20	7.1%
2	19	6.7%
1	17	6.0%
5	11	3.9%

Are there blinds or shutters blocking the natural light ?

Categorical

HIGH CORRELATION

(This variable has a high correlation with 8 fields: Timestamp, Room name and distribution, How long do you spend in the building during the day , Unnamed: 15, Does the quality of air in this part of building have a negative effect on your work performance ?, Do you have control over air condition system ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Do you have control over artificial lightning)

MISSING

Distinct

4

Distinct (%)

4.3%

Missing

2

Missing (%)

2.1%

Memory size

896.0 B

Length

Max length	5
Median length	3
Mean length	2.968085106
Min length	2

Characters and Unicode

Total characters	279
Distinct characters	9
Distinct categories	2
Distinct scripts	1
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Maybe
2nd row	Maybe
3rd row	Yes
4th row	No
5th row	No


Common Values

Value	Count	Frequency (%)
Yes	29	30.2%
No	29	30.2%
yes	23	24.0%
Maybe	13	13.5%
(Missing)	2	2.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
yes	52	55.3%
no	29	30.9%
maybe	13	13.8%

Most occurring characters

Value	Count	Frequency (%)
e	65	23.3%
s	52	18.6%
y	36	12.9%
Y	29	10.4%
N	29	10.4%
o	29	10.4%
M	13	4.7%
a	13	4.7%
b	13	4.7%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	208	74.6%
Uppercase Letter	71	25.4%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
e	65	31.2%
s	52	25.0%
y	36	17.3%
o	29	13.9%
a	13	6.2%
b	13	6.2%

Uppercase Letter

Value	Count	Frequency (%)
Y	29	40.8%
N	29	40.8%
M	13	18.3%

Most occurring scripts

Value	Count	Frequency (%)
Latin	279	100.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
e	65	23.3%
s	52	18.6%
y	36	12.9%
Y	29	10.4%
N	29	10.4%
o	29	10.4%
M	13	4.7%
a	13	4.7%
b	13	4.7%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	279	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
e	65	23.3%
s	52	18.6%
y	36	12.9%
Y	29	10.4%
N	29	10.4%
o	29	10.4%
M	13	4.7%
a	13	4.7%
b	13	4.7%

Do you have control over artificial lightning

Categorical

HIGH CORRELATION

(This variable has a high correlation with 9 fields: Timestamp, How long do you spend in the building during the day , In average day how much time do you spend in the following types of space [Lecture room], In average day how much time do you spend in the following types of space [Cafeteria], Does the quality of air in this part of building have a negative effect on your work performance ?, Do you have control over air condition system ?, Does the quality of light in this part of building have a negative effect on your work performance ? (do you feel you need more light in your space), Are there blinds or shutters blocking the natural light ? , On which floor is your work space located (work space is the place where you spend most of the time))

MISSING

Distinct	8
Distinct (%)	8.5%
Missing	2
Missing (%)	2.1%
Memory size	896.0 B

Length

Max length	5
Median length	3
Mean length	2.436170213
Min length	1

Characters and Unicode

Total characters	229
Distinct characters	14
Distinct categories	3
Distinct scripts	2
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Yes
2nd row	No
3rd row	Yes
4th row	Yes
5th row	Yes


Common Values

Value	Count	Frequency (%)
Yes	45	46.9%
3	18	18.8%
No	9	9.4%
Maybe	9	9.4%
5	5	5.2%
4	4	4.2%
1	2	2.1%
2	2	2.1%
(Missing)	2	2.1%

Length



Category Frequency Plot



Value	Count	Frequency (%)
yes	45	47.9%
3	18	19.1%
no	9	9.6%
maybe	9	9.6%
5	5	5.3%
4	4	4.3%
1	2	2.1%
2	2	2.1%

Most occurring characters

Value	Count	Frequency (%)
e	54	23.6%
Y	45	19.7%
s	45	19.7%
3	18	7.9%
N	9	3.9%
o	9	3.9%
M	9	3.9%
a	9	3.9%
y	9	3.9%
b	9	3.9%
Other values (4)	13	5.7%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	135	59.0%
Uppercase Letter	63	27.5%
Decimal Number	31	13.5%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
e	54	40.0%
s	45	33.3%
o	9	6.7%
a	9	6.7%
y	9	6.7%
b	9	6.7%

Decimal Number

Value	Count	Frequency (%)
3	18	58.1%
5	5	16.1%
4	4	12.9%
1	2	6.5%
2	2	6.5%

Uppercase Letter

Value	Count	Frequency (%)
Y	45	71.4%
N	9	14.3%
M	9	14.3%

Most occurring scripts

Value	Count	Frequency (%)
Latin	198	86.5%
Common	31	13.5%

Most frequent character per script

Latin

Value	Count	Frequency (%)
e	54	27.3%
Y	45	22.7%
s	45	22.7%
N	9	4.5%
o	9	4.5%
M	9	4.5%
a	9	4.5%
y	9	4.5%
b	9	4.5%

Common

Value	Count	Frequency (%)
3	18	58.1%
5	5	16.1%
4	4	12.9%
1	2	6.5%
2	2	6.5%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	229	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
e	54	23.6%
Y	45	19.7%
s	45	19.7%
3	18	7.9%
N	9	3.9%
o	9	3.9%
M	9	3.9%
a	9	3.9%
y	9	3.9%
b	9	3.9%
Other values (4)	13	5.7%

Unnamed: 29

Boolean

(This variable has a high correlation with 3 fields: Timestamp, How long do you spend in the building during the day , Do you have control over air condition system ?)

HIGH CORRELATION

MISSING

Distinct

2

Distinct (%)

3.8%

Missing

44


Missing (%)

45.8%

Memory size

320.0 B

Value	Count	Frequency (%)
False	46	47.9%
True	6	6.2%
(Missing)	44	45.8%



■ False
■ True

On which floor is your work space located (work space is the place where you spend most of the time)

HIGH CORRELATION

Categorical

(This variable has a high correlation with 4 fields: Timestamp, Age, Unnamed: 8, Do you have control over artificial lightning)

MISSING

Distinct

3

Distinct (%)

7.5%

Missing

56

Missing (%)

58.3%

Memory size

896.0 B

Length

Max length	12
Median length	11
Mean length	11.275
Min length	11

Characters and Unicode

Total characters	451
Distinct characters	15
Distinct categories	3
Distinct scripts	2
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	First Floor
2nd row	Second Floor
3rd row	First Floor
4th row	First Floor
5th row	First Floor


Common Values

Value	Count	Frequency (%)
First Floor	29	30.2%
Second Floor	6	6.2%
Ground Floor	5	5.2%
(Missing)	56	58.3%

Length



Category Frequency Plot



Value	Count	Frequency (%)
floor	40	50.0%
first	29	36.2%
second	6	7.5%
ground	5	6.2%

Most occurring characters

Value	Count	Frequency (%)
o	91	20.2%
r	74	16.4%
F	69	15.3%
	40	8.9%
I	40	8.9%
i	29	6.4%
s	29	6.4%
t	29	6.4%
n	11	2.4%
d	11	2.4%
Other values (5)	28	6.2%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	331	73.4%
Uppercase Letter	80	17.7%
Space Separator	40	8.9%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
o	91	27.5%
r	74	22.4%
l	40	12.1%
i	29	8.8%
s	29	8.8%
t	29	8.8%
n	11	3.3%
d	11	3.3%
e	6	1.8%
c	6	1.8%

Uppercase Letter

Value	Count	Frequency (%)
F	69	86.2%
S	6	7.5%
G	5	6.2%

Space Separator

Value	Count	Frequency (%)
	40	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Latin	411	91.1%
Common	40	8.9%

Most frequent character per script

Latin

Value	Count	Frequency (%)
o	91	22.1%
r	74	18.0%
F	69	16.8%
I	40	9.7%
i	29	7.1%
s	29	7.1%
t	29	7.1%
n	11	2.7%
d	11	2.7%
S	6	1.5%
Other values (4)	22	5.4%

Common

Value	Count	Frequency (%)
	40	100.0%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	451	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
o	91	20.2%
r	74	16.4%
F	69	15.3%
I	40	8.9%
i	29	6.4%
s	29	6.4%
t	29	6.4%
n	11	2.4%
d	11	2.4%
Other values (5)	28	6.2%

How accessible is from the parking lot to the main door of the college

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Timestamp, How would describe noise at this moment , Is there availability of natural light)

MISSING

Distinct

5

Distinct (%)

11.9%

Missing

54

Missing (%)

56.2%

Memory size

896.0 B

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	126
Distinct characters	7
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	4.0
2nd row	3.0
3rd row	5.0
4th row	3.0
5th row	2.0


Common Values

Value	Count	Frequency (%)
3.0	16	16.7%
2.0	9	9.4%
4.0	8	8.3%
1.0	5	5.2%
5.0	4	4.2%
(Missing)	54	56.2%

Length



Category Frequency Plot



Value	Count	Frequency (%)
3.0	16	38.1%
2.0	9	21.4%
4.0	8	19.0%
1.0	5	11.9%
5.0	4	9.5%

Most occurring characters

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
3	16	12.7%
2	9	7.1%
4	8	6.3%
1	5	4.0%
5	4	3.2%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	84	66.7%
Other Punctuation	42	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	42	50.0%
3	16	19.0%
2	9	10.7%
4	8	9.5%
1	5	6.0%
5	4	4.8%

Other Punctuation

Value	Count	Frequency (%)
.	42	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	126	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
3	16	12.7%
2	9	7.1%
4	8	6.3%
1	5	4.0%
5	4	3.2%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	126	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
3	16	12.7%
2	9	7.1%
4	8	6.3%
1	5	4.0%
5	4	3.2%

How is easy to go from one floor to another

Categorical

HIGH CORRELATION

(This variable has a high correlation with 4 fields: Timestamp, How would you describe the ventilation and air quality of building , Is there availability of natural light , How easy is the horizontal circulation (moving in the corridors))

MISSING

Distinct

5

Distinct (%)

11.9%

Missing

54

Missing (%)

56.2%

Memory size

896.0 B

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	126
Distinct characters	7
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	2.0
2nd row	3.0
3rd row	5.0
4th row	5.0
5th row	3.0


Common Values

Value	Count	Frequency (%)
4.0	15	15.6%
3.0	11	11.5%
5.0	9	9.4%
2.0	4	4.2%
1.0	3	3.1%
(Missing)	54	56.2%

Length



Category Frequency Plot



Value	Count	Frequency (%)
4.0	15	35.7%
3.0	11	26.2%
5.0	9	21.4%
2.0	4	9.5%
1.0	3	7.1%

Most occurring characters

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
4	15	11.9%
3	11	8.7%
5	9	7.1%
2	4	3.2%
1	3	2.4%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	84	66.7%
Other Punctuation	42	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	42	50.0%
4	15	17.9%
3	11	13.1%
5	9	10.7%
2	4	4.8%
1	3	3.6%

Other Punctuation

Value	Count	Frequency (%)
.	42	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	126	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
4	15	11.9%
3	11	8.7%
5	9	7.1%
2	4	3.2%
1	3	2.4%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	126	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
4	15	11.9%
3	11	8.7%
5	9	7.1%
2	4	3.2%
1	3	2.4%

How easy is the horizontal circulation (moving in the corridors)

Categorical

HIGH CORRELATION

(This variable has a high correlation with 5 fields: Timestamp, Room name and distribution, How is easy to go from one floor to another , How easy is to get out of the building in emergency situation , How would you rate the level of cleanliness of the building)

MISSING

Distinct

5

Distinct (%)

11.9%

Missing

54

Missing (%)

56.2%

Memory size

896.0 B

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	126
Distinct characters	7
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	1	?
Unique (%)	2.4%	?


Sample

1st row	4.0
2nd row	2.0
3rd row	5.0
4th row	5.0
5th row	4.0


Common Values

Value	Count	Frequency (%)
4.0	15	15.6%
2.0	10	10.4%
3.0	9	9.4%
5.0	7	7.3%
1.0	1	1.0%
(Missing)	54	56.2%

Length



Category Frequency Plot



Value	Count	Frequency (%)
4.0	15	35.7%
2.0	10	23.8%
3.0	9	21.4%
5.0	7	16.7%
1.0	1	2.4%

Most occurring characters

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
4	15	11.9%
2	10	7.9%
3	9	7.1%
5	7	5.6%
1	1	0.8%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	84	66.7%
Other Punctuation	42	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	42	50.0%
4	15	17.9%
2	10	11.9%
3	9	10.7%
5	7	8.3%
1	1	1.2%

Other Punctuation

Value	Count	Frequency (%)
.	42	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	126	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
4	15	11.9%
2	10	7.9%
3	9	7.1%
5	7	5.6%
1	1	0.8%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	126	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
4	15	11.9%
2	10	7.9%
3	9	7.1%
5	7	5.6%
1	1	0.8%

How easy is to get out of the building in emergency situation

Categorical

HIGH CORRELATION

(This variable has a high correlation with 4 fields: Room name and distribution, In average day how much time do you spend in the following types of space [Office], How would you describe the noise in building generally , How easy is the horizontal circulation (moving in the corridors))

MISSING

Distinct

5

Distinct (%)

11.9%

Missing

54

Missing (%)

56.2%

Memory size

896.0 B

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	126
Distinct characters	7
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	3.0
2nd row	4.0
3rd row	5.0
4th row	4.0
5th row	1.0


Common Values

Value	Count	Frequency (%)
5.0	16	16.7%
3.0	10	10.4%
4.0	10	10.4%
2.0	4	4.2%
1.0	2	2.1%
(Missing)	54	56.2%

Length



Category Frequency Plot



Value	Count	Frequency (%)
5.0	16	38.1%
3.0	10	23.8%
4.0	10	23.8%
2.0	4	9.5%
1.0	2	4.8%

Most occurring characters

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
5	16	12.7%
3	10	7.9%
4	10	7.9%
2	4	3.2%
1	2	1.6%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	84	66.7%
Other Punctuation	42	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	42	50.0%
5	16	19.0%
3	10	11.9%
4	10	11.9%
2	4	4.8%
1	2	2.4%

Other Punctuation

Value	Count	Frequency (%)
.	42	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	126	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
5	16	12.7%
3	10	7.9%
4	10	7.9%
2	4	3.2%
1	2	1.6%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	126	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
5	16	12.7%
3	10	7.9%
4	10	7.9%
2	4	3.2%
1	2	1.6%

Do you know the route to the nearest emergency door

Categorical

HIGH CORRELATION

(This variable has a high correlation with 3 fields: Please select which one describe your clothing , How would you describe the noise in building generally , Do you have control over air condition system ?)

MISSING

Distinct

3

Distinct (%)

7.3%

Missing

55

Missing (%)

57.3%

Memory size

896.0 B

Length

Max length	5
Median length	3
Mean length	3.219512195
Min length	2

Characters and Unicode

Total characters	132
Distinct characters	9
Distinct categories	2
Distinct scripts	1
Distinct blocks	1

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	Yes
2nd row	Yes
3rd row	Yes
4th row	Yes
5th row	Maybe


Common Values

Value	Count	Frequency (%)
Yes	32	33.3%
Maybe	6	6.2%
No	3	3.1%
(Missing)	55	57.3%

Length



Category Frequency Plot



Value	Count	Frequency (%)
yes	32	78.0%
maybe	6	14.6%
no	3	7.3%

Most occurring characters

Value	Count	Frequency (%)
e	38	28.8%
Y	32	24.2%
s	32	24.2%
M	6	4.5%
a	6	4.5%
y	6	4.5%
b	6	4.5%
N	3	2.3%
o	3	2.3%

Most occurring categories

Value	Count	Frequency (%)
Lowercase Letter	91	68.9%
Uppercase Letter	41	31.1%

Most frequent character per category

Lowercase Letter

Value	Count	Frequency (%)
e	38	41.8%
s	32	35.2%
a	6	6.6%
y	6	6.6%
b	6	6.6%
o	3	3.3%

Uppercase Letter

Value	Count	Frequency (%)
Y	32	78.0%
M	6	14.6%
N	3	7.3%

Most occurring scripts

Value	Count	Frequency (%)
Latin	132	100.0%

Most frequent character per script

Latin

Value	Count	Frequency (%)
e	38	28.8%
Y	32	24.2%
s	32	24.2%
M	6	4.5%
a	6	4.5%
y	6	4.5%
b	6	4.5%
N	3	2.3%
o	3	2.3%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	132	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
e	38	28.8%
Y	32	24.2%
s	32	24.2%
M	6	4.5%
a	6	4.5%
y	6	4.5%
b	6	4.5%
N	3	2.3%
o	3	2.3%

How would you rate the level of cleanliness of the building

Categorical

HIGH CORRELATION

(This variable has a high correlation with 1 fields: How clean is your work-space)

HIGH CORRELATION (This variable has a high correlation with 1 fields: How clean is your work-space)

HIGH CORRELATION (This variable has a high correlation with 2 fields: How easy is the horizontal circulation (moving in the corridors), How clean is your work-space)

MISSING

Distinct

5

Distinct (%)

11.9%

Missing

54

Missing (%)

56.2%

Memory size

896.0 B

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	126
Distinct characters	7
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	3.0
2nd row	3.0
3rd row	1.0
4th row	2.0
5th row	4.0


Common Values

Value	Count	Frequency (%)
2.0	12	12.5%
1.0	11	11.5%
3.0	9	9.4%
4.0	8	8.3%
5.0	2	2.1%
(Missing)	54	56.2%

Length



Category Frequency Plot



Value	Count	Frequency (%)
2.0	12	28.6%
1.0	11	26.2%
3.0	9	21.4%
4.0	8	19.0%
5.0	2	4.8%

Most occurring characters

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
2	12	9.5%
1	11	8.7%
3	9	7.1%
4	8	6.3%
5	2	1.6%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	84	66.7%
Other Punctuation	42	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	42	50.0%
2	12	14.3%
1	11	13.1%
3	9	10.7%
4	8	9.5%
5	2	2.4%

Other Punctuation

Value	Count	Frequency (%)
.	42	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	126	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
2	12	9.5%
1	11	8.7%
3	9	7.1%
4	8	6.3%
5	2	1.6%

Most occurring blocks

Value	Count	Frequency (%)
ASCII	126	100.0%

Most frequent character per block

ASCII

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
2	12	9.5%
1	11	8.7%
3	9	7.1%
4	8	6.3%
5	2	1.6%

How clean is your work-space

Categorical

HIGH CORRELATION

(This variable has a high correlation with 1 fields: How would you rate the level of cleanliness of the building)

HIGH CORRELATION (This variable has a high correlation with 1 fields: How would you rate the level of cleanliness of the building)

HIGH CORRELATION (This variable has a high correlation with 3 fields: Please select which one describe your clothing , How would you describe the noise in building generally , How would you rate the level of cleanliness of the building)

MISSING

Distinct

5

Distinct (%)

11.9%

Missing

54

Missing (%)

56.2%

Memory size

896.0 B

Length

Max length	3
Median length	3
Mean length	3
Min length	3

Characters and Unicode

Total characters	126
Distinct characters	7
Distinct categories	2 (https://en.wikipedia.org/wiki/Unicode_character_property#General_Category)
Distinct scripts	1 (https://en.wikipedia.org/wiki/Script_(Unicode)#List_of_scripts_in_Unicode)
Distinct blocks	1 (https://en.wikipedia.org/wiki/Unicode_block)

The Unicode Standard assigns character properties to each code point, which can be used to analyse textual variables.

Unique

Unique	0	?
Unique (%)	0.0%	?


Sample

1st row	4.0
2nd row	3.0
3rd row	2.0
4th row	1.0
5th row	5.0


Common Values

Value	Count	Frequency (%)
2.0	15	15.6%
3.0	13	13.5%
1.0	7	7.3%
4.0	5	5.2%
5.0	2	2.1%
(Missing)	54	56.2%

Length



Category Frequency Plot



Value	Count	Frequency (%)
2.0	15	35.7%
3.0	13	31.0%
1.0	7	16.7%
4.0	5	11.9%
5.0	2	4.8%

Most occurring characters

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
2	15	11.9%
3	13	10.3%
1	7	5.6%
4	5	4.0%
5	2	1.6%

Most occurring categories

Value	Count	Frequency (%)
Decimal Number	84	66.7%
Other Punctuation	42	33.3%

Most frequent character per category

Decimal Number

Value	Count	Frequency (%)
0	42	50.0%
2	15	17.9%
3	13	15.5%
1	7	8.3%
4	5	6.0%
5	2	2.4%

Other Punctuation

Value	Count	Frequency (%)
.	42	100.0%

Most occurring scripts

Value	Count	Frequency (%)
Common	126	100.0%

Most frequent character per script

Common

Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
2	15	11.9%
3	13	10.3%
1	7	5.6%
4	5	4.0%
5	2	1.6%

Most occurring blocks


Value	Count	Frequency (%)
ASCII	126	100.0%


Most frequent character per block


ASCII


Value	Count	Frequency (%)
.	42	33.3%
0	42	33.3%
2	15	11.9%
3	13	10.3%
1	7	5.6%
4	5	4.0%
5	2	1.6%

Correlations












Missing values




A simple visualization of nullity by column.



Nullity matrix is a data-dense display which lets you quickly visually pick out patterns in data completion.



The correlation heatmap measures nullity correlation: how strongly the presence or absence of one variable affects the presence of another.



The dendrogram allows you to more fully correlate variable completion, revealing trends deeper than the pairwise ones visible in the correlation heatmap.

Sample

First rows

	Timestamp	Room name and distribution	Gender	Occupation	Age	Your Wieght.	Please select which one describe your clothing	How long do you spend in the building du
0	3/30/2019 15:27	STU203	Male	Occ01	Age01	Wieg05	Dress_213	Period_07
1	3/30/2019 16:14	STU203	Male	Occ01	Age01	Wieg05	Dress_364	Period_07
2	3/30/2019 16:15	STU203	Male	Occ01	Age01	Wieg06	Dress_94	Period_07
3	3/30/2019 17:13	STU203	Male	Occ01	Age01	Wieg06	Dress_220	Period_07
4	3/30/2019 17:19	STU203	Male	Occ01	Age01	Wieg03	Dress_213	Period_09
5	3/30/2019 17:19	STU203	Male	Occ01	Age01	Wieg04	Dress_95	Period_07
6	3/30/2019 17:20	STU203	Male	Occ01	Age01	Wieg03	Dress_364	Period_08
7	3/30/2019 17:20	STU203	Male	Occ01	Age01	Wieg02	Dress_213	Period_07
8	3/30/2019 17:28	STHousing	Male	Occ01	Age01	Wieg01	Dress_220	Period_09
9	3/30/2019 17:30	STU203	Male	Occ01	Age01	Wieg01	Dress_192	Period_09

Last rows

	Timestamp	Room name and distribution	Gender	Occupation	Age	Your Wieght.	Please select which one describe your clothing	How long do you spend in the building c
86	4/10/2019 11:45	STU211	Male	Occ01	Age01	Wieg02	Dress_213	Period_05
87	4/10/2019 11:57	STU211	Male	Occ01	Age01	Wieg05	Dress_364	Period_04
88	4/10/2019 12:00	STU211	Male	Occ01	Age01	Wieg01	Dress_213	Period_05
89	4/10/2019 12:15	STU211	Male	Occ01	Age01	Wieg01	Dress_364	Period_02
90	4/10/2019 13:23	STU211	Male	Occ01	Age01	Wieg02	Dress_220	Period_03
91	4/10/2019 13:27	STU211	Male	Occ01	Age01	Wieg04	Dress_365	Period_03
92	4/10/2019 13:35	STU211	Male	Occ01	Age01	Wieg05	Dress_365	Period_03
93	4/10/2019 13:44	STU211	Male	Occ01	Age01	Wieg01	Dress_220	Period_03
94	4/10/2019 14:45	STU211	Male	Occ01	Age02	Wieg02	Dress_365	Period_05
95	4/10/2019 16:37	STU211	Male	Occ02	Age03	Wieg05	Dress_213	Period_05

Report generated with pandas-profiling (<https://github.com/pandas-profiling/pandas-profiling>).