Multbiplot (vinos)

Yoselin Merari Medel Colorado

2022-05-17

BIPLOT

Instalación de paquetes

```
install.packages("MultBiplotR")
library(MultBiplotR)
```

Reconocimiento de la matriz de datos

```
load("/cloud/project/Vinos.rda")
```

```
BD<-Vinos
```

Exploracion de matriz

```
dim(BD)
```

```
## [1] 45 21
```

```
str(BD)
```

```
## 'data.frame':    45 obs. of  21 variables:
##  $ a_o     : Factor w/ 2 levels "1986","1987": 1 1 1 1 1 1 1 1 1 1 ...
##  $ denomina: Factor w/ 2 levels "RIBERA","TORO": 1 1 1 1 1 1 1 1 1 1 ...
##  $ grupo   : Factor w/ 4 levels "RD86","RD87",..: 1 1 1 1 1 1 1 1 1 1 ...
##  $ grado   : num  12.8 12.8 12.5 11.9 12.5 12.1 12.2 12.6 13 12.4 ...
##  $ avol    : num  1.2 0.75 1 0.7 0.95 0.5 0.8 0.4 0.4 0.35 ...
##  $ atot    : num  6.7 6.9 7.2 7.7 7.7 5.8 5.9 5.4 4.6 5.5 ...
##  $ acfi    : num  5.2 6 6 6.8 6.3 5.2 4.9 4.9 4.1 5 ...
##  $ ph      : num  3.7 3.5 3.6 3.3 3.6 3.2 3.4 3.3 3.6 3.3 ...
##  $ folin   : num  2827 1818 1459 2054 2930 ...
##  $ somers  : num  50.8 37.8 35.1 32.1 49.6 30.6 35.6 30.6 41.7 30 ...
##  $ srv     : num  811 968 866 978 1128 ...
##  $ procian : num  3794 1736 2306 3420 3158 ...
##  $ acrg    : num  386 144 225 204 214 167 252 315 293 152 ...
##  $ acse    : num  287 141 132 110 148 95 160 124 170 67 ...
##  $ achplc  : num  181 69 78 84 75 74 101 101 137 56 ...
##  $ ic      : num  7.81 4.88 5.52 4.64 6.99 3.98 7.6 6.15 6.6 5.49 ...
##  $ ic2     : num  8.95 5.55 6.35 5.15 7.87 4.36 8.84 7.11 7.85 6.23 ...
##  $ tono    : num  0.72 0.755 0.456 0.675 0.672 0.716 0.716 0.74 0.93 0.75 ...
```

```
##  $ iim     : num  18.4 23.6 36.8 36.4 34.2 38.1 28.5 27.7 21.6 30.3 ...
##  $ eq1     : num  0.489 0.48 0.598 0.42 0.45 0.434 0.501 0.566 0.557 0.689 ...
##  $ vla     : num  0.21 0.56 0.38 0.29 0.36 0.3 0.24 0.4 0.28 0.26 ...
##  - attr(*, "variable.labels")= Named chr [1:21] "A\x84O" "DENOMINACION" "" "" ...
##   ..- attr(*, "names")= chr [1:21] "a_o" "denomina" "grupo" "grado" ...
##  - attr(*, "codepage")= int 28605
```

```
colnames(BD)
```

```
##  [1] "a_o"      "denomina" "grupo"    "grado"    "avol"     "atot"
##  [7] "acfi"     "ph"       "folin"    "somers"   "srv"      "procian"
## [13] "acrg"     "acse"     "achplc"   "ic"       "ic2"      "tono"
## [19] "iim"      "eq1"      "vla"
```

Gráficos de exploración

```
BX1<-BoxPlotPanel(BD[,4:9], nrows=2, groups=BD$denomina)
```

```
## [1] 2
```




```
BX1
```

```
## $mfrow
## [1] 2 3
```

```
BX2<-BoxPlotPanel(BD[,4:9], nrows=2, groups=BD$grupo)
```

```
## [1] 2
```




```
BX2
```

```
## $mfrow
## [1] 2 3
```

#Filtrado de variables

1.- Seleccion de variables numericas

```
X<-BD[,4:21]
```

2.- Generación Plot

```
PL1<-plot(X[,1:9])
```




```
PL2<-plot(X[,10:18])
```



Reducción de la dimensionalidad

#1.- ACP # Scaling= # 1: datos orginales, # 2: Resta la media global del conjunto de los datos, # 3: Doble centrado (agricultura / interaccion de resuduales) # 4: Centrado por columnas (variables con misma escala) # 5: Estandarizado por columnas

```r
acpvino<-PCA.Analysis(X,Scaling = 5)
summary(acpvino)
```

```
##  ###### Principal Components Analysis #######
##
## Transformation of the raw data:
## [1] "Standardize columns"
##
##  Eigenvalues & Explained Variance (Inertia)
##      Eigenvalue Exp. Var Cummulative
## [1,]  277.12688   34.991      34.991
## [2,]  199.36534   25.172      60.163
## [3,]   85.42317   10.786      70.949
##
##
##  STRUCTURE OF THE PRINCIPAL COMPONENTS
##          Dim 1  Dim 2  Dim 3
## grado   -0.676 -0.142  0.188
## avol    -0.450  0.204 -0.519
## atot    -0.225  0.738 -0.526
## acfi    -0.063  0.797 -0.397
## ph       0.191 -0.593 -0.193
## folin   -0.910 -0.094 -0.072
## somers  -0.920 -0.154 -0.090
## srv     -0.798 -0.088  0.277
## procian -0.873 -0.102  0.036
## acrg    -0.301 -0.726 -0.441
## acse    -0.213 -0.856 -0.372
## achplc   0.119 -0.830 -0.355
## ic      -0.926  0.117 -0.074
## ic2     -0.932  0.095 -0.048
## tono    -0.351 -0.290  0.612
## iim      0.021  0.810 -0.179
## eq1     -0.688  0.416  0.255
## vla      0.006  0.071  0.368
```

Presentacion de tablas (markdown)

```r
summary(acpvino, latex=TRUE)
```

```
##  ###### Principal Components Analysis #######
##
## Transformation of the raw data:
## [1] "Standardize columns"
##
##  Eigenvalues & Explained Variance (Inertia)
##      Eigenvalue Exp. Var Cummulative
## [1,]  277.12688   34.991      34.991
## [2,]  199.36534   25.172      60.163
## [3,]   85.42317   10.786      70.949
##
##
##  STRUCTURE OF THE PRINCIPAL COMPONENTS
```

```
##          Dim 1  Dim 2  Dim 3
## grado   -0.676 -0.142  0.188
## avol    -0.450  0.204 -0.519
## atot    -0.225  0.738 -0.526
## acfi    -0.063  0.797 -0.397
## ph       0.191 -0.593 -0.193
## folin   -0.910 -0.094 -0.072
## somers  -0.920 -0.154 -0.090
## srv     -0.798 -0.088  0.277
## procian -0.873 -0.102  0.036
## acrg    -0.301 -0.726 -0.441
## acse    -0.213 -0.856 -0.372
## achplc   0.119 -0.830 -0.355
## ic      -0.926  0.117 -0.074
## ic2     -0.932  0.095 -0.048
## tono    -0.351 -0.290  0.612
## iim      0.021  0.810 -0.179
## eq1     -0.688  0.416  0.255
## vla      0.006  0.071  0.368
## % latex table generated in R 4.1.3 by xtable 1.8-4 package
## % Tue May 17 19:18:32 2022
## \begin{table}[ht]
## \centering
## \begin{tabular}{rrrr}
##   \hline
##  & Eigenvalue & Exp. Var & Cummulative \\
##   \hline
## 1 & 277.13 & 34.99 & 34.99 \\
##   2 & 199.37 & 25.17 & 60.16 \\
##   3 & 85.42 & 10.79 & 70.95 \\
##    \hline
## \end{tabular}
## \caption{Explained Variance}
## \end{table}
## % latex table generated in R 4.1.3 by xtable 1.8-4 package
## % Tue May 17 19:18:32 2022
## \begin{table}[ht]
## \centering
## \begin{tabular}{rrrr}
##   \hline
##  & Dim 1 & Dim 2 & Dim 3 \\
##   \hline
## grado & -0.68 & -0.14 & 0.19 \\
##   avol & -0.45 & 0.20 & -0.52 \\
##   atot & -0.23 & 0.74 & -0.53 \\
##   acfi & -0.06 & 0.80 & -0.40 \\
##   ph & 0.19 & -0.59 & -0.19 \\
##   folin & -0.91 & -0.09 & -0.07 \\
##   somers & -0.92 & -0.15 & -0.09 \\
##   srv & -0.80 & -0.09 & 0.28 \\
##   procian & -0.87 & -0.10 & 0.04 \\
##   acrg & -0.30 & -0.73 & -0.44 \\
##   acse & -0.21 & -0.86 & -0.37 \\
##   achplc & 0.12 & -0.83 & -0.35 \\
```

```
##   ic & -0.93 & 0.12 & -0.07 \\
##   ic2 & -0.93 & 0.10 & -0.05 \\
##   tono & -0.35 & -0.29 & 0.61 \\
##   iim & 0.02 & 0.81 & -0.18 \\
##   eq1 & -0.69 & 0.42 & 0.26 \\
##   vla & 0.01 & 0.07 & 0.37 \\
##    \hline
## \end{tabular}
## \caption{Correlations with the Principal Components}
## \end{table}
```

2.- Contenido del objeto acpvino

names(acpvino)

3.- Generacion del grafico sin caja

```
acp1<-plot(acpvino, ShowBox=FALSE)
```

Principal Components Analysis (Dim 1 (35 %)− 2 (25.2 %))



screeplot con barras

```
acp2<-princomp(X, cor=TRUE, score=TRUE)
plot(acp2)
```



Grafico circular de correlacion

```
acp3<-plot(acpvino, CorrelationCircle=TRUE,
           ShowAxis=TRUE,  CexInd=1.5)
```



Agregar grupos al biplot definido por usuario

```
acpvino1<-AddCluster2Biplot(acpvino, ClusterType="us",
                            Groups = BD$grupo)
```

Grafico con poligonos

CexInd= tamaño de los argumentos

```
acp4<-plot(acpvino1, PlotClus=TRUE,
           ClustCenters=TRUE, margin=0.05,
           CexInd=0.7, ShowBox=TRUE)
```



Grafico con elipses

```
acp5<-plot(acpvino1, PlotClus=TRUE, ClustCenters=TRUE,
     margin=0.05, CexInd=0.7, TypeClus="el",
     ShowBox=F)
```

Principal Components Analysis (Dim 1 (35 %)− 2 (25.2 %))



Grafico con estrellas

```
acp6<-plot(acpvino1, PlotClus=TRUE, ClustCenters=TRUE,
     margin=0.05, CexInd=0.7, TypeClus="st",
     ShowBox=TRUE)
```

Principal Components Analysis (Dim 1 (35 %)− 2 (25.2 %))



Biplot

alpha=

0:GH

1:JK

2:HJ

Predeterminado JK

```
bipvino<-PCA.Biplot(X, Scaling = 5)
summary(bipvino)
```

```
##  ###### Biplot for Principal Components Analysis #######
##
## Call
## PCA.Biplot(X = X, Scaling = 5)
## Type of coordinates:
## Transformation of the raw data:
## [1] "Standardize columns"
## Type of Biplot
## [1] "PCA"
##
##  Eigenvalues & Explained Variance (Inertia)
##      Eigenvalue Exp. Var Cummulative
## [1,]  277.12688   34.991      34.991
## [2,]  199.36534   25.172      60.163
## [3,]   85.42317   10.786      70.949
##
##
##  RELATIVE CONTRIBUTIONS OF THE FACTOR TO THE ELEMENT
##
##  Row Contributions
##     Dim 1 Dim 2 Dim 3
## I1  42.04  6.63 44.06
## I2   0.03 32.75  2.51
## I3   0.07 57.27 18.53
## I4   0.28 70.89  8.84
## I5  29.69 38.53 12.87
## I6   2.64 67.95  1.86
## I7  23.63 27.17  9.95
## I8  15.06 20.09  8.55
## I9  60.32  7.05 10.79
## I10  1.55 61.24 11.60
## I11  0.12 74.78 12.48
## I12  0.09 35.48 28.14
## I13  1.68 57.21 29.79
## I14  2.95 15.65 39.81
## I15 64.41  9.27  3.81
## I16 35.26 17.46  4.85
```

```
## I17 63.73  0.99 14.28
## I18 51.05 25.08  0.12
## I19 75.88  7.45  9.01
## I20 77.10  5.13  0.77
## I21 24.48  9.79 18.31
## I22 30.80 25.95  0.05
## I23  2.08  2.45  0.20
## I24 71.22 15.56  0.82
## I25 72.83 12.08  2.23
## I26 32.34 43.51  1.52
## I27 35.29 35.58 11.66
## I28 63.06 11.10  3.65
## I29 16.99 16.98 27.32
## I30 17.97 32.85  0.25
## I31  9.13  1.41 35.53
## I32 55.95  4.40  3.60
## I33 28.58  7.60 26.59
## I34 67.06  0.00  4.97
## I35  7.12 13.24  1.64
## I36 41.97 12.56 27.66
## I37  4.81  4.11 20.46
## I38 83.21  0.21  0.95
## I39 88.41  3.71  2.38
## I40  0.08 13.31  0.69
## I41 42.39 34.59  1.36
## I42  9.24  2.75 29.92
## I43 23.86  2.26  7.75
## I44 29.74 44.90  6.03
## I45 56.52 23.65  1.05
##
##  Column Contributions
##         Dim 1 Dim 2 Dim 3
## grado   45.71  2.02  3.54
## avol    20.23  4.14 26.96
## atot     5.06 54.44 27.69
## acfi     0.40 63.45 15.73
## ph       3.63 35.20  3.72
## folin   82.89  0.89  0.52
## somers  84.58  2.36  0.81
## srv     63.74  0.78  7.65
## procian 76.19  1.04  0.13
## acrg     9.08 52.64 19.41
## acse     4.54 73.25 13.87
## achplc   1.41 68.84 12.61
## ic      85.75  1.37  0.54
## ic2     86.89  0.91  0.23
## tono    12.30  8.43 37.44
## iim      0.04 65.55  3.20
## eq1     47.38 17.28  6.51
## vla      0.00  0.51 13.58
##
##
##
##  Qualities of representation of the rows (Cummulative contributions)
```

```
##     Dim 1 Dim 2 Dim 3
## I1  42.04 48.67 92.73
## I2   0.03 32.78 35.29
## I3   0.07 57.34 75.87
## I4   0.28 71.17 80.01
## I5  29.69 68.22 81.09
## I6   2.64 70.59 72.45
## I7  23.63 50.80 60.75
## I8  15.06 35.15 43.70
## I9  60.32 67.37 78.16
## I10  1.55 62.79 74.39
## I11  0.12 74.90 87.38
## I12  0.09 35.57 63.71
## I13  1.68 58.89 88.68
## I14  2.95 18.60 58.41
## I15 64.41 73.68 77.49
## I16 35.26 52.72 57.57
## I17 63.73 64.72 79.00
## I18 51.05 76.13 76.25
## I19 75.88 83.33 92.34
## I20 77.10 82.23 83.00
## I21 24.48 34.27 52.58
## I22 30.80 56.75 56.80
## I23  2.08  4.53  4.73
## I24 71.22 86.78 87.60
## I25 72.83 84.91 87.14
## I26 32.34 75.85 77.37
## I27 35.29 70.87 82.53
## I28 63.06 74.16 77.81
## I29 16.99 33.97 61.29
## I30 17.97 50.82 51.07
## I31  9.13 10.54 46.07
## I32 55.95 60.35 63.95
## I33 28.58 36.18 62.77
## I34 67.06 67.06 72.03
## I35  7.12 20.36 22.00
## I36 41.97 54.53 82.19
## I37  4.81  8.92 29.38
## I38 83.21 83.42 84.37
## I39 88.41 92.12 94.50
## I40  0.08 13.39 14.08
## I41 42.39 76.98 78.34
## I42  9.24 11.99 41.91
## I43 23.86 26.12 33.87
## I44 29.74 74.64 80.67
## I45 56.52 80.17 81.22
##
##
##
##  Qualities of representation of the columns (Cummulative contributions)
##         Dim 1 Dim 2 Dim 3
## grado   45.71 47.73 51.27
## avol    20.23 24.37 51.33
## atot     5.06 59.50 87.19
```

```
## acfi     0.40 63.85 79.58
## ph       3.63 38.83 42.55
## folin   82.89 83.78 84.30
## somers  84.58 86.94 87.75
## srv     63.74 64.52 72.17
## procian 76.19 77.23 77.36
## acrg     9.08 61.72 81.13
## acse     4.54 77.79 91.66
## achplc   1.41 70.25 82.86
## ic      85.75 87.12 87.66
## ic2     86.89 87.80 88.03
## tono    12.30 20.73 58.17
## iim      0.04 65.59 68.79
## eq1     47.38 64.66 71.17
## vla      0.00  0.51 14.09
```

Valores propios

```
bipvino$EigenValues
```

```
##  [1] 277.12687550 199.36534193  85.42316719  61.02361652  54.61472549
##  [6]  33.21950770  23.10087611  18.20271969  12.93567822   8.99721387
## [11]   7.17039349   5.14634483   2.46693118   1.76863760   1.12884586
## [16]   0.26153511   0.02966717   0.01792254
```

screeplot

```
SC<-barplot(bipvino$EigenValues)
```



Vectores propios

```
bipvino$EV
```

```
##              [,1]        [,2]        [,3]
```

```
##  [1,] -0.269400471 -0.06678758  0.13502664
##  [2,] -0.179235894  0.09563188 -0.37266607
##  [3,] -0.089642289  0.34663991 -0.37767939
##  [4,] -0.025075364  0.37420670 -0.28461188
##  [5,]  0.075921760 -0.27872944 -0.13842752
##  [6,] -0.362771201 -0.04421297 -0.05176113
##  [7,] -0.366464498 -0.07220257 -0.06472232
##  [8,] -0.318130606 -0.04157401  0.19854164
##  [9,] -0.347804576 -0.04785685  0.02584725
## [10,] -0.120049408 -0.34086254 -0.31617278
## [11,] -0.084888000 -0.40207820 -0.26728099
## [12,]  0.047378644 -0.38977456 -0.25488092
## [13,] -0.368971746  0.05491570 -0.05287232
## [14,] -0.371435455  0.04476039 -0.03421019
## [15,] -0.139772430 -0.13640832  0.43913353
## [16,]  0.008178563  0.38035721 -0.12838425
## [17,] -0.274261123  0.19527349  0.18313281
## [18,]  0.002361018  0.03345360  0.26444673
```

Tabla de inercias

```
Inercias<-data.frame(paste("Eje",1:length(bipvino$EigenValues)),
                     bipvino$EigenValues, bipvino$Inertia,
                     bipvino$CumInertia)

colnames(Inercias)<-c("Eje", "Valor Propio",
                     "Inercia", "Inercia acumulada")
```

Markdown

```
install.packages("knitr")
```

```
library(knitr)
```

```
kable(Inercias)
```

Eje	Valor Propio	Inercia	Inercia acumulada
Eje 1	277.1268755	34.991	34.991
Eje 2	199.3653419	25.172	60.163
Eje 3	85.4231672	10.786	70.949
Eje 4	61.0236165	7.705	78.654
Eje 5	54.6147255	6.896	85.550
Eje 6	33.2195077	4.194	89.744
Eje 7	23.1008761	2.917	92.661
Eje 8	18.2027197	2.298	94.959
Eje 9	12.9356782	1.633	96.592
Eje 10	8.9972139	1.136	97.728
Eje 11	7.1703935	0.905	98.633
Eje 12	5.1463448	0.650	99.283
Eje 13	2.4669312	0.311	99.594
Eje 14	1.7686376	0.223	99.817
Eje 15	1.1288459	0.143	99.960

Eje	Valor Propio	Inercia	Inercia acumulada
Eje 16	0.2615351	0.033	99.993
Eje 17	0.0296672	0.004	99.997
Eje 18	0.0179225	0.002	99.999

tabla contribucion de columnas

```
kable(bipvino$ColContributions)
```

	Dim 1	Dim 2	Dim 3
grado	45.71	2.02	3.54
avol	20.23	4.14	26.96
atot	5.06	54.44	27.69
acfi	0.40	63.45	15.73
ph	3.63	35.20	3.72
folin	82.89	0.89	0.52
somers	84.58	2.36	0.81
srv	63.74	0.78	7.65
procian	76.19	1.04	0.13
acrg	9.08	52.64	19.41
acse	4.54	73.25	13.87
achplc	1.41	68.84	12.61
ic	85.75	1.37	0.54
ic2	86.89	0.91	0.23
tono	12.30	8.43	37.44
iim	0.04	65.55	3.20
eq1	47.38	17.28	6.51
vla	0.00	0.51	13.58

Grafico

```
plot(bipvino, ShowBox=TRUE)
```

PCA Biplot (Dim 1 (35 %)− 2 (25.2 %))



Prolongacion de vectores linea recta

```
BP1<-plot(bipvino, mode="s",
     margin=0.1, ShowBox=TRUE)
```

PCA Biplot (Dim 1 (35 %)− 2 (25.2 %))



Prolongacion de vectores con flechas y linea punteada

```
BP2<-plot(bipvino, mode="ah", margin=0.05,
     ShowBox=TRUE)
```



Grafico circular correlaciones

```
GC<-CorrelationCircle(bipvino)
```



Grafico contribuciones de los vectores

Calidad de representacion eje 1, 2 y 1+2

```
ColContributionPlot(bipvino, AddSigns2Labs = FALSE)
```



Proyeccion individuos sobre una variable

dp= selecciona la variable

```
BP3<-plot(bipvino, dp=2, mode="s",
     ColorVar=c("blue", rep("grey",17)),
     ShowBox=TRUE)
```



#Proyeccion de ind sobre todas las variables PredPoints= individuo

```
BP4<-plot(bipvino, PredPoints=1, mode="s",
     ColorVar=1:18, ShowBox=TRUE)
```



Agregar cluster Jerarquico con datos originales

Metodo ward.D

```
bipvino=AddCluster2Biplot(bipvino, NGroups=4,
                          ClusterType="hi",
                          method="ward.D",
                          Original=TRUE)
```

Cluster aplicado al biplot

```
clusBP<-plot(bipvino, PlotClus=TRUE,ShowAxis=TRUE)
```


PCA Biplot (Dim 1 (35 %)− 2 (25.2 %))
1.5
1.0
0.5
0.0
−1.0
−3
−2
−1
0
1
2
I5
I6
I25
I32
I17
I34
I38
I39
I9
I1
I36
I45
I41
I31
I24
I15
I27
eq1
avol
tono
acrg
ph
achp
grado

```
clusBP
```

```
## NULL
```