

# LINK\_mercaux SFRA integration

Version <20.7.0>



## [Table of Contents](#)

<b>Summary</b>	<b>4</b>
<b>Component Overview</b>	<b>5</b>
<i>Functional Overview</i>	5
<i>Limitations, Constraints</i>	5
<i>Compatibility</i>	5
<i>Privacy, Payment</i>	5
<b>Implementation Guide</b>	<b>6</b>
<i>Setup of Business Manager</i>	6
Download cartridge files from B2C Commerce marketplace/repository	6
Add required 3rd party libraries	6
Add cartridges to your development sandbox	6
Import metadata	7
<i>Configuration</i>	8
Setup Service to work with Mercaux API	8
Update Searchable Attributes	8
Add Search Refinement to the Storefront Catalog	8
Run Job to fetch Looks from Mercaux API	9
Enable/Disable Content Asset to show Looks Carousel on the PDP	9
Enable/Disable Content Slot to show/hide Looks Carousel on the Homepage	10
Looks Gallery page settings	10
Mercaux Custom Preferences	10
Configure Recurring Interval of Analytic Job	11
SFTP configuration to upload Analytic files (Optional)	11
<i>Custom Code</i>	12
Storefront Core	12
<i>External Interfaces</i>	14
<b>Testing</b>	<b>14</b>
<b>Operations, Maintenance</b>	<b>14</b>
<i>Data Storage</i>	14
<i>Availability</i>	15
<i>Failover/Recovery Process</i>	15
<i>Support</i>	15
<b>User Guide</b>	<b>15</b>
<i>Roles, Responsibilities</i>	15
<i>Business Manager</i>	15
Enable the cartridge	15
Enable the cartridge globally	16
Enable Look gallery	17
Enable Look carousel in Product Pages	21

Enable Look carousel in Product Pages	23
<i>Storefront Functionality</i>	26
Looks in carousels	26
Product page	26
Homepage carousel	26
Look Gallery	27
Look details	28
Look pop-up	28
Look Product detail pop-up	29
<b>Known Issues</b>	<b>29</b>
<b>Release History</b>	<b>29</b>

## 1. Summary

One of the numerous Mercaux Applications functionalities is a looks creation tool. These looks, or outfits, are created in HQ or in-store by store associates through Mercaux Applications.

The component we are looking at here will allow to display the Looks created in Mercaux Applications on three pages of your website:

1. Product pages
2. Look Gallery
3. Homepage

In order to achieve that, an access to Mercaux Apps and particularly Mercaux Public API is required.

The integration described here consists of a cartridge to retrieve and index Looks as products sets in Salesforce Commerce Cloud backend, along with Storefront new page and slot contents.

## 2. Component Overview

### Functional Overview

The looks created in Mercaux Apps will be available in B2C Commerce and displayed in 3 different pages of the website:

1. Product Pages

In a product page, all looks that contain the product of the product page are displayed in a carousel

- o Looks details can be displayed in a pop-up to show products that are part of the look
- o Product size can be selected and product added to cart

2. Look Gallery

A new page link can be added to the menu to redirect to the look gallery

- o All Mercaux Looks can be browsed and filtered in the Look Gallery page
- o Look details can be displayed in a pop-up to show products that are part of the look
- o Product size can be selected and product added to cart

3. Homepage

From the Homepage, Looks can be displayed in a carousel

- o A list of specific Looks or random Looks can be displayed in a carousel
- o Look details can be displayed in a pop-up to show products that are part of the look
- o Product size can be selected and product added to cart

### Limitations, Constraints

In order to display the looks in the Look Gallery, Product Sets need to be searchable which makes them visible in the search result as well.

### Compatibility

The Mercaux cartridge is designed for Salesforce Commerce Cloud platform version 20.2 with Storefront Reference Architecture.

Compatibility Mode: 19.10.

Tested against SFRA version 4.4.1.

### Privacy, Payment

Customer profile data is not being accessed with Mercaux Cartridge and it doesn't process or store credit card data.

### 3. Implementation Guide

#### Setup of Business Manager

##### 1. Download cartridge files from B2C Commerce marketplace/repository

For SFRA architecture, the following cartridges are required:

```
int_mercaux -- storefront cartridge
bm_mercaux -- business manager cartridge
```

##### 2. Add required 3rd party libraries

OWL Carousel

- Download and unpack OWL Carousel v. 2.3.4 distributive. [Link to download](#)
- Copy file `owl.carousel.min.js` from OWL Carousel `dist/` folder to `js/lib` folder in your static directory

Example:

```
static/default/js/lib/owl.carousel.min.js
```

- Copy files `owl.carousel.min.css` and `owl.theme.default.min.css` from OWL Carousel `dist/assets` folder to `css/lib` folder in your static directory

Example:

```
static/default/css/lib/owl.carousel.min.css
```

```
static/default/css/lib/owl.theme.default.min.css
```

- In case you have different static directory structure make sure OWL Carousel related paths are correctly specified in following template

```
int_mercaux/cartridge/templates/default/assetsMercaux/assetsFiles.isml
```

```
<isscript>
```

```
...
// JSs
// OWL Carousel minified source (v 2.3.4) file connect below
assets.addJs('/js/{YOUR_LIBS_FOLDER}/owl.carousel.min.js');
...

// CSSs
// OWL Carousel minified CSS files (v 2.3.4) connect below
assets.addCss('/css/{YOUR_LIBS_FOLDER}/owl.carousel.min.css');
assets.addCss('/css/{YOUR_LIBS_FOLDER}/owl.theme.default.min.css');
...
```

```
</isscript>
```

##### 3. Add cartridges to your development sandbox

Upload following cartridges to your CI development sandbox

```
int_mercaux
bm_mercaux
```

Add cartridges to site cartridge path

- Go to *Administration > Sites > Manage Sites > \${Your site} > Settings* tab
- Add `int_mercaux` to the Cartridge field value at the beginning of the line.

Example:

```
int_mercaux:app_storefront_base
```

- Click *Apply* button to save changes

Add cartridges to business manager cartridge path

- Go to *Administration > Sites > Manage Sites > Business Manager > Settings* tab
- Add `bm_mercaux` to the Cartridge field value at the end of the line.

Example:

```
bm_app_storefront_base:bm_custom_plugin:bm_mercaux
```

- Click *Apply* button to save changes

## 4. Import metadata

All required metadata is located under the `metadata/RefArch` folder.

Default configuration uses `RefArch` site and `storefront-catalog-m-en` catalogue.

Please replace them with your actual values before importing as described below.

Check and edit files to be imported

- `metadata/RefArch/sites/RefArch/library/library.xml`  
Import Content Assets configurations to enable/disable the ability to show Looks Slider on the Product Detail Page.  
Make sure to replace `RefArchSharedLibrary` with your library-id actual value.  
By default, the value is `library-id="RefArchSharedLibrary"`
- `metadata/RefArch/sites/RefArch/slots.xml`  
Import Content Slot configurations to have abilities to enable/disable Looks Slider on the home page.  
You would have warnings during the import slots as you should define them in the codebase before import. Therefore define slot tags under your homepage template file as described in **Custom Code** section.
- `metadata/RefArch/sites/RefArch/` folder  
Please rename this folder with your site id like this  
`metadata/RefArch/sites/YOUR_SITE_ID/`
- `metadata/RefArch/meta/system-objecttype-extensions.xml`  
The file contains attributes definition to extend following System Object Types:  
`Product, SitePeferences`
- `metadata/RefArch/meta/custom-objecttype-extensions.xml`  
The file contains Custom-Object Type definitions to have the proper configuration for Analytics.
- `metadata/RefArch/catalogs/storefront-catalog-m-en/catalog.xml`  
Import Catalog file to create Category “Looks” that Job uses to import products and assign them to the imported category.  
Catalog `storefront-catalog-m-en` is used by default. Please replace this value with actual storefront catalog ID that is assigned to your site as follows.  

```
<?xml version="1.0" encoding="UTF-8"?>
<catalog xmlns="http://www.demandware.com/xml/impex/catalog/2006-10-31"
catalog-id="YOUR_STOREFRONT_CATALOG_ID">
```
- `metadata/RefArch/jobs.xml`  
The file contains Jobs configurations for Import Looks and Analytic logic.

By default, job steps are configured to run with `RefArch` site scope

Replace this value with your current site id and catalog ids like this:

```
<context site-id="YOUR_SITE_ID"/>
```

- `metadata/RefArch/services.xml`

The file contains Service configurations to work with Mercaux API and this service is used in Jobs flow.

Create archive with metadata directory and import it

- Archive `metadata/RefArch` folder.
- Go to *Administration > Site Development > Site Import & Export*
- Upload the archive
- Select archive in file list and push `Import` button

Alternatively, you can import each file separately. See this [cheatsheet](#) for the details.

## Configuration

### 1. Setup Service to work with Mercaux API

Go to the *Services Administration > Operations > Services* and find the recently imported Mercaux service named `int_mercaux_api_service`.

You can go through the settings of service `int_mercaux_api_service` to setup additional settings.

Setup credentials by going to *Credentials*: Select `int_mercaux_api_service_creds` credential item and put the relevant information of API to use within the cartridge, such as *URL*, *Password* endpoint of API.

By default, the service uses `https://api.mercaux.com/1.0/api` URL API endpoint.

You may get an error while Job is executing. If there is any error with provided credentials, make sure to check Log directory to identify error message.

Make sure that the service is enabled and credentials settings have the correct values.

### 2. Update Searchable Attributes

Go to *Merchant Tools > Search > Searchable Attributes* and add one more attribute as `manufacturerSKU` if that hasn't been added before.

Mercaux's Job uses this attribute to find products by SKU.

You will get an error under the Logs section if your `manufacturerSKU` wasn't defined.

Example of error:

```
ErrorMessage: Products with the SKUs from Response weren't found or  
manufacturerSKU search refinement attribute wasn't defined.
```

### 3. Add Search Refinement to the Storefront Catalog

Go to your current storefront catalog for the considered site and define one more Search Refinement value if it hasn't been done yet.

Under the *Search Refinement Definitions* tab, you should add new search refinement definition:

- Display name: `SKU`
- AttributeID: `manufacturerSKU`

After these steps your `manufacturerSKU` refinement attribute will be added to the storefront catalog.



Rebuild all indexes on *Merchant Tools > Search > Search Indexes* page.

#### 4. Run Job to fetch Looks from Mercaux API

Go to the Jobs list page and select `mercaux_Looks` Job.

You can find extra configuration in the different tabs of the Job, but the main settings you can find in the *Job Steps* tab.

Main Job steps that need to work with import Mercaux Looks from Mercaux API:

##### **createXMLFile**

Contains functionality and configuration to generate XML files and collect them at the Impex folder.

Config fields such as:

- `CatalogID` - ID of your current Master catalog
- `StorefrontCatalogID` - ID of your current Storefront catalog. Best practice of Catalog design is using both Master and Storefront catalogs, but you also could set your Master catalog ID to this field.
- `CatalogImageBasePath` - Image Base path value of your current Master catalog. That should be the same value as your current catalog. See: {Edit your current catalog} -> Image Settings tab -> Base path field value.
- `CategoryID` - Category ID where generated Looks will be assigned. By default is "Looks".
- `RootMercauxFolder` - Root folder path where generated XML catalog with the looks are placed.

##### **Import**

Contains functionality to import generated catalog files and import them. There are configuration fields that you can edit based on your own site requirements.

##### **CleanArchiveFolder**

Contains functionality to keep the archive folder clean and has only a fixed amount of .zip files with the catalog files that have been imported.

##### **Reindex**

Before clicking *Run Now* make sure that you have successfully setup proper Scope per each Job step. There are values that should be per each Job Step:

- `createXMLfile`: Scope is Current Storefront Site
- `Import`, `CleanArchiveFolder`: Scope is Organization
- `Reindex`: Scope is Current Storefront Site

After the success of Import step, Job runs Reindex step to update Search Indexes based on catalog import.

#### 5. Enable/Disable Content Asset to show Looks Carousel on the PDP

Content Assets are used to show/hide Looks Carousel slider on the PDP.

After successful metadata import, you will find content asset `mercaux-pdp-slider-looks-content`.

This content asset responsible for global configuration shows/hides Looks Carousel on the PDP.

To globally enable or disable this content asset you need to

- Edit content csset
- Change *Online* option to Yes or No

- Click *Apply*

## 6. Enable/Disable Content Slot to show/hide Looks Carousel on the Homepage

Content Slots are used to show/hide Looks Carousel on the homepage.

After a successful import, go to *Merchant Tools > Online Marketing > Content Slots* and you will be able to find Mercaux's imported Content Slot `homepage-mercaux-looks-slider`

This content slot has two configurations:

- `homepage-looks-slider-category-block`  
This slot configuration is responsible for the logic that is displaying looks from the selected category.  
By default - **Looks** category is selected.  
You can set up the number of Looks that are displayed in the Slider from Category on the settings page *Merchant Tools > Custom Preferences > Mercaux Cartridge Settings* using the Number of Products in Slider Slot Category field. By default, the value is 6.
- `homepage-looks-slider-product-ids-block`  
This slot configuration provides settings to show Looks Carousel based on selected Product Look IDs.  
Some of the IDs are already predefined by default.  
You have the flexibility to choose between what type of configuration you need to show on the homepage by changing the statuses to Active/Inactive.  
Meanwhile, you are able to add configuration to the existing Content Slot that you have selected, just repeat the configuration of `homepage-mercaux-looks-slider` slot to the existing one.

## 7. Looks Gallery page settings

- Go to Merchant Tools > Products and Catalogs > Catalogs
- Select storefront catalog that current site is assigned to
- Notice Looks category and click `Edit` link to see the settings.

Under these settings you are able to configure Looks category based on your own configurations.

An important value that needs to be set up for Looks Gallery page to work properly is **Rendering Template**.

The value should be set to `searchLooksGallery/searchResults.isml`.

This template is used for implementing logic to show Mercaux Looks Items on the Controller level and PLP logic of rendering templates.

### 1. Mercaux Custom Preferences

- Go to *Merchant Tools > Site Preferences*
- Go under *Mercaux Cartridge Settings settings page*

Mercaux Cartridge provides Custom Preferences definition.

This definition will appear after the XML file of system object types is imported.

***This page has a few fields:***

- Default Look Gallery page Category ID

This value is important because all logic in the Controllers use this Category ID to check and append template value to render Mercaux's templates only where necessary. By default, the value ID is `Looks`.

- Number of Products in Slider Slot Category  
The number of products to display in the Looks Carousel Slider for Content Slot with Category logic to show.
- Enable Cartridge Globally  
Turn on/off cartridge globally for all site and all places. By default, the value is `No`.
- Page size used while searching result in slot  
The number of products received in one search result in the Content Slot templates to show sliders. By default, the value is `64`.

## 2. Configure Recurring Interval of Analytic Job

After Job files are imported, Analytic job is configured to run every hour for generating Analytic files.

You can change the settings of Recurring config in `MercauxAnalytic` job settings.

- Go to your Analytic Job configuration *Administration > Operations > Jobs > MercauxAnalytic > Schedule and History* tab
- Under *Active* and *Run Time* you could see initial settings of run execution of job. You can configure by yourself or leave as is.

You can read more about this in the link to the [DOC](#)

You can also add using SFTP Uploader step (See section #10 below) or just click *Run Now* button to start Analytic Job.

## 3. SFTP configuration to upload Analytic files (Optional)

If you would like to upload your generated analytic .XML files, you could setup one more job step based on 3rd party LINK cartridge `Job Components`

### Download and Install Job Components

Download following LINK cartridge from the marketplace repository and install cartridge based on cartridge documentation.

Repository link: <https://github.com/SalesforceCommerceCloud/job-components>

### Setup your SFTP service configuration

If you have already configured SFTP service you can skip this guide step.

- Create your SFTP service profile (Doc link: [create web service profile](#))
- Create your SFTP service credential (Doc link: [create web service credential](#))
- Create your SFTP service configuration (Doc link: [create web service configuration](#))

In addition, one of the important steps of this setup is that you should select Service Type and set as SFTP ([Read more about Service Types](#)).

Type and select profile and credential that you've created based on previous steps.

### Add SFTP job step

- Go to *Administration > Operations > Jobs > MercauxAnalytic > Job Steps* tab
- Add one more sequential flow by clicking on + icon and click *Configure a step* to add one more Job step.
- If you successfully configured Job Components LINK cartridge type in search field `custom.CSComponents.FtpUpload`, you will find Job step that will be used for SFTP upload.
- Fill required fields based on configuration values. Short descriptions of fields:

- ID - Add your Job step ID
- ServiceID - Put Service configuration ID of your existing SFTP service configuration or which you created based on **Setup your SFTP service configuration** step
- FilePattern - Set regex pattern of files that should be uploaded.  
In our case value: `.\.xml`
- SourceFolder - Set Source folder where analytic files are placed. In our case value: `src/mercaux/Analytics`
- TargetFolder - Set your target folder on the SFTP server where files will be uploaded
- ArchiveFolder - Set Local folder where files will be archived after they will be uploaded on SFTP server, relative to IMPEX/. For example: `src/mercaux/Analytics/archive`  
You could also configure additional configuration of Job step and when you're done click *Assign* button to save your step configuration.

After these steps, your Analytic job will use SFTP step to upload your analytic files to the SFTP server based on configuration.

## Custom Code

### 1. Storefront Core

#### Define Global File Assets in current base cartridge that the site uses

In file `cartridge/templates/default/common/layout/page.isml`

Insert the following code before tag `<isinclude template="/components/modules" sf-toolkit="off" />` on line #44

```
<iscomment> Mercaux Assets Files </iscomment>
<isif
condition="$${dw.system.Site.current.preferences.custom.mercaux_GlobalEnableStat
us}">
<isinclude template="aseetsMercaux/assetsFiles" />
</isif>
```

#### Define Analytic Tag in the current footer template file

In file `cartridge/templates/default/common/layout/components/footer/pageFooter.isml`

Insert the following code after closing tag `</footer>` on line #34

```
<span class="js-mercaux-analytics-tag"
data-mercaux-analytics-url="$${URLUtils.url('Analytics-Add')}"></span>
```

#### Looks Gallery PLP page

Template used for PLP page located in cartridge path:

`int_mercaux/cartridge/templates/default/searchLooksGallery/searchResults.isml`

Refinements blocks and functionalities work based on current storefront cartridge configurations.

If you would like to add **Selected Refinement** block, you should extend the logic of the client's JS code and add one more selector that used in `int_mercaux`.

Go to the file where client's PLP logic is placed.

Path: cartridge/client/default/js/search/search.js#38

Add one more selector `'.looks-top-selected-refinements'` to the `parseResults()` method.

```
function parseResults(response) {
    var $results = $(response);
    var specialHandlers = {
        '.refinements': handleRefinements
    };

    // Update DOM elements that do not require special handling
    [
        '.looks-top-selected-refinements',
        '.grid-header',
        '.header-bar',
        '.header.page-title',
        '.product-grid',
        '.show-more',
        '.filter-bar'
    ].forEach(function (selector) {
        updateDom($results, selector);
    });

    Object.keys(specialHandlers).forEach(function (selector) {
        specialHandlers[selector]($results);
    });
}
```

At the end, to make this work you have to re-compile the client's js code of your own base patch cartridge.

### Define Looks Carousel at the Product Detail Page

We replaced the template of the Product Detail page with adding some part of code to have ability show Looks Carousel somewhere at the page and keep that file in the templates of the cartridge as well.

You can replace your own Product Detail template based on your current site template and define code below:

Path: cartridge/templates/default/product/productDetails.isml

- **Add Mercaux Slider content slot code**

Code:

```
<isinclude url="{URLUtils.url('Mercaux-IncludeSlider', 'cid',
'mercaux-pdp-slider-looks-content', 'pid', product.id)}" />
```

- **Add Mercaux Shop the look Button code**

Code:

```
<isif
condition="{dw.system.Site.current.preferences.custom.mercaux_GlobalEnableStat
us}">
<!-- Mercuax Shop The Look button **** start -->
<div class="shop-the-look-btn js-insert-shop-the-look-btn" data-btn-text="SHOP
THE LOOK"></div>
<!-- Mercuax Shop The Look button **** end -->
```

```
</isif>
```

### Define Looks Carousel for the Homepage

To enable showing Looks Carousel on the home page, you should define the place of the content slot definition in the Homepage template.

You can put a content slot that was imported along with the XML import step.

```
<isslot id="homepage-mercaux-looks-slider" description="" context="global" />
```

For example path of homepage template and example HTML to paste:

```
cartridges/app_storefront_base/cartridge/templates/default/home/homePage.isml
<div class="homepage-mercaux-slot">
  <!-- Mercaux Slot START -->
  <isslot id="homepage-mercaux-looks-slider" description="" context="global"
/>
  <!-- Mercaux Slot END -->
</div>
```

If you have already defined the content slot, just ensure that proper configurations of Mercaux Content Slot are in place:

- homepage-looks-slider-category-block - Show slider with Category logic
- homepage-looks-slider-product-ids-block - Show slider with predefined Product IDs logic

### External Interfaces

To import looks into storefront the cartridge sends HTTP requests to Mercaux public API

<https://api.mercaux.com/1.0/api/look> endpoint.

See the [documentation](#) for complete reference of Mercaux public API.

## 4. Testing

Please refer to the Test Case document included in the documentation folder.

## 5. Operations, Maintenance

### Data Storage

The cartridge stores the following objects within Commerce Cloud:

- **Looks**  
Looks are being stored as product sets using Product system object type.
- **Analytics Info**  
Analytics is stored in custom object type.  
Default retention time is 2 days.  
Cartridge stores following information for the looks and the products that are part of the looks were shown
  - o From which device (at least mobile vs. desktop)
  - o From what page the look was shown

- o When it was shown
- o Session\_id (Mercaux developers must be able to disable this data from all events)
- o Customer\_id if logged-in (Mercaux developers must be able to disable this data from all events)
- o Products added to basket

Cartridge doesn't store any data outside commerce cloud.

### Availability

The cartridge relies on access to Mercaux service only during the time `mercaux_Looks` job is running. Any issues with Mercaux service availability would only affect the job ability to add new looks to storefront catalogue.

All other functionality of the cartridge should be available. Eg. all the looks imported previously will be displayed as usual.

### Failover/Recovery Process

If the cartridge can't connect to Mercaux server you'll see the `mercaux_Looks` job failing with related errors in logs.

Possible reasons could be:

- 1) `Mercaux API` service is not configured properly  
Please go to `Administration > Operations > Services` and check that service is configured with proper URL and valid API Key  
See Configuration section of this document for more information.
- 2) Firewall is configured to block requests to Mercaux API.  
Please contact your system administrator for help
- 3) Mercaux service is down  
Please reach out to Mercaux contact in your team

### Support

If you have any questions about using this cartridge please concat Mercaux manager supporting your company.

If you're not a Mercaux customer yet please contact us at [mercaux.com](https://mercaux.com)

## 6. User Guide

### Roles, Responsibilities

There are no recurring tasks required by the merchant. Once configurations and job schedules are set up, the functionality runs on demand.

### Business Manager

### Enable the cartridge

By default, the cartridge is disabled. In order to ensure installation has been performed correctly, you need to enable the Cartridge and the different Use Case you want to activate.

## 1. Enable the cartridge globally

In Business Manager, select the site for which you want to enable the cartridge and navigate to Merchant Tools > Site Preference > Custom Preferences.

Merchant Tools feature lookup...

**Content**  
Libraries  
Library Folders  
Content Assets  
Import & Export  
Page Designer

**Customers**  
Customers  
Customer Groups  
Snapshots  
Batch Processes  
Import & Export

**Custom Objects**  
Custom Object Editor  
Batch Processes  
Import & Export

**SEO**  
URL Rules  
URL Redirects  
Static Mappings  
Dynamic Mappings  
Robots  
Aliases  
Customer CDN Settings  
Sitemaps  
URL Request Analyzer  
Page Meta Tag Rules

**Products and Catalogs**  
Products  
Product Sets  
Catalogs  
Product Options  
Variation Attributes  
Recommendations  
Price Books  
Inventory  
Catalog Feeds  
Batch Processes  
Import & Export

**Ordering**  
Orders  
Taxation  
Payment Processors  
Payment Methods  
Shipping Methods  
Import & Export  
Customer Service Center

**Search**  
Search Indexes  
Search Index Rebuild Schedule  
Search Index Query Testing  
Search Dictionaries  
Searchable Attributes  
Search Driven Redirects  
Stop Word Dictionary  
Category Name Exclusions  
Synonym Dictionary  
Hypernym Dictionary  
Compound Word Dictionary  
Common Phrase Dictionary  
Search Suggestions  
Stemming Exceptions  
Keyword Groups  
Sorting Rules  
Storefront Sorting Options  
Search Preferences  
Import & Export

**Online Marketing**  
Campaigns  
A/B Tests  
Promotions  
Content Slots  
Coupons  
Source Code Groups  
Active Data  
Stores  
Gift Certificates  
Import & Export

**Analytics**  
Reports and Dashboards (New!)  
Conversion Reports  
Purchase Reports  
Catalog Reports  
Search and Navigation Reports  
Customer Reports  
Traffic Reports  
A/B Testing Reports  
Technical Reports  
Legacy Reports

**Site Preferences**  
Locking  
Baskets  
A/B Tests  
Locales  
Currencies  
Source Codes  
Gift Certificates  
Search Preferences  
Sequence Numbers  
Order  
Coupons  
Promotions  
Deprecated Storefront Toolkit  
Storefront URLs  
Custom Preferences  
Pinterest Commerce  
Privacy  
Customer Service Center Preferences  
Apple Pay

### Select Mercaux Cartridge Settings

Merchant Tools / Site Preferences /

**Custom Site Preference Groups**

Search by IDs...

ID	Name	Description
<a href="#">Storefront Configs</a>	Storefront Configurations	
<a href="#">Mercaux Cartridge Settings</a>	Mercaux Cartridge Settings	

Change the value of Enable Cartridge Globally to Yes and Save your modifications






### 3. Enable Look gallery

You can choose to enable or disable Look Gallery from Business Manager.

In order to change your preference, navigate to Merchant Tools > Product and Catalogs > Catalogs



## Select the catalog for the site you are considering

salesforce

Sandbox - mercaux  
RefArch

Merchant Tools

Administration

Storefront

Toolkit

5

1

(Florent Perrillon)

Merchant Tools > Products and Catalogs > Catalogs

Catalogs

Category Search

### Catalogs

The list below contains all catalogs defined for your organization along with some statistical information about the catalog content. Please note that this information isn't updated in real time.

Select All	ID	Site Assignments	Categories	Products Owned	Products Assigned	Recommendations	Status	
<input type="checkbox"/>	<a href="#">apparel-m-catalog</a>		28	4,498	4,491	0	Online	<a href="#">Edit</a>
<input type="checkbox"/>	<a href="#">electronics-m-catalog</a>		15	159	159	0	Online	<a href="#">Edit</a>
<input type="checkbox"/>	<a href="#">mercaux-catalog-m-en</a>		1	0	0	0	Online	<a href="#">Edit</a>
<input type="checkbox"/>	<a href="#">mercaux-m-catalog</a>		1	9,685	0	0	Online	<a href="#">Edit</a>
<input type="checkbox"/>	<a href="#">mercaux-sfra-catalog</a>	RefArch	113	0	9,158	0	Online	<a href="#">Edit</a>
<input type="checkbox"/>	<a href="#">mercaux-sg-catalog</a>	SiteGenesis	113	0	9,158	0	Online	<a href="#">Edit</a>
<input type="checkbox"/>	<a href="#">storefront-catalog-en</a>		2	0	0	0	Online	<a href="#">Edit</a>
<input type="checkbox"/>	<a href="#">storefront-catalog-m-en</a>		67	0	4,651	1,865	Online	<a href="#">Edit</a>
<input type="checkbox"/>	<a href="#">storefront-catalog-m-non-en</a>	SiteGenesisGlobal RefArchGlobal	42	0	4,486	1,866	Online	<a href="#">Edit</a>

Refresh

NewDelete

## You should have a Look related category to select

salesforce

Sandbox - mercaux  
RefArch

Merchant Tools

Administration

Storefront

Toolkit

5

1

(Florent Perrillon)

Merchant Tools > Products and Catalogs > Catalogs > mercaux-sfra-catalog

### Categories

mercaux-sfra-catalog

Edit

These are the subcategories for the current category.

Select All	ID	Name	Description	Status	View
<input type="checkbox"/>	<a href="#">Looks</a>	<a href="#">Looks</a>			<a href="#">Edit</a> <a href="#">View</a>
<input type="checkbox"/>	<a href="#">mercaux-accessories</a>	<a href="#">Accessories</a>			<a href="#">Edit</a> <a href="#">View</a>
<input type="checkbox"/>	<a href="#">mercaux-clothing</a>	<a href="#">Clothing</a>			<a href="#">Edit</a> <a href="#">View</a>
<input type="checkbox"/>	<a href="#">mercaux-footwear</a>	<a href="#">Footwear</a>			<a href="#">Edit</a> <a href="#">View</a>

Edit AllEdit Selected

SortUnsortNewCopyDelete

Showing 1 - 4 of 4 items

In the Look category block, select **Edit**


The screenshot shows the top navigation bar of the Salesforce Commerce Cloud Merchant Tools interface. The user is logged in as Florent Perrillon. The breadcrumb trail is: Merchant Tools > Products and Catalogs > Catalogs > mercaux-sfra-catalog > Looks. Below the breadcrumb, the word 'Categories' is displayed in green. A 'Looks' category block is shown with an 'Edit' button in the top right corner. Below the block, a note states: 'These are the subcategories for the current category.'

Finally, check or uncheck the **Online** tick-box and **Apply** your modifications


The screenshot shows the 'Looks' category configuration page. The breadcrumb trail is: Merchant Tools > Products and Catalogs > Catalogs > mercaux-sfra-catalog > Looks. The 'General' tab is selected. Below the breadcrumb, the word 'Looks' is displayed in green. A note states: 'Fields marked with a red asterisk (\*) are mandatory.' The configuration form includes the following fields: 'Select Language' (Default), 'Category ID' (Looks), 'Online' (checked), 'Online From' (MM/dd/yyyy h:mm a), 'Online To' (MM/dd/yyyy h:mm a), 'Name' (Looks), 'Description' (empty text area), 'Parent Category ID' (root), and 'URL' (http://{HOST}/looks/?lang=default). At the bottom right, there are buttons for 'Apply', 'Reset', 'Copy', and 'Delete'.

## 5. Enable Look carousel in Product Pages

You can choose to enable or disable Look carousel in product pages from Business Manager. In order to change your preference, from Business Manager, navigate to Merchant Tools > Content > Content Assets



In the opened page, search for "mercaux-pdp-slider-looks-content" and click on the found "mercaux-pdp-slider-looks-content" element.



Merchant Tools > Content > Libraries > RefArchSharedLibrary > Content

### RefArch - Library Content

The library content list view allows you to search for content assets. Provide a search term and click Find to view matching content in your library. Use the paging controls to navigate through your search results.

**Search Content**

ID or Name:

Select All	ID	Name	Status	View
<input type="checkbox"/>	<a href="#">mercaux-pdp-slider-looks-content</a>	Slider for Product Detail		

Showing 1 - 1 of 1 items

In the content page, enable edits by clicking on **Lock** button.

Merchant Tools > Content > Content > mercaux-pdp-slider-looks-content

**General** Folders Page Meta Tag Rules

## Slider for Product Detail

**⚠ You haven't locked this content for editing. Click [Lock](#) if you need to edit the content.**

Click **Lock** at the top of the page to edit this content asset.

On this page you can edit the general attributes of the content asset. You may select another language to enter values for this language. Fields with a red asterisk (\*) are mandatory. Click **Apply** to save changes. Click **Reset** to revert your changes.

Select Language: **Default** [Edit Site-Specific](#)

**Standard**

**ID:** mercaux-pdp-slider-looks-content

**Name:** Slider for Product Detail

**Description:**

**Online:** **Default** **No** [All Site Values](#)

**Searchable:** **Default** **No** [All Site Values](#)

Near **Online** field, into **Standard** block, select **Yes** if you want to enable the carousel in product pages or **No** if you want to disable it. Don't forget to **Apply** your modifications and **Unlock** the content to block the item from editing.

Merchant Tools > Content > Content > mercaux-pdp-slider-looks-content

**Online:** **Default** **Yes** [All Site Values](#)

**Searchable:** **Default** **No** [All Site Values](#)

**Search Engine Optimization Support**

**Page Title:**

**Page Description:**

**Page Keywords:**

**Page URL:**

**Sitemap Attributes**

**Included:** **Default** **-None-** [All Site Values](#)

**Change Frequency:** **Default** **-None-** [All Site Values](#)

**Priority:** **Default** [All Site Values](#) (Number) [0.00 - 1.00]

**Presentation**

**Rendering Template:** slider/sliderCarousel.isml

**Custom CSS File:** [Select](#)

**Content**

**Body:**

[HTML Editor](#)


**Year:**

[Download](#) [Apply](#) [Reset](#)

## 6. Enable Look carousel in Product Pages

You can choose to enable or disable Look carousel in Homepage from Business Manager.

In order to change your preference, from Business Manager, navigate to Merchant Tools > Online Marketing > Content Slots



In the opened page, search for "homepage-mercaux-looks-slider" and click on the found "homepage-mercaux-looks-slider" element.

The screenshot shows the Salesforce Commerce Cloud Merchant Tools interface. The top navigation bar includes the Salesforce logo, a dropdown menu for 'Sandbox - mercaux RefArch', and links for 'Merchant Tools', 'Administration', 'Storefront', and 'Toolkit'. The user is logged in as 'Florent Perrillon'. The breadcrumb trail indicates the current location: 'Merchant Tools > Online Marketing > Content Slots'. The main heading is 'Content Slots'. A paragraph explains that the list of slots is generated from 'isslot' tags and provides instructions on how to search for specific slots. Below this, there are links for 'Unreferenced Content Slots' and 'Unreferenced Slot Configurations'. The search bar at the top of the table contains the text 'homepage-mercaux-looks-slider'. The table has columns for 'Slot ID/Description', 'Type', 'Category/Folder ID', 'Category/Folder Name', 'Slot Configurations', and 'Preview'. One result is shown: 'homepage-mercaux-looks-slider -' with Type 'Global' and 2 Slot Configurations. The footer of the table indicates 'Page 1 of 1' and 'Displaying items 1 - 1 of 1'.

Merchant Tools > Online Marketing > Content Slots

## Content Slots

The list of slots for global, category, and folder content is generated from 'isslot' tags added to Storefront templates. For example: <isslot id="global-slot-id" description="Description Here" context="global" />. For global slots, the system checks all templates. For category slots and folder slots, the system checks the templates specified in the category or folder configurations. To search for a specific slot, enter a search term below. You can optionally add a wildcard "\*" before or after your search term (e.g., 'keyword\*'). Click **Search** to configure searchable attributes. Search is not case-sensitive. Use the links below to display or delete unreferenced content slots or slot configurations.

[Unreferenced Content Slots](#)  
[Unreferenced Slot Configurations](#)

Slot ID/Description	Type	Category/Folder ID	Category/Folder Name	Slot Configurations	Preview
<a href="#">homepage-mercaux-looks-slider -</a>	Global			2	

Page 1 of 1

Displaying items 1 - 1 of 1



In the Slot configurations page, you will find two different slots:

- `homepage-looks-slider-category-block` which will display random Looks from a selected Category
- `homepage-looks-slider-product-ids-block` which will display selected Product IDs

In both cases, you can activate one of them by selecting the slot you want to enable, list the Products or Category you want to take into account and Apply your modification

Copy button

ID	Description	Default	Status	Type	Preview
homepage-looks-slider-category-block	Show Looks Slider with populated Random Amount from selected Category. P.s Amount of ...	False	Inactive	Category	
homepage-looks-slider-product-ids-block	Show Looks slider with selected Product IDs at the Homepage	False	Active	Product	

[New](#) [Copy](#)

### Slot Configuration - homepage-looks-slider-product-ids-block

The **Description** field is for an internal description, and the **Callout** field is for a Storefront message. If **Default** is checked, the slot configuration is displayed when nothing else is scheduled. The **Schedule** defines when the slot configuration is displayed; the **Rank** determines which slot configuration displays if multiple slot configurations are running on the same schedule. If multiple slot configurations are scheduled and have the same **Rank**, the last edited slot configuration is displayed. The **Content Type** field enables you to define the type of content shown in the slot. The **Product** type is for specific products; **Category** is for all category products; **Content Asset** is for a specific content asset; and **HTML** is for plain text or HTML code.

Fields with a red asterisk (\*) are mandatory.

Select Language: Default

**ID:**

**Enabled:** Yes

**Default:** ☐

**Description:**

**Slot Content**

**Content Type:** Product

**Product:**   
 mercaux-220834  
 mercaux-220835  
 mercaux-220836  
 mercaux-220837  
[Add](#)

**Template:**

**Callout:**

[HTML Editor](#)

### Schedule/Qualifiers/Compatibility


[Add Schedule\\*](#)

ID	Description	Type	Schedule	Customer Groups	Rank
Slot Default Schedule	Default	Site	Continuously		


[Apply](#)

## Looks in carousels

### 1. Product page





### 2. Homepage carousel




## Look Gallery




[Login](#)


 commerce cloud


Search (keywords,etc) 

 0

LooksAccessoriesClothingFootwear


Refine byLook Type Badge Sort By View 

12 




Look\_leo dress  
5 items

[VIEW ALL ITEMS](#)




Look  
4 items

[VIEW ALL ITEMS](#)




Look  
4 items

[VIEW ALL ITEMS](#)




Look  
3 items

[VIEW ALL ITEMS](#)




New look  
6 items

[VIEW ALL ITEMS](#)




Look  
4 items

[VIEW ALL ITEMS](#)



Look  
3 items

[VIEW ALL ITEMS](#)



Summer party  
5 items


[VIEW ALL ITEMS](#)


## Look details

### 1. Look pop-up

FREE 2-Day SHIPPING FOR ORDERS OVER \$300


Look






Abstract Pleated Midi Skirt  
\$187.00

ADD TO CART




Wrap Front Chunky Jumper  
\$187.00

ADD TO CART




Knitted Trainers  
\$88.00

ADD TO CART




New look  
6 items

VIEW ALL ITEMS




Look  
4 items

VIEW ALL ITEMS



Look  
3 items


VIEW ALL ITEMS



Summer party  
5 items

VIEW ALL ITEMS

## 2. Look Product detail pop-up



## 7. Known Issues

None known.

## 8. Release History

Version	Date	Changes
20.1.0	12 June 2020	Initial release