



Security Scan Report

insecure.democuda.org

2026-04-29 17:30:47

Executive Summary

Scan Details

2

High

0

Medium

0

Low

0

Info

Executive Summary

Scan Findings

Related Sites Discovery

[View Details →](#)

- Discovered 10 related subdomain(s), 4 responding to HTTP requests (44.4% response rate)
- 2 successful HTTP response(s) (200 OK) across all hosts
- Most common technologies: HSTS (1), PHP (1)

Organization Domain Discovery

[View Details →](#)

- Discovered 0 domain(s) potentially belonging to the same organization via passive sources.

Subfinder

[View Details →](#)

- No subdomains detected.

Katana

[View Details →](#)

- Detected 5 URLs.

External Script Detection

[View Details →](#)

- Website loads 1 external JavaScript files
- ⚠️ 1 scripts lack Subresource Integrity (SRI) protection

AI Chatbot Detection

[View Details →](#)

- No AI chatbot indicators were detected on the target website.

WhatWeb

[View Details →](#)

- Recommend running a scan on , which was the target redirection location from insecure.democuda.org

Wafw00f

[View Details →](#)

- No WAFs were detected.

Find The Admin Panel

[View Details →](#)

- Found 1 admin panel.

Test SSL

[View Details →](#)

- SSL/TLS configuration appears secure. No vulnerabilities or weak ciphers detected in TLS 1.2+.

Identified Issues

- 2 potential issues were identified.
- Categories involved: Access Control, WAF Detection.
- Severity breakdown: High=2.

[View All Issues by Severity →](#)

WAF Impact Analysis



2

ISSUES ADDRESSABLE BY WAF

2 of 2 (100.0%)



2

HIGH SEVERITY (WAF)

Immediate protection available



1-2

DAYS TO DEPLOY WAF

vs 4-6 weeks for code fixes



100.0%

RISK REDUCTION

With immediate WAF deployment

Why Deploy a Web Application Firewall?



Immediate Protection

Deploy in 1-2 days versus weeks of development time for code-level fixes



Defense in Depth

Add an additional security layer while code updates are being developed and tested



Header Injection

Automatically inject missing security headers (CSP, HSTS, X-Frame-Options) without code changes



Traffic Intelligence

Monitor and analyze attack patterns to identify threats before they reach your application



Virtual Patching

Protect against known vulnerabilities while permanent fixes are being implemented



Reduced Time-to-Protection

Close security gaps in days instead of the weeks or months required for code refactoring

Recommended Approach: Deploy a WAF immediately to address 100.0% of identified issues, then implement code-level fixes as a second layer of defense for comprehensive, long-term security.

[↑ Home](#)

Issues Found

High Severity Issues

No WAF Detected WAF Detection

Reported by:

Wafw00f

[View tool details →](#)

Remediation: Deploy a WAF in front of the application to provide an additional layer of security against common web attacks.

Exposed Admin Panel Access Control

Reported by:

Find The Admin Panel

[View tool details →](#)

Remediation: Restrict access to admin panels using IP allowlisting, VPN requirements, or move to a non-public subdomain. Implement strong authentication, rate limiting, and monitor for unauthorized access attempts. A WAF can restrict access to admin panels using IP allow-listing and other access control policies to provide immediate protection.

[↑ Home](#)

Detailed Results by Tool

This section provides detailed results from each security tool that was executed during the scan. Click on any tool name below to navigate directly to its results.

Related Sites Discovery

Discovers related subdomains and probes for live web services

Organization Domain Discovery

Discovers public-facing web domains belonging to the same organization

Subfinder

Subdomain finder.

Katana

Site crawler and URL finder.

External Script Detection

Detects and analyzes external JavaScript files loaded by the target.

AI Chatbot Detection

Detects indicators of agentic AI chatbots from passive scan data.

WhatWeb

Identifies technologies used by a website.

Wafw00f

Detects and identifies Web Application Firewalls (WAFs) on the target.

Find The Admin Panel

Scans target for exposed admin login pages

Test SSL

Tests SSL and TLS posture

[← Back to Tool Index](#)[↑ Home](#)[Next →](#)

Related Sites Discovery

Purpose: Discovers related subdomains and probes for live web services

Website: <https://github.com/mercutioviz/kast>

Timestamp: 2026-04-29T17:30:24.386

Summary:

Discovered 10 subdomain(s), 4 responding to HTTP requests (44.4% response rate)

Total Subdomains: 10

Live Hosts: 4 (44.4% response rate)

Dead Hosts: 5

Live Hosts (Top 25)

Host	Ports	Technologies
crapi.democuda.org	80	Port 80 (404): None Port 80 (404): None
insecure-js.democuda.org	80, 443	Port 443 (503): None Port 80 (503): None
secure-js.democuda.org	80, 443	Port 443 (503): None Port 80 (503): None
secure.democuda.org	80, 443	Port 443 (200): HSTS, PHP Port 80 (200): HSTS, PHP

Dead Hosts (5)

dvwa-secure.democuda.org, dvwa.democuda.org, test01.democuda.org, dvwa-insecure.democuda.org, lab.democuda.org

Details:

Target: insecure.democuda.org

Apex Domain: democuda.org

Scanned Domain: democuda.org

Total Subdomains Discovered: 10

Live Hosts: 4

Dead Hosts: 5

Response Rate: 44.4%

Unique Technologies: 2

Results:

[See live and dead host information below](#)

[← Back to Tool Index](#)[↑ Home](#)[← Previous](#)[Next →](#)

Organization Domain Discovery

Purpose: Discovers public-facing web domains belonging to the same organization

Timestamp: 2026-04-29T17:29:19.393

Summary:

No findings were produced by org_discovery.

Target: democuda.org | **Org:** Not detected

Details:

Organization: None

Apex domain: democuda.org

Domains discovered: 0

High confidence: 0

Sources: passive sources

Exposed services (Shodan): 0

[← Back to Tool Index](#)[↑ Home](#)[← Previous](#)[Next →](#)

Subfinder

Purpose: Subdomain finder.

Website: <https://github.com/projectdiscovery/subfinder>

Timestamp: 2026-04-29T17:29:26.520

Disposition: success

Summary:

No subdomains were found.

No subdomains found.

Details:

Detected 0 unique subdomain(s).

Results:

 [View subdomain details below](#)

Report Notes:

```
subfinder -v -d insecure.democuda.org -o /home/mscollins/baseline/sample-scan-1/subfinder_tmp.json -cs -oJ
```

[← Back to Tool Index](#)[↑ Home](#)[← Previous](#)[Next →](#)

Katana

Purpose: Site crawler and URL finder.

Website: <https://github.com/projectdiscovery/katana>

Timestamp: 2026-04-29T17:29:40.334

Summary:

Detected 5 unique URL(s).

Discovered URLs (showing 5 of 5)

[GET] <https://insecure.democuda.org> [depth:0]

[header] [GET] <https://insecure.democuda.org/login.php> [depth:1]

[link] [GET] <https://insecure.democuda.org/dvwa/css/login.css> [depth:1]

[script] [GET] https://insecure.democuda.org/bnith__a5HB0grm1WEMmYR5qvW93nhCQMTstH86shiL01huWboUzrNkf81FRGDFA-ex9Uz8xSkzBzpKa1M= [depth:1]

[script] [GET] https://insecure.democuda.org/bnith__a5HB0grm1WFAI6HIaNYIcz1HB8KzE4YwctWeEXj6I9qlq9o00r3LpvBs4pe03NRHH7taYCY3NYY= [depth:2]

Details:

Detected 5 unique URL(s).

Results:

 [View URL details below](#)

Report Notes:

```
katana -v -silent -u insecure.democuda.org -o /home/mscollins/baseline/sample-scan-1/katana.txt -ob
```

[← Back to Tool Index](#)[↑ Home](#)[← Previous](#)[Next →](#)

External Script Detection

Purpose: Detects and analyzes external JavaScript files loaded by the target.

Website: <https://developer.mozilla.org/en-US/docs/Web/HTML/Element/script>

Timestamp: 2026-04-29T17:29:27.359

Disposition: success

Summary:

Detected 1 external scripts: 0 cross-origin from 1 unique origins, 1 without SRI protection



External JavaScript Analysis

Total Scripts: 1

Cross-Origin: 0 from 1 origins

Without SRI: 1



<https://insecure.democuda.org> (1 scripts)



bnith_a5HB0grmlWEbxfQ97Zk6XqeP0O7ZqK82J5QBK1tCz2MBgpY9TgQupU2A9R0_HtkwkNLzS9hnaAE=

Details:

<https://insecure.democuda.org>: 1 scripts (1 without SRI)

Results:

```
{
  "target_url": "https://insecure.democuda.org"
  "target_origin": "https://insecure.democuda.org"
  "total_scripts": 1
  "total_scripts_found": 1
  "scripts_analyzed": 1
  "limited_by_config": false
  "same_origin_count": 1
  "cross_origin_count": 0
  "scripts_with_sri": 0
}
```

```
"scripts_without_sri": 1
"insecure_http_scripts": 0
"unique_origins":
[
  "https://insecure.democuda.org"
]
"unique_origin_count": 1
"scripts":
[
  {
    "url": [... truncated ...]
    "origin": [... truncated ...]
    "hostname": [... truncated ...]
    "path": [... truncated ...]
    "is_same_origin": [... truncated ...]
    "is_cross_origin": [... truncated ...]
    "has_sri": [... truncated ...]
    "integrity": null
    "crossorigin": null
    "is_https": [... truncated ...]
    "is_secure": [... truncated ...]
  }
]
"scripts_by_origin":
{
  "https://insecure.democuda.org":
  [
    [... truncated ...]
  ]
}
}
```

Report Notes:

Analyzed 1 external JavaScript files

[← Back to Tool Index](#)[↑ Home](#)[← Previous](#)[Next →](#)

AI Chatbot Detection

Purpose: Detects indicators of agentic AI chatbots from passive scan data.

Timestamp: 2026-04-29T17:29:40.380

Summary:

No AI chatbot indicators detected.

No AI chatbot indicators detected.

Details:

No AI chatbot indicators detected.

[← Back to Tool Index](#)[↑ Home](#)[← Previous](#)[Next →](#)

WhatWeb

Purpose: Identifies technologies used by a website.

Website: <https://github.com/urbanadventurer/whatweb>

Timestamp: 2026-04-29T17:29:27.295

Disposition: success

Summary:

{'http://insecure.democuda.org - HTTP 302': 'Cookies [PHPSESSID, security]; Country [UNITED STATES]; IP [4.152.87.222]; RedirectLocation [login.php]; X-Frame-Options [SAMEORIGIN]'}

{'http://insecure.democuda.org/login.php - HTTP 200': 'Cookies [PHPSESSID, security]; Country [UNITED STATES]; IP [4.152.87.222]; PasswordField [password]; Script [text/javascript]; Title [Login :: Damn Vulnerable Web Application (DVWA) v1.10 *Development*]; X-Frame-Options [SAMEORIGIN]'}

Results:

```
{
  "name": "whatweb"
  "timestamp": "2026-04-29T17:29:12.543"
  "disposition": "success"
  "results":
    [
      {
        "target": [... truncated ...]
        "http_status": [... truncated ...]
        "request_config": [... truncated ...]
        "plugins": [... truncated ...]
      }
      {
        "target": [... truncated ...]
        "http_status": [... truncated ...]
        "request_config": [... truncated ...]
        "plugins": [... truncated ...]
      }
    ]
}
```

Report Notes:

```
whatweb -a 3 --read-timeout 30 --max-redirects 2 --log-json /home/mscollins/  
baseline/sample-scan-1/whatweb.json insecure.democuda.org
```


[← Back to Tool Index](#)[↑ Home](#)[← Previous](#)[Next →](#)

Wafw00f

Purpose: Detects and identifies Web Application Firewalls (WAFs) on the target.

Website: <https://github.com/EnableSecurity/wafw00f>

Timestamp: 2026-04-29T17:29:16.802

Disposition: success

Summary:

No WAF detected

Details:

No WAF detected.

Test URL: `/?cishgshjh=%3Cscript%3Ealert%28%22XSS%22%29%3B%3C%2Fscript%3E&kbnwveul=UNION+SELECT+ALL+FROM+information_schema+AND+%22+or+SLEEP%285%29+or+%22&xxrtwudh=..%2F..%2Fetc%2Fpasswd`

Test URL: `/?jtxdihfp=%3Cscript%3Ealert%28%22XSS%22%29%3B%3C%2Fscript%3E`

Test URL: `/?hkhtifef=UNION+SELECT+ALL+FROM+information_schema+AND+%22+or+SLEEP%285%29+or+%22`

Results:

```
[
  {
    "detected": false
    "firewall": "None"
    "manufacturer": "None"
    "trigger_url": null
    "url": "https://insecure.democuda.org"
  }
]
```

Report Notes:

```
wafw00f insecure.democuda.org -a -vvv -T 30 -f json -o /home/mscollins/baseline/sample-scan-1/wafw00f.json
```

[← Back to Tool Index](#)[↑ Home](#)[← Previous](#)[Next →](#)

Find The Admin Panel

Purpose: Scans target for exposed admin login pages

Website: <https://github.com/DV64/Find-The-Admin-Panel>

Timestamp: 2026-04-29T17:30:01.684

Summary:

Found 1 exposed admin panel.

Exposed Admin Panels (showing 1 of 1)

Login :: Damn Vulnerable Web Application (DVWA) v1.10 *Development* - Confidence: 100.0%
<http://insecure.democuda.org/#admin/>

Details:

Exposed Admin Panels:

Panel #1:

URL: <http://insecure.democuda.org/#admin/>

Title: Login :: Damn Vulnerable Web Application (DVWA) v1.10 *Development*

Confidence: 100.0%

Status Code: 200

Login Form Detected: Yes

Technologies: Laravel, PHP

Results:

 [View panel details below](#)

Report Notes:

```
ftap --url insecure.democuda.org --detection-mode stealth -d /home/mscollins  
/baseline/sample-scan-1 -e json -f ftap.json
```

[← Back to Tool Index](#)[↑ Home](#)[← Previous](#)

Test SSL

Purpose: Tests SSL and TLS posture

Website: <https://testssl.sh/>

Timestamp: 2026-04-29T17:30:46.333

Summary:

No vulnerabilities or cipher issues detected.

Details:

No SSL/TLS vulnerabilities or cipher issues detected.

Results:

Scan completed successfully. No vulnerabilities or cipher issues detected.

Report Notes:

```
testssl -U -E --connect-timeout 10 --warnings=batch -oJ /home/mscollins/base  
line/sample-scan-1/testssl.json insecure.democuda.org
```

