



NANYANG
TECHNOLOGICAL
UNIVERSITY

**Investigation on the Aggregation and Inhibitory Aggregation
Mechanism of Amyloid β Peptides**

Zhao Li Na

School of Physical and Mathematical Sciences

A thesis submitted to the Nanyang Technological University
in partial fulfillment of the requirements for the degree of
Doctor of Philosophy

2012

Abstract

aaa

Contents

Abstract	i
Contents	ii
Acknowledgements	iii
List of Figures	iv
List of Tables	v
Chapter 1: Introduction	1
Chapter 2: ADintro	2
2.1 Introduction	2
2.2 Conclusions	2
Chapter 3: aggregation	3
3.1 Introduction	3
3.2 Summary and discussions	3
Appendices	4
Glossary	5
References	6

Acknowledgements

I would like to thank ...

List of Figures

List of Tables

A1	Calculated pKa value for titratable residues.	5
----	---	---

1 Introduction

2 ADintro

2.1 Introduction

"Accept nothing short of perfection".¹

2.2 Conclusions

Here is the conclusions... "Perfection is achieved only on the point of collapse."

3 aggregation

3.1 Introduction

Here comes the introduction.^{2,3}

3.2 Summary and discussions

Here comes the summary ...

Appendices

Residues	pKa values
N-terminus	7.9

Table A1: Calculated pKa value for titratable residues.

References

- [1] Gouras, G. K.; Tampellini, D.; Takahashi, R. H.; Capetillo-Zarate, E. Intraneuronal β -amyloid accumulation and synapse pathology in Alzheimer's disease. *Acta Neuropathol.* **2010**, *119*, 523–541.
- [2] Bayer, T. A.; Wirths, O. Review on the APP/PS1KI mouse model: intraneuronal A β accumulation triggers axonopathy, neuron loss and working memory impairment. *Genes, Brain and Behavior* **2008**, *7*, 6–11.
- [3] Chang, K.-A.; Kim, H. J.; Suh, Y.-H. The role of S100a9 in the pathogenesis of Alzheimer's disease: the therapeutic effects of S100a9 knockdown or knockout. *Neurodegenerative Disease* **2012**, *10*, 27–29.

