Lab07B - GroceryList ArrayList

GroceryItem

String name double cost boolean taxable

getName getCost getTaxable $\operatorname{setName}$ setCost setTaxable toString

```
GroceryList
                                                         ** needs finishing
**ArrayList<GroceryItem> list
**boolean finishedShopping()
**double totalCost()
**String getNameHighestPrice
**ArrayList<String> getItems (String s)
**ArrayList<GroceryItem> removeItemsOverCost(double c)
String toString()
```

SHOPPING LIST				
1.	corn	1.2	false	
2.	beans	2.3	false	
3.	kale	3.43	false	
4.	popcorn	6.5	false	
5.	detergent	2.3	true	
6.	light bulb	4.3	true	
7.	apples	3.3	false	
8.	bread	2.99	false	
9.	soup	0.3	false	
10.	berries	4.2	false	
11.	orange juice	4.3	false	
TOTAL:		35.12	KEEP SHOPPING!	

Highest price: popcorn

Items that begin with b: [beans, bread, berries]

Items removed:					
orange juice	4.3	false			
berries	4.2	false			
apples	3.3	false			
light bulb	4.3	true			
popcorn	6.5	false			
kale	3.43	false			
SHOPPING LIST					
1. corn	1.2	false			
2. beans	2.3	false			
detergent	2.3	true			
4. bread	2.99	false			
5. soup	0.3	false			
TOTAL:	9.09	KEEP SHOPPING!			

SHOPPING LIST

TOTAL: 0.0 NO MORE SHOPPING! Lab07B output (Runner)