Internetworking – Tutorial 4

Variable Length Subnet Mask

Remember:

IP Address Classes

Class A	1 – 127	(Network 127 is reserved for loopback and internal testing) Leading bit pattern	0	00000000.00000000.00000000.00000000 Network . Host . Host . Host
Class B	128 – 191	Leading bit pattern	10	10000000.00000000.00000000.00000000 Network . Network . Host . Host
Class C	192 – 223	Leading bit pattern	110	11000000.00000000.00000000.00000000 Network . Network . Network . Host
Class D	224 – 239	(Reserved for multicast)		
Class E	240 – 255	(Reserved for experimental, used for research)		

Private Address Space

Class A	10.0.0.0 to 10.255.255.255
Class B	172.16.0.0 to 172.31.255.255
Class C	192.168.0.0 to 192.168.255.255

Default Subnet Masks

Class A	255.0.0.0
Class B	255.255.0.0
Class C	255.255.255.0

Example A:

The VLSM chart is a method used to visualise the breakdown of subnets and addresses into smaller sizes. By shading or colouring in the boxes you can easily break up your subnets without overlapping your addresses. You can adjust each sub-subnet to the correct size needed.

VLSM Addressing by using a VLSM Chart Method

Using the network diagram and information given create an addressing scheme which utilises variable-length subnet masks. Show the subnet address along with the network prefix in the boxes below, colour or shade the sub-subnets used in the chart. This business will be using the class C address 220.10.10.0.

Remember to start with your largest groups first.



Subnet Name	Subnet Address	Network Prefix /XX	First Usable Host	Last Usable Host	Broadcast Address
Marketing	220.10.10.0	/26	220.10.10.1	220.10.10.62	220.10.10.63
Research	220.10.10.64	/27	220.10.10.65	220.10.10.94	220.10.10.95

Check the VLASM Chart Method on the next page:

Class C Addresses VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

Example B:

Using the network diagram and information given create an addressing scheme which utilises variable-length subnet masks. Show the subnet address and CIDR in the boxes below, colour or shade the sub-subnets used in the chart. This company will be using the **Class C** address 192.168.16.0.

Remember to start with your largest groups first.



Subnet	Subnet Address	Network Prefix /XX	First Usable Host	Last Usable Host	Broadcast Address
A	*192.168.16.0*	*/25*	*192.168.16.1*	*192.168.16.126*	*192.168.16.127*
B	*192.1683.16.128*	*/26*	*192.168.16.129*	*192.168.16.190*	*192.168.16.191*
C	*192.168.16.192*	*/27*	*192.168.16.193*	*192.168.16.222*	*192.168.16.223*
D	*192.168.16.224*	*/30*	*192.168.16.225*	*192.168.16.226*	*192.168.16.227*
E	*192.168.16.228*	*/30*	*192.168.16.229*	*192.168.16.230*	*192.168.16.231*

Check the VLASM chart on the next page

Class C Addresses VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

Exercise 1:

You are setting up a business network with the **Class C** address **219.75.160.0/24**. The marketing department will need 19 computers. Research and development need 40 computers. The reception area will need 4 computers. Management requires 12 computers. Divide the network using variable length subnet information.

Complete the provided table with all missing information. You can use the VLSM chart available on the next page.

Remember to work from largest to smallest.

Subnet Name	Subnet Address	Network Prefix /XX	First Usable Host	Last Usable Host	Broadcast Address

Class C Addresses VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

Exercise 2:

A local college is setting up a campus wide network. The technology wing will be on its own network address of 192.168.250.0/24. The office wing will include 15 computers. There are 2 labs of 20 computers each, 2 labs of 30 computers each and one lab of 35 computers.

Complete the provided table with all missing information. You can use the VLSM chart available on the next page.

Remember to work from largest to smallest.

Subnet Name	Subnet Address	Network Prefix /XX	First Usable Host	Last Usable Host	Broadcast Address

Class C Addresses VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

Exercise 3: - Assessed in Quiz #1

Using the network diagram below and information given create an addressing scheme which utilises variable-length subnet masks. Complete the following table and colour or shade the subnets that you can identify on the provided VLSM chart. This company will be using the **Class C** address **199.55.78.0**.

Remember to start with your largest groups first.



Subnet Name	Subnet Address	Network Prefix /XX	First Usable Host	Last Usable Host	Broadcast Address

Class C Addresses VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255

Exercise 4:

Using the network diagram and information given create an addressing scheme which utilises variable length subnet masks. Complete the following table and colour or shade the subnets that you can identify on the provided VLSM chart. This company will be using the **class C** address **223.150.50.0**.

Remember to start with your largest groups first.



Subnet Name	Subnet Address	Network Prefix /XX	First Usable Host	Last Usable Host	Broadcast Address

Class C Addresses VLSM Chart 24-30 Bits (4th octet)

/24 255.255.255.0 256 Hosts	/25 255.255.255.128 128 Hosts	/26 255.255.255.192 64 Hosts	/27 255.255.255.224 32 Hosts	/28 255.255.255.240 16 Hosts	/29 255.255.255.248 8 Hosts	/30 255.255.255.252 4 Hosts
0 - 255	0-127	0-63	0-31	0-15	0-7	0-3
						4-7
					8-15	8-11
						12-15
				16-31	16-23	16-19
						20-23
					24-31	24-27
						28-31
			32-63	32-47	32-39	32-35
						36-39
					40-47	40-43
						44-47
				48-63	48-55	48-51
						52-55
					56-63	56-59
						60-63
		64-127	64-95	64-79	64-71	64-67
						68-71
					72-79	72-75
						76-79
				80-95	80-87	80-83
						84-87
					88-95	88-91
						92-95
			96-127	96-111	96-103	96-99
						100-103
					104-111	104-107
						108-111
				112-127	112-119	112-115
						116-119
					120-127	120-123
						124-127
	128-255	128-191	128-159	128-143	128-135	128-131
						132-135
					136-143	136-139
						140-143
				144-159	144-151	144-147
						148-151
					152-159	152-155
						156-159
			160-191	160-175	16-167	160-163
						164-167
					168-175	168-171
						172-175
				176-191	176-183	176-179
						180-183
					184-191	184-187
						188-191
		192-255	192-223	192-207	192-199	192-195
						196-199
					200-207	200-203
						204-207
				208-223	208-215	208-211
						212-215
					216-223	216-219
						220-223
			224-255	224-239	224-231	224-227
						228-231
					232-239	232-235
						236-239
				240-255	240-247	240-243
						244-247
					248-255	248-251
						252-255