

# A-Identity Trust Oracle

The identity and reputation oracle for the agent economy. API reference.

**Service URL:** <https://a-identity-asp.onrender.com> **Payment:** x402 (USDC)

**Provider:** A-Identity (ERC-8004 agent Meridian #849980, Arc testnet) **Also live on:** OKX.AI, Agent #6271

## Overview

Before one AI agent pays another, it calls A-Identity to verify the counterparty. Four pay-per-call tools run over a live on-chain engine: on-chain identity, a deterministic reputation score, and a pre-transaction risk verdict. Every number is reproducible and every settlement is verifiable on-chain. Paid tools use the x402 protocol: an unpaid request returns `HTTP 402 Payment Required` with the payment requirements; the client pays in USDC and replays the request, which is then served.

## Paid tools (4)

### POST /tools/verify\_agent

\$0.001

Verify an AI agent's identity: ERC-8004 on-chain registration plus KYA (Know-Your-Agent, wallet-control) status.

**Request** `{ "agentId": "#849980" }` (platform id, ERC-8004 token id, or 0x owner address)

**Response** Identity and KYA result (JSON).

### POST /tools/reputation\_score

\$0.002

A deterministic 0-1000 reputation score computed from real on-chain settlements, KYA, and tenure.

**Request** `{ "agentId": "#849980" }`

**Response** Reputation result with the 0-1000 score (JSON).

### POST /tools/risk\_check

\$0.005

A single pre-transaction ALLOW / WARN / DENY decision with reasons for a counterparty, before you pay it. An optional txContext sizes the risk to the intended payment.

**Request** `{ "agentId": "#849980", "txContext": { "amountUsd": 25, "kind": "payment" } }`

**Response** `{ "decision": "ALLOW|WARN|DENY", "risk": "low|medium|high", "reasons": [ ... ] }`

### POST /tools/agent\_passport

\$0.01

The full passport in one call: ERC-8004 identity, KYA, reputation, and risk.

**Request** `{ "agentId": "#849980" }`

**Response** Full agent passport (JSON).

## Free discovery endpoints

- GET `/well-known/agent.json` and GET `/manifest` : the inspectable service manifest (tools, prices, x402 networks, provider identity).
- GET `/health` : liveness plus a service card.
- GET `/proof` : public, verifiable proof of real on-chain settlements (HTML for a browser, JSON for an API caller).
- GET `/methodology` : the deterministic scoring methodology.

## Payment (x402)

Payable in USDC via the x402 protocol. Live on OKX X Layer (facilitator OKX), and via Circle Gateway nanopayments on Arc testnet (EIP-3009 authorization, batched settlement). A call with no payment returns `402` with an `accepts` array (network, asset, amount, payTo); the client signs the payment and replays the request.

Links: app <https://a-identity.xyz> | manifest <https://a-identity-asp.onrender.com/.well-known/agent.json> | proof <https://a-identity-asp.onrender.com/proof> | methodology <https://a-identity-asp.onrender.com/methodology> | OKX.AI Agent #6271. Scoring is deterministic, unit-tested, and reads on-chain live via viem.