

Descripción de los metodos

Endpoints de Productos (ProductoResource)

Listar todos los productos

Método: **GET**

Ruta: /api/productos

My Collection / Listar Productos

GET http://localhost:8080/ApiMinimarket/api/productos

Send

Docs Params Auth Headers (7) Body Scripts Settings Cookies

HTTP version **NEW** HTTP/1.x

Select the HTTP version to use for sending the request.

Default: [Settings](#)

Enable SSL certificate verification ☐ OFF

Verify SSL certificates when sending a request. Verification failures will result in the request being aborted.

Default: [Settings](#)

Body 200 OK • 41 ms • 26.9 KB • Save Response

JSON Preview Visualize

```
1 [
2   {
3     "precioBase": 850,
4     "tipoVenta": "UNIDAD",
5     "extra": "Botella desechable",
6     "idProducto": 1,
7     "idCategoria": 1,
8     "stock": 96,
9     "nombre": "Coca-Cola 350ml"
10  },
11  {
12    "precioBase": 1700,
13    "tipoVenta": "UNIDAD",
14    "extra": "Botella plástica",
15    "idProducto": 2,
16    "idCategoria": 1,
17    "stock": 71,
18    "nombre": "Pepsi 1.5L"
```

Obtener producto por id

Método: **GET**

Ruta: /api/productos/{id}

Datos de entrada:

{id}

[HTTP](#) My Collection / Consultar por ID Save Share

GET

http://localhost:8080/ApiMinimarket/api/productos/1

Send

Docs

Params

Auth

Headers (6)

Body

Scripts

Settings

Cookies

Query Params

	Key	Value	Description	...	Bulk Edit
	Key	Value	Description		

Body

200 OK • 17 ms • 327 B •

Save Response

...

{}

JSON

Preview

Visualize

...

```
1  {
2    "precioBase": 850,
3    "tipoVenta": "UNIDAD",
4    "extra": "Botella desechable",
5    "idProducto": 1,
6    "idCategoria": 1,
7    "stock": 96,
8    "nombre": "Coca-Cola 350ml"
9  }
```

Crear nuevo producto

Método: **POST**

Ruta: /api/productos

Datos de entrada:

JSON

```
{  
  "nombre": String,  
  "idCategoria": Int,  
  "tipoVenta": String,  
  "precioBase": Double,  
  "stock": Int,  
  "extra": String  
}
```

The screenshot shows a REST client interface with the following details:

- Collection:** My Collection / Insertar Producto en BD
- Method:** POST
- URL:** http://localhost:8080/ApiMinimarket/api/productos
- Body (raw JSON):**

```
{  
  "nombre": "Helado Tres Savares Savory 2500ml",  
  "idCategoria": 8,  
  "tipoVenta": "UNIDAD",  
  "precioBase": 4090,  
  "stock": 32,  
  "extra": "Cassata"  
}
```
- Status:** 201 Created (51 ms, 384 B)
- Response (JSON):**

```
{  
  "precioBase": 4090,  
  "tipoVenta": "UNIDAD",  
  "extra": "Cassata",  
  "mensaje": "Producto creado correctamente",  
  "idProducto": 202,  
  "idCategoria": 8,  
  "stock": 32,  
  "nombre": "Helado Tres Savares Savory 2500ml"  
}
```

Actualizar producto

Método: **PUT**

Ruta: /api/productos/{id}

Datos de entrada:

/ {id}

JSON

```
{  
  "nombre": String,  
  "idCategoria": Int,  
  "tipoVenta": String,  
  "precioBase": Double,  
  "stock": Int,  
  "extra": String  
}
```

The screenshot shows a REST client interface with the following details:

- Collection:** My Collection / Actualizar Producto
- Method:** PUT
- URL:** http://localhost:8080/ApiMinimarket/api/productos/202
- Body (raw JSON):**

```
1 {  
2   "nombre": "Helado Tres Sabores Savory 2500ml",  
3   "idCategoria": 2,  
4   "tipoVenta": "UNIDAD",  
5   "precioBase": 4190,  
6   "stock": 40,
```
- Status:** 200 OK (19 ms, 384 B)
- Response Body (JSON):**

```
1 {  
2   "precioBase": 4190,  
3   "tipoVenta": "UNIDAD",  
4   "extra": "Cassata",  
5   "mensaje": "Producto actualizado correctamente",  
6   "idProducto": 202,  
7   "idCategoria": 2,  
8   "stock": 40,  
9   "nombre": "Helado Tres Sabores Savory 2500ml"  
10 }
```


Eliminar producto

Método: **DELETE**

Ruta: /api/productos/{id}

Datos de entrada:

/ {id}

The screenshot shows a REST client interface with the following components:

- Top Bar:** Displays "My Collection / Eliminar Producto", "Save", and "Share" buttons.
- Request Bar:** Shows the method "DELETE" and the URL "http://localhost:8080/ApiMinimarket/api/productos/202". A "Send" button is on the right.
- Request Tabs:** Includes "Docs", "Params", "Auth", "Headers (6)", "Body", "Scripts", and "Settings". The "Body" tab is selected.
- Request Body:** A dropdown menu shows "none", and a message states "This request does not have a body".
- Response Bar:** Shows the status "200 OK", response time "19 ms", size "252 B", and a "Save Response" button.
- Response Body:** The "JSON" tab is selected, displaying the following JSON object:

```
1 {
2   "mensaje": "Producto eliminado correctamente",
3   "idProducto": 202
4 }
```

Endpoints de Usuarios (UsuarioResource)

Login de Usuario

Método: **POST**

Ruta: /api/usuarios/login

Datos de entrada:

JSON

```
{  
  "username": String,  
  "password": String  
}
```

The screenshot shows a REST client interface with the following details:

- Collection:** My Collection / Login de usuario
- Method:** POST
- URL:** http://localhost:8080/ApiMinimarket/api/usuarios/login
- Body (raw JSON):**

```
1 {  
2   "username": "vendedor",  
3   "password": "ventas2025"  
4 }
```
- Status:** 200 OK
- Response Body (JSON):**

```
1 {  
2   "idUsuario": 2,  
3   "rol": "VENDEDOR",  
4   "username": "vendedor",  
5   "activo": true  
6 }
```

Endpoints de Ventas (VentaResource)

Registrar Venta

Método: **POST**

Ruta: /api/ventas

Datos de entrada:

JSON

```
{
  "subtotal": Double,
  "iva": Double,
  "total": Double,
  "idUserario": Int,
  "detalles": [
    {
      "idProducto": Int,
      "cantidad": Int,
      "precioUnitario": Double
    },
    {
      "idProducto": Int,
      "cantidad": Int,
      "precioUnitario": Double
    }
  ]
}
```


HTTP My Collection / Registrar Venta Save Share

POST http://localhost:8080/ApiMinimarket/api/ventas Send

Docs Params Auth Headers (9) Body Scripts Settings Cookies

raw JSON Schema Beautify

```
1 {
2   "subtotal": 6800,
3   "iva": 1292,
4   "total": 8092,
5   "idUsuario": 2,
6   "detalles": [
7     {
8       "idProducto": 1,
9       "cantidad": 2,
10      "precioUnitario": 850
11    },
12    {
13      "idProducto": 2,
14      "cantidad": 3,
15      "precioUnitario": 1700
16    }
17  ]
18 }
19
```

Listar Ventas

Método: **GET**

Ruta: /api/ventas

HTTP My Collection / Listar Ventas Save Share

GET http://localhost:8080/ApiMinimarket/api/ventas Send

Docs Params Auth Headers (7) Body Scripts Settings Cookies

raw JSON Schema Beautify

1 Ctrl+Alt+P to Ask AI

Body 200 OK • 51 ms • 1.03 KB Save Response

{ } JSON Preview Visualize

```
1 [
2   {
3     "fecha": "2025-11-20 00:47:43",
4     "iva": 1292,
5     "subtotal": 6800,
6     "usuario": "vendedor",
7     "totalFinal": 8092,
8     "idVenta": 11
9   },
10  {
11    "fecha": "2025-10-28 23:52:29",
12    "iva": 1454,
13    "subtotal": 7650,
14    "usuario": "admin",
15    "totalFinal": 9104,
16    "idVenta": 7
17  }
18 ]
```


Diseño y Estructura del Proyecto

Se usó AX-RS ya que está alineada con un estándar robusto y ampliamente adoptado en el desarrollo de servicios web. Junto a las anotaciones @Path y de métodos http (@GET, @POST, @PUT, @DELETE) reducen la complejidad del código y mejoran su legibilidad.

El uso de APIs permite la gestión de estas a través de aplicaciones de terceros como por ejemplo Postman.

Se usaron archivos formato JSON para la entrada y salida de datos, lo que facilita la comunicación entre cliente y REST, y proporciona un acceso seguro a los datos.

Se organizaron las rutas por entidad:

/api/productos, /api/usuarios y /api/ventas.

Se realizó un CRUD para productos lo que facilita la gestión del minimarket.

Se usó JDBC para la conexión con la base de datos MySQL y el manejo de errores.

En conjunto, estas librerías y estándares proporcionan una infraestructura confiable, escalable y fácil de mantener, lo que convierte a la API en una solución sólida para la gestión de recursos del sistema minimarket.