Section 2.

Graphic guidelines.

Our visual identity

Our logo



Open

Our visual identity is the reflection of our brand : open, dynamic, and bold. Like us, our brand is plural and contemporary. It changes colours according to the seasons, uses and targets.

Momentum

The graphic symbol of HPS is a slash, which reflects our momentum and our "future-minded" vision. The slash forms a 60-degree angle shaping into the perfect equilateral triangle, which represents the brand's values trio.

Human

By choosing a typography without serifs while remaining clean and corporate, HPS frees itself from all the extras in order to focus on what is essential. The brand appears more accessible, more open, more inclusive.


HPS


HPS


HPS


HPS



HPS



HPS

Logo
on different backgrounds

The HPS logo can be used on white, black, gradient colored bakground and image. Depending on the background, the branded block "HPS" can be white or black. However, the slash shall always be in gradient.

All the versions presented below are correct,
those on the right are optimized in terms of contrast.





Exclusion zone

The HPS logo is open and dynamic, but its vital space is to be respected. In order to let it breathe, a protection zone must be maintained in the different applications.



Minimum size

For it to be visible, it is important to respect a minimum size of 2 cm.



Prohibitions

Do not crop the logo



Do not distort the logo



Do not use different colours



Do not change the opacity of the logo



Do not use effects



Do not resize the text



Do not change the colour of the logo



Do not use different typographies



Do not change the logo in outline



Do not rotate the logo or part of the logo



Our colour palette

Primary colours

The evolving and changing colour gradient is a reflection of the dynamism of HPS, a passionate, plural, energetic and forward-looking company.

CMYK 60 / 5 / 2 / 0
Pantone 2985 C
RGB 80 / 190 / 232
HEX #50BEE8

CMYK 59 / 6 / 75 / 0
Pantone 2420 UP
RGB 114 / 183 / 110
HEX #72B76E

CMYK 0 / 20 / 85 / 0
Pantone 7404 U
RGB 255 / 204 / 64
HEX #FFCC40

CMYK 64 / 84 / 6 / 0
Pantone 2089 CP
RGB 119 / 74 / 150
HEX #774A96

CMYK 6 / 98 / 99 / 0
Pantone 2035 CP
RGB 225 / 39 / 39
HEX #E12727

Gradient colours


#50BEE8 — #72B76E

#FFCC40 — #E12727


#50BEE8 — #774A96

Secondary colours


Secondary colours can be used in combination with our primary colours, but should not be used for text. For these colours, write in black or white only.




CMYK 43 / 1 / 3 / 0
RGB 133 / 210 / 239
HEX #85D2EF




CMYK 41 / 2 / 50 / 0
RGB 156 / 205 / 154
HEX #9CCD9A



CMYK 45 / 53 / 3 / 0
RGB 148 / 127 / 181
HEX #947FB5



CMYK 3 / 74 / 52 / 0
RGB 234 / 104 / 104
HEX #EA6868



CMYK 0 / 13 / 62 / 0
RGB 255 / 219 / 122
HEX #FFDB7B

Our typography

Our typography is what ties all our communication together. Just like us, it is : assertive, modern, simple and friendly.

Manrope

Aa **Aa**

Manrope Light
Size : 20pt
Leading : 24pt

abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789!@#$%^&*()_+< >?,./:"

Manrope Medium
Size : 20pt
Leading : 24pt

abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789!@#$%^&*()_+< >?,./:"

Manrope Bold
Size : 20pt
Leading : 24pt

abcdefghijklmnopqrstuvwxyz
ABCDEFGHIJKLMNOPQRSTUVWXYZ
0123456789!@#$%^&*()_+< >?,./:"

Secondary typography

PT SANS is our main typeface. When PT SANS is unavailable in digital situations, use CALIBRI.

PT SANS

Aa Bb

AaBbCcDdEeFfGgHhIiJjK LlMmNnOo
PpQqRrSsTtUuVvWwXxYyZz
0123456789 (&?!/,:;-_*”)

CALIBRI

Aa Bb

AaBbCcDdEeFfGgHhIiJjK LlMmNnOo
PpQqRrSsTtUuVvWwXxYyZz
0123456789 (&?!/,:;-_*”)

Different weights

PT SANS Regular

AaBbCcDdEeFfGgHhIiJjK LlMmNnOo
PpQqRrSsTtUuVvWwXxYyZz
0123456789 (&?!/,:;-_*”)

PT SANS Italic

AaBbCcDdEeFfGgHhIiJjK LlMmNnOo
PpQqRrSsTtUuVvWwXxYyZz
0123456789 (&?!/,:;-_”)*

PT SANS Bold

AaBbCcDdEeFfGgHhIiJjK LlMmNnOo
PpQqRrSsTtUuVvWwXxYyZz
0123456789 (&?!/,:;-_*”)

Text structure

MANROPE Bold **For titles**	PT SANS Regular For subtitles	PT SANS Regular For running text	CALIBRI Regular For restricted use