Supplementary Material

Supplementary Table S1. Relocation design, initial colony size, survival, and final fate of relocated coral colonies by genus and attachment substrate.

Genus	Attachment substrate	Number of colonies relocated	Initial diameter, mean +/- SD (range), cm	Alive at 15 months, n (%)	Alive at 20 months, n (%)	Dead in situ at 20 months, n (%)	Missing/detached at 20 months, n (%)
Dipsastraea	Concrete	7	18.1 +/- 5.5 (10 to 24)	4 (57.1)	3 (42.9)	3 (42.9)	1 (14.3)
Dipsastraea	Natural substrate	7	16.6 +/- 3.0 (12 to 20)	4 (57.1)	2 (28.6)	4 (57.1)	1 (14.3)
Dipsastraea total	**All**	**14**	**17.4 +/- 4.3 (10 to 24)**	**8 (57.1)**	**5 (35.7)**	**7 (50.0)**	**2 (14.3)**
Platygyra	Concrete	9	15.7 +/- 2.4 (12 to 19)	6 (66.7)	4 (44.4)	4 (44.4)	1 (11.1)
Platygyra	Natural substrate	10	21.1 +/- 3.7 (13 to 25)	5 (50.0)	4 (40.0)	5 (50.0)	1 (10.0)
Platygyra total	**All**	**19**	**18.5 +/- 4.1 (12 to 25)**	**11 (57.9)**	**8 (42.1)**	**9 (47.4)**	**2 (10.5)**
Porites	Concrete	2	19.0 +/- 0.0 (19 to 19)	0 (0.0)	0 (0.0)	2 (100.0)	0 (0.0)
Porites	Natural substrate	2	14.0 +/- 1.4 (13 to 15)	0 (0.0)	0 (0.0)	2 (100.0)	0 (0.0)
Porites total	**All**	**4**	**16.5 +/- 3.0 (13 to 19)**	**0 (0.0)**	**0 (0.0)**	**4 (100.0)**	**0 (0.0)**
Grand total	**All**	**37**	**17.9 +/- 4.1 (10 to 25)**	**19 (51.4)**	**13 (35.1)**	**20 (54.1)**	**4 (10.8)**

Note: Percentages are calculated within each row. Non survivors include colonies that were dead in situ and colonies that were missing or detached at the final survey.