



TREASURE SORTERS

Crownpolisher 1

Assembly Instructions — keep for future reference (and for the next dragon).



TIME

30 minutes

PEOPLE

1 dragon

DIFFICULTY

2 of 5 claws

TOOLS

One claw

READ BEFORE BREATHING

Assemble in a well-ventilated cave with no open hoard nearby. Keep knights, goblins and small children at least one tail-length away. Some adhesives set instantly at dragon temperatures — hold your breath during steps that mention glue.



What's in the box

Check every part before you start. Missing a part? Check under yourself first.

★ PARTS LIST

Ref	Part	Qty
A	Frame	1
B	Felt wheel	3
C	Catch tray	1
D	Speed dial	1
H1	Wheel pin	3

★ HARDWARE, ACTUAL SIZE



H1 Wheel pin
x 3




Steps 1 to 3

Work on a flat surface. Take your time.

1

Set it level


On stone, not on a hoard. Hoards shift.



2

Fit the wheels


Wheels B onto the frame A with pins H1.



3

Slide in the catch tray

Tray C under the wheels. It will fill faster than you expect.






Steps 4 to 6

Nearly there. Resist the urge to breathe on it.

4

Fit the dial

Dial D at the slowest setting.



5

Load one piece at a time

One crown. Not three. We know.



6

Buff

Two minutes a face. Check the tray.



★ TROUBLESHOOTING

Problem

Fix

Stones in the tray

They were already loose. Tell the customer before you start.

Wheel squeaks

Felt is dry. A drop of oil on the pin, not the felt.