




ALARMS

Pebblechime 5

Assembly Instructions — keep for future reference (and for the next dragon).



TIME

30 minutes

PEOPLE

1 dragon

DIFFICULTY

2 of 5 claws

TOOLS

One claw

READ BEFORE BREATHING

Assemble in a well-ventilated cave with no open hoard nearby. Keep knights, goblins and small children at least one tail-length away. Some adhesives set instantly at dragon temperatures — hold your breath during steps that mention glue.



What's in the box

Check every part before you start. Missing a part? Check under yourself first.

★ PARTS LIST

Ref	Part	Qty
A	Pebble string	4
B	Iron stake	8
C	Tension spool	2
H1	Wire clip	16

★ HARDWARE, ACTUAL SIZE



H1 Wire clip
x 16




Steps 1 to 3

Work on a flat surface. Take your time.

1

Choose the choke point


Where the tunnel narrows. Knights do not detour.



2

Drive the stakes


Stakes B on both sides, one stomp each.



3

Run the wire

Strings A between the stakes, clipped with H1.






Steps 4 to 6

Nearly there. Resist the urge to breathe on it.

4

Set the tension

Spools C until the pebbles hang just clear of the floor.



5

Test with armour

Have a goblin walk it. Adjust until it rings.



6

Sleep

That is the product.



★ TROUBLESHOOTING

Problem	Fix
Rings at every hare	Tension is too tight. One turn looser.
Did not ring	The knight crawled. Add a second string at ankle height.