



HEATED BOULDERS

Snugrock Classic

Assembly Instructions — keep for future reference (and for the next dragon).



TIME

30 minutes

PEOPLE

1 dragon

DIFFICULTY

2 of 5 claws

TOOLS

One claw

READ BEFORE BREATHING

Assemble in a well-ventilated cave with no open hoard nearby. Keep knights, goblins and small children at least one tail-length away. Some adhesives set instantly at dragon temperatures — hold your breath during steps that mention glue.



What's in the box

Check every part before you start. Missing a part? Check under yourself first.

★ PARTS LIST

Ref	Part	Qty
A	Boulder	1
B	Ember core	1
C	Heat dial	1

★ HARDWARE, ACTUAL SIZE




Steps 1 to 3

Work on a flat surface. Take your time.


1 Choose the spot

Snugrock weighs about two tons. Choose the spot before it arrives. Choose wisely.




2 Roll it in

Roll, don't carry. Nobody carries a Snugrock.



3 Insert the ember core

Slide core B into the socket until it glows.






Steps 4 to 6

Nearly there. Resist the urge to breathe on it.

4

Fit the heat dial


Push dial C on at Toasty.



5

Warm up


Allow 20 minutes. Pacing helps.



6

Settle

Circle three times. Lie down. That's it. That's the product.



★ TROUBLESHOOTING

Problem

Fix

Not warm

Ember core not seated. Push until it glows.

Too warm

Dial is on Volcanic. Nobody needs Volcanic.