



ARMOUR RACKS

Trophy Rack Six

Assembly Instructions — keep for future reference (and for the next dragon).



TIME

30 minutes

PEOPLE

1 dragon

DIFFICULTY

2 of 5 claws

TOOLS

One claw

READ BEFORE BREATHING

Assemble in a well-ventilated cave with no open hoard nearby. Keep knights, goblins and small children at least one tail-length away. Some adhesives set instantly at dragon temperatures — hold your breath during steps that mention glue.



What's in the box

Check every part before you start. Missing a part? Check under yourself first.

★ PARTS LIST

Ref	Part	Qty
A	Upright	2
B	Crossbar	3
C	Armour hook set	6
D	Foot	2
H1	Peg	10

★ HARDWARE, ACTUAL SIZE



H1 Peg
x 10




Steps 1 to 3

Work on a flat surface. Take your time.


1 Pick the spot

Facing the entrance. Always facing the entrance.




2 Stand the uprights

Uprights A into feet D, pegged with H1.



3 Fit the crossbars

Crossbars B at helm, waist and knee height.






Steps 4 to 6

Nearly there. Resist the urge to breathe on it.

4

Hang the hook sets

Hooks C, one set per space.



5

Load the armour

Empty armour only. Check twice.



6

Adjust

Tallest in the middle. It reads better.



★ TROUBLESHOOTING

Problem

Fix

Rack leans

A foot peg is short. Re-seat it.

Armour rattles

Hook set is on the wrong crossbar height.