

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default)

registration.aspx\* WebForm1.aspx

# Registration page

username  
password  
confirm-password  
email

please enter your name  
cannot be empty  
cannot be empty must match  
please enter your email write in right format

sign in

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config
- registration.aspx

Solution Explorer Git Changes

Properties

CompareValidator1 System.Web.UI.WebControls

BorderStyle	NotSet
BorderWidth	1px
ClientIDMode	Inherit
ControlToCompare	pass
ControlToValidate	control
CssClass	
CultureInvariantValues	False
Display	Static
EnableClientScript	True
Enabled	True
ControlToCompare	ID of the control to compare with.

Add to Source Control

Table Tools Database : Database- C:\Users\merna maged\Desktop\WebApplication1\db\Database.accdb (Access 2007 - 2016 file format) -... merna maged

External Data Database Tools Help Table Fields Table

Form Wizard Form Design Blank Form More Forms Navigation Report Wizard Report Design Report Labels

Module Class Module Visual Basic

Macro

SharePoint Query Wizard Design Queries Form Design Blank Form More Forms Navigation Report Wizard Report Design Report Labels

Macros & Code

Table1

ID Click to Add \* (New)

Record: 1 of 1 No Filter Search

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default)

registration.aspx registration.aspx.cs Web.config

# Registration page

username

password

confirm-password

email

sign in

please enter your name  
cannot be empty  
cannot be empty must match  
please enter your email write in right format

Solution Explorer

Search Solution Explorer (Ctrl+Shift+F)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# FileName.cs
  - Global.asax
  - packages.config
  - registration.aspx

Solution Explorer Git Change

Properties

conpassword System.Web.UI.WebControls.TextBox

Rows	1
SkinID	
TabIndex	1
Text	
TextMode	SingleLine
ToolTip	
ValidateRequestMode	None
ValidationGroup	
ViewStateMode	Enabled
Visible	True

TextMode  
The behavior mode of the textbox.

Add to Source Control

Design Split Source

Output

Show output from: Build

Build succeeded, 0 failed, 0 up to date, 0 skipped

===== Build started at 4:58 PM and took 00.422 seconds =====

Error List Output

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

registration.aspx\* registration.aspx.cs Web.config

# Registration page

username  please enter your name  
password  cannot be empty  
confirm-password  cannot be empty must match  
email  please enter your email write in right format

sign in

Properties

conpassword System.Web.UI.WebControls.TextBox

Rows
SkinID
TabIndex
Text
<b>TextMode</b>
ToolTip
ValidateRequestMode
ValidationGroup
ViewStateMode
Visible

=====  
Build started at 4:58 PM and took 0.422 seconds

Error List... Output

Add to Source Control

Solution Explorer

Search Solution Explorer (Ctrl+Shift+F)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# FileName.cs
  - Global.asax
  - packages.config
  - registration.aspx

Solution Explorer Git Change

Properties

conpassword System.Web.UI.WebControls.TextBox

Rows
SkinID
TabIndex
Text
<b>TextMode</b>
ToolTip
ValidateRequestMode
ValidationGroup
ViewStateMode
Visible

The behavior mode of the textbox.

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default)

registration.aspx\* registration.aspx.cs Web.config

# Registration page

username  please enter your name  
password  cannot be empty  
confirm-password  cannot be empty must match  
email  please enter your email write in right format

sign in

Design Split Source

Output

Show output from: Build

Build succeeded, 0 failed, 0 up to date, 0 skipped

===== Build started at 4:58 PM and took 0.422 seconds =====

Error List ... Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# FileName.cs
  - Global.asax
  - packages.config
  - registration.aspx

Solution Explorer Git Changes

Properties

password	System.Web.UI.WebControls.TextBox
TextMode	Pass
Rows	0
SkinID	
TabIndex	0
Text	
ToolTip	
ValidateRequestMode	Inher
ValidationGroup	
ViewStateMode	Inher
Visible	True

**TextMode**  
The behavior mode of the textbox.

Add to Source Control

Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) Font Size B / (Default Size)

xx-small (8 pt)  
x-small (10 pt)  
small (12 pt)  
medium (14 pt)  
large (18 pt)  
x-large (24 pt)  
xx-large (36 pt)  
smaller  
larger

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

<DIV>

(id)	accesskey	aria-activedescendant	aria-atomic	aria-autocomplete	aria-busy	aria-checked	aria-controls	aria-describedby	aria-disabled

==== Build started at 5:00 PM and took 00.370 seconds =====

Error List Output Add to Source Control

admin.aspx\* registration.aspx registration.aspx.cs Web.config

update page

Solution Explorer Solution WebApplication1 WebApplication1 Connected Services Properties References App\_Data App\_Start Content Scripts About.aspx admin.aspx Bundle.config Contact.aspx Default.aspx favicon.ico FileName.cs Global.asax packages.config

Solution Explorer Git Changes

Properties <DIV>

(id)	accesskey
aria-activedescendant	False
aria-atomic	none
aria-autocomplete	
aria-busy	False
aria-checked	unde
aria-controls	
aria-describedby	
aria-disabled	False
(id)	

Design Split Source

Output Show output from: Build Build started at 5:00 PM and took 0.370 seconds

Error List Output

Add to Source Control

admin.aspx\* registration.aspx registration.aspx.cs Web.config

# update page

More Colors

Value: Hex={00,00,FF}  
Name: blue

New: Current:

OK Cancel

Design Split Source

Show output from: Build  
Build started at 5:00 PM and took 0.370 seconds

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1


- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

<DIV>	(id)
accesskey	False
aria-activedescendant	none
aria-atomic	none
aria-autocomplete	False
aria-busy	False
aria-checked	unde
aria-controls	
aria-describedby	
aria-disabled	False
aria-hidden	
aria-label	
aria-labelledby	
aria-live	
aria-relevant	
aria-roledescription	
aria-selected	
aria-setsize	
aria-valuemax	
aria-valuemin	
aria-valuenow	
aria-valuestep	
aria-value	
aria	
class	
contenteditable	
contextmenu	
disabled	
draggable	
enterkeyhint	
formaction	
formenctype	
formmethod	
formtarget	
form	
hidden	
ismap	
labelfor	
listtype	
multiple	
name	
placeholder	
readonly	
required	
role	
spellcheck	
tabindex	
translate	
type	
value	
aria	
class	
contenteditable	
disabled	
draggable	
enterkeyhint	
formaction	
formenctype	
formmethod	
formtarget	
listtype	
multiple	
name	
placeholder	
readonly	
required	
role	
spellcheck	
tabindex	
translate	
type	
value	

Add to Source Control



Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) / A / Add to Source Control

admin.aspx\* registration.aspx registration.aspx.cs Web.config

update page

Insert Table

Size:

Rows: 2 Columns: 2

Layout:

Alignment: Default Specify width: In pixels (radio button)

Float: Default 100 In percent (radio button)

Cell padding: 1 Specify height: In pixels (radio button)

Cell spacing: 2 0 In percent (radio button)

Table Direction: None

Borders:

Size: 0 Color:

Background:

Color:

Set:

OK Cancel

Design Split Source

Output

Show output from: Build

Build started at 5:00 PM and took 0.370 seconds

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

DOCUMENT

Class Culture Debug EnableSessionState Id Language MasterPageFile Style StyleSheetTheme Theme

Class

Defines class of the page body.

Add to Source Control

Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None)

Font Size (Default Size) xx-small (8 pt) x-small (10 pt) small (12 pt) medium (14 pt) large (18 pt) x-large (24 pt) xx-large (36 pt) smaller larger

Solution Explorer

Search Solution Explorer (Ctrl+;) Solution 'WebApplication1' (1) WebApplication1 Connected Services Properties References App\_Data App\_Start Content Scripts About.aspx admin.aspx Bundle.config Contact.aspx Default.aspx favicon.ico FileName.cs Global.asax packages.config

Properties

(id) accesskey aria-activedescendant aria-atomic aria-autocomplete aria-busy aria-checked aria-controls aria-describedby aria-disabled


Design Split Source

Output

Show output from: Build

Build started at 5:00 PM and took 00.370 seconds

Error List Output Add to Source Control



Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

registration.aspx registration.aspx.cs Web.config

# update page

td

update page

Source

Build

Build started at 5:00 PM and took 0.370 seconds =====

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

<TD>	
	(id)
accesskey	
aria-activedescendant	
aria-atomic	False
aria-autocomplete	none
aria-busy	False
aria-checked	unde
aria-controls	
aria-describedby	
aria-disabled	False
	(id)

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

admin.aspx\* registration.aspx registration.aspx.cs Web.config

update page

username password

asp:textbox#TextBox1

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 00.370 seconds =====

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+Shift+F)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

TextBox1 System.Web.UI.WebControls.TextBox

EnableTheming	True
EnableViewState	True
Font	
ForeColor	
Height	30px
MaxLength	0
ReadOnly	False
Rows	0
SkinID	
TabIndex	0

Height  
The height of the control.

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

admin.aspx\* registration.aspx registration.aspx.cs Web.config

# update page

username  
password

asp:TextBox#TextBox2

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 00.370 seconds =====

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - admin.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# FileName.cs
  - Global.asax
  - packages.config

Solution Explorer Git Changes

Properties

TextBox2 System.Web.UI.WebControls.TextBox

			
EnableTheming	True		
EnableViewState	True		
Font			
ForeColor			
Height	30px		
MaxLength	0		
ReadOnly	False		
Rows	0		
SkinID			
TabIndex	0		

Height  
The height of the control.

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

admin.aspx\* registration.aspx registration.aspx.cs Web.config

update page

username  
password

asp:textBox#TextBox1

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 0.370 seconds =====

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+Shift+F)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

TextBox1 System.Web.UI.WebControls.TextBox

Text	SingleLine
TextMode	SingleLine
ToolTip	Inherited
ValidateRequestMode	Inherited
ValidationGroup	
ViewStateMode	Inherited
Visible	True
Width	500px
Wrap	True

Width  
The width of the control.

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default)

admin.aspx\* registration.aspx registration.aspx.cs Web.config

# update page

username  
password

asp:textbox#TextBox2

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 0.370 seconds =====

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - admin.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - FileName.cs
  - Global.asax
  - packages.config

Solution Explorer Git Changes

Properties

TextBox2 System.Web.UI.WebControls.TextBox

Text	SingleLine
TextMode	SingleLine
ToolTip	Inherited
ValidateRequestMode	Inherited
ValidationGroup	Inherited
ViewStateMode	Inherited
Visible	True
Width	500px
Wrap	True

Width  
The width of the control.

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) 🔒 WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

registration.aspx registration.aspx.cs Web.config

update page

Button HTML Fragment

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

DOCUMENT

Class	C#
Culture	
Debug	
EnableSessionState	
Id	
Language	C#
MasterPageFile	
Style	
StyleSheetTheme	
Theme	

**Class**  
Defines class of the page body.

Add to Source Control

Build started at 5:00 PM and took 0.370 seconds =====

Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic Paragraph (Default) B U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

update page

username password

Button

Button  
asp:button#Button3

Button

Solution

Justify Left  
Justify Center  
Justify Right  
Justify

Solution WebApplication1

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

Button3 System.Web.UI.WebControls.Button

EnableViewState	True
Font	
ForeColor	
Height	
OnClientClick	
PostBackUrl	
SkinID	
TabIndex	0
Text	Button
ToolTip	
Text	The text to be shown on the button.

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 0.370 seconds =====

Error List Output

↑ Add to Source Control ↑

resize margins. Press SHIFT or CTRL for more options.

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - admin.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# FileName.cs
  - Global.asax
  - packages.config

Solution Explorer Git Changes

Properties

Button1 System.Web.UI.WebControls.Button

				EnableViewState True
Font				
ForeColor				
Height				
OnClientClick				
PostBackUrl				
SkinID				
TabIndex 0				
Text <b>update</b>				
ToolTip				
Text The text to be shown on the button.				

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 00.370 seconds =====

Error List Output

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic Paragraph (Default) B / U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

update page

username   
password

update  
asp:button#Button2  
Button  
Button

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 00.370 seconds =====

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

Button2 System.Web.UI.WebControls.Button

			
EnableViewState	True		
Font			
ForeColor			
Height			
OnClientClick			
PostBackUrl			
SkinID			
TabIndex	0		
Text	delete		
ToolTip			
Text			
The text to be shown on the button.			

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic Paragraph (Default) B / U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - admin.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# FileName.cs
  - Global.asax
  - packages.config

Solution Explorer Git Changes

Properties

**Button3** System.Web.UI.WebControls.Button

				EnableViewState True
Font				
ForeColor	Height	OnClientClick	PostBackUrl	SkinID
TabIndex	Text	ToolTip		
Text	view			
Text	The text to be shown on the button.			

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 00.370 seconds =====

Error List Output

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

# update page

username   
password

asp:button#Button1  
update  
delete  
view

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - admin.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# FileName.cs
  - Global.asax
  - packages.config

Solution Explorer Git Changes

Properties

Button1 System.Web.UI.WebControls.Button

				EnableViewState True
Font				
ForeColor				
Height	50px			
OnClientClick				
PostBackUrl				
SkinID				
TabIndex	0			
Text	update			
ToolTip				
Height	The height of the control.			

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 0.370 seconds =====

Error List ... Output

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic Paragraph (Default) B / U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

# update page

username   
password

update  
asp:button#Button2  
delete  
view

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 0.370 seconds =====

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - admin.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# FileName.cs
  - Global.asax
  - packages.config

Solution Explorer Git Changes

Properties

Button2 System.Web.UI.WebControls.Button

			
EnableViewState	True		
Font			
ForeColor			
Height	50px		
OnClientClick			
PostBackUrl			
SkinID			
TabIndex	0		
Text	delete		
ToolTip			
Height	The height of the control.		

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic Paragraph (Default) B / U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

# update page

username   
password

update  
delete  
asp:button#Button3  
view

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 0.370 seconds =====

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

Button3 System.Web.UI.WebControls.Button

EnableViewState	True
Font	
ForeColor	
Height	50px
OnClientClick	
PostBackUrl	
SkinID	
TabIndex	0
Text	view
ToolTip	
Height	The height of the control.

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q)  WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic Paragraph (Default) B / U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

# update page

username   
password

update  
delete  
asp:button#Button3  
view

Design Split Source

Output

Show output from: Build

===== Build started at 5:00 PM and took 00.370 seconds =====

Error List ... Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# FileName.cs
  - Global.asax
  - packages.config

Solution Explorer Git Changes

Properties

**Button3** System.Web.UI.WebControls.Button

			
TabIndex	0		
Text	view		
ToolTip			
UseSubmitBehavior	True		
ValidateRequestMode	Inher...		
ValidationGroup			
ViewStateMode	Inher...		
Visible	True		
Width	55px		

Width  
The width of the control.

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default)

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

# update page

username   
password

asp:button#Button1 update

More Colors

Value: Hex=FF,00,00  
Name: red

Custom... Select...

New: Current:

OK Cancel

Design Split Source

Show output from: Build

===== Build started at 5:00 PM and took 0.370 seconds =====

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - admin.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# File.cs
  - Global.asax
  - packages.config

Solution Explorer Git Changes

Properties

Button1 System.Web.UI.WebControls.Button

EnableViewState	True
Font	
ForeColor	
Height	50px
OnClientClick	
PostBackUrl	
SkinID	
TabIndex	0
Text	update
ToolTip	
ForeColor	Color of the text within the control.

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic Paragraph (Default) B / U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

# update page

username   
password

update

More Colors

Value: Hex=FF,00,00  
Name: red

Custom... Select...

New: Current:

OK Cancel

Design Split Source

Show output from: Build  
Build started at 5:00 PM and took 0.370 seconds

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

Solution 'WebApplication1' (1)

- WebApplication1
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - Scripts
  - About.aspx
  - admin.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - C# File.cs
  - Global.asax
  - packages.config

Solution Explorer Git Changes

Properties

Button2 System.Web.UI.WebControls

EnableViewState	True
Font	
ForeColor	
Height	50px
OnClientClick	
PostBackUrl	
SkinID	
TabIndex	0
Text	delete
ToolTip	
ForeColor	Color of the text within the control.

Add to Source Control

Git Project Build Debug Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge)

admin.aspx.cs\* admin.aspx registration.aspx registration.aspx.cs Web.config

WebApplication1 WebApplication1.admin Button3\_Click(object sender, EventArgs e)

```
14 protected void Page_Load(object sender, EventArgs e)
15 {
16 }
17
18 0 references
19 protected void Button2_Click(object sender, EventArgs e)
20 {
21     OleDbConnection f = new
22     OleDbConnection(ConfigurationManager.ConnectionStrings["test"].ConnectionString);
23     OleDbCommand Cmd = new OleDbCommand("DELETE from [user] WHERE[username]="+username.Text+"",f);
24     f.Open();
25     Cmd.ExecuteNonQuery();
26     Response.Write("record is deleted successfully");
27     f.Close();
28 }
29
30 0 references
31 protected void Button1_Click(object sender, EventArgs e)
32 {
33     OleDbConnection f = new
34     OleDbConnection(ConfigurationManager.ConnectionStrings["test"].ConnectionString);
35     OleDbCommand Cmd = new OleDbCommand(" UPDATE[user]set [passwordd]="+password.Text+" WHERE[username]="+username.Text+"");
36     f.Open();
37     Cmd.ExecuteNonQuery();
38     Response.Write("password is updated successfully");
39     f.Close();
40 }
41
42 0 references
43 protected void Button3_Click(object sender, EventArgs e)
44 {
45 }
```

0 issues found

Output

Show output from: Build

===== Build started at 5:53 PM and took 02.000 seconds =====

Error List Output

Add to Source Control

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties

Git Project Build Debug Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge)

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

WebApplication1 WebApplication1.admin Button3\_Click(object sender, EventArgs e)

```
14 protected void Page_Load(object sender, EventArgs e)
15 {
16 }
17
18     0 references
19     protected void Button2_Click(object sender, EventArgs e)
20     {
21         OleDbConnection f = new
22             OleDbConnection(ConfigurationManager.ConnectionStrings["test"].ConnectionString);
23             OleDbCommand Cmd = new OleDbCommand("DELETE from [user] WHERE[username]="+username.Text+"",f);
24             f.Open();
25             Cmd.ExecuteNonQuery();
26             Response.Write("record is deleted successfully");
27             f.Close();
28     }
29
30     0 references
31     protected void Button1_Click(object sender, EventArgs e)
32     {
33         OleDbConnection f = new
34             OleDbConnection(ConfigurationManager.ConnectionStrings["test"].ConnectionString);
35             OleDbCommand Cmd = new OleDbCommand(" UPDATE[user]set [passwordd]="+password.Text+" WHERE[username]="+username.Text+"");
36             f.Open();
37             Cmd.ExecuteNonQuery();
38             Response.Write("password is updated successfully");
39             f.Close();
40     }
41
42     0 references
43     protected void Button3_Click(object sender, EventArgs e)
44     {
45
46         OleDbConnection f = new
47             OleDbConnection(ConfigurationManager.ConnectionStrings["test"].ConnectionString);
48                 OleDbCommand Cmd = new OleDbCommand("select * FROM [user]", f);
49                 f.Open();
50                 Cmd.ExecuteNonQuery();
51             f.Close();
52     }
53 }
```

MI4G0

No issues found

Output

Show output from: Build

===== Build started at 5:53 PM and took 02.000 seconds =====

Error List Output Add to Source Control

Solution Explorer


Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config

Solution Explorer Git Changes

Properties



Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic Paragraph (Default) B / U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

Add New Item - WebApplication1

Sort by: Default

Search (Ctrl+E)

Installed

Type: C#

HTML Page C#

JavaScript File C#

Style Sheet C#

Web Form C#

Web Form with Master Page C#

MVC 5 View Page (Razor) C#

MVC 5 View Page with Layout (Razor) C#

Web API Controller Class (v2.1) C#

SignalR Hub Class (v2) C#

SignalR Persistent Connection Class (v2) C#

ASP.NET Handler C#

ASP.NET Module C#

Browser File C#

Dynamic Data Field C#

Name: WebForm5.aspx

Add Cancel

Design

Output

Show output

Show Compact View

Build started at 5:53 PM and took 02.000 seconds

Error List Output

Solution Explorer

username  
password  
npassword  
mail  
procedures  
MI4G0

Explorer Git Changes

application1 Project Properties

Start When Debugging False

Noous Authentication Enabled

ed Pipeline Mode Integrated

File Web

Folder C:\Us

abled

L

https://

http://

ws Authentication Disa

Always Start When Debugging

Start the local Web server even when

Add to Source Control

Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic Paragraph (Default) B / U A

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

Add New Item - WebApplication1

Sort by: Default

Search (Ctrl+E)

Installed

- C#
  - Code
  - Data
  - General
- Web
  - General
  - Markup
  - Scripts
  - Web Forms
  - MVC
  - Razor
  - SignalR
  - Web API
  - SQL Server

Online

- HTML Page
- JavaScript File
- Style Sheet
- Web Form
- Web Form with Master Page
- MVC 5 View Page (Razor)
- MVC 5 View Page with Layout (Razor)
- Web API Controller Class (v2.1)
- SignalR Hub Class (v2)
- SignalR Persistent Connection Class (v2)
- ASP.NET Handler
- ASP.NET Module
- Browser File
- Dynamic Data Field

Name: viewpage.aspx

Add Cancel

Solution Explorer

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config
- registration.aspx

Explorer Git Changes

application1 Project Properties

Start When Debugging False

Noous Authentication Enabled

ed Pipeline Mode Integrated

File Web

Folder C:\Us

abled L

True https://

http://

ws Authentication Disa

Always Start When Debugging

Start the local Web server even when

Build started at 5:53 PM and took 02.000 seconds

Error List Output

Add to Source Control

Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

uler and Grid  
sual Aids  
ormatting Marks

ode F7  
esigner Shift+F7  
arkup Shift+F7  
ponent Designer  
pen  
pen With...  
ew Code Gen File  
nchronize Views

olution Explorer Ctrl+Alt+L  
it Changes Ctrl+O, Ctrl+G  
it Repository Ctrl+O, Ctrl+R  
eam Explorer Ctrl+\, Ctrl+M  
erver Explorer Ctrl+Alt+S  
QL Server Object Explorer Ctrl+\, Ctrl+S  
est Explorer Ctrl+E, T

SS Properties  
anage Styles  
pply Styles

Bookmark Window Ctrl+K, Ctrl+W  
all Hierarchy Ctrl+Alt+K  
ass View Ctrl+Shift+C  
ode Definition Window Ctrl+\, D  
bject Browser Ctrl+Alt+J

rror List Ctrl+\, E  
output Ctrl+Alt+O  
sk List Ctrl+\, T  
oolbox Ctrl+Alt+X

Notifications Ctrl+\, Ctrl+N  
Terminal Ctrl+`

ther Windows  
oolbars  
ull Screen Shift+Alt+Enter

IIS Express (Microsoft Edge) Automatic (None) (Default B / U A

admin.aspx\* registration.aspx registration.aspx.cs Web.config

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config
- registration.aspx

Solution Explorer Git Changes

Properties

DOCUMENT

Class	C#
Culture	
Debug	
EnableSessionState	
Id	
Language	C#
MasterPageFile	
Style	
StyleSheetTheme	
Theme	

Class

Defines class of the page body.

Add to Source Control

Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default)

admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config
- registration.aspx

Solution Explorer Git Changes

Properties

DOCUMENT

Class	C#
Culture	
Debug	
EnableSessionState	
Id	
Language	C#
MasterPageFile	
Style	
StyleSheetTheme	
Theme	

**Class**  
Defines class of the page body.

Add to Source Control

Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) 15 B / U A

viewpage.aspx\* admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

SqlDataSource - SqlDataSource1 SqlDataSource Tasks Configure Data Source...

usernamee  
swordd  
npassword  
maill  
cedures  
MI4G0

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config
- registration.aspx

Solution Explorer Git Changes

Properties

SqlDataSource1 System.Web.UI.WebControls.SqlDataSource

EnableViewState	True
FilterExpression	
FilterParameters	(Collection)
InsertCommandType	Text
InsertQuery	(Query)
OldValuesParameterFormatString	{0}
ProviderName	
SelectCommandType	Text
SelectQuery	(Query)
SortParameterName	
SelectQuery	Select Query

Design Split Source

Output

Show output from: Build

===== Build started at 5:53 PM and took 02.000 seconds =====

Error List... Output

Add to Source Control

Any CPU IIS Express (Microsoft Edge) Automatic (None) 15 B / U A

viewpage.aspx\* admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config
- registration.aspx

Solution Explorer Git Changes

Properties

SqlDataSource1	System.Web.UI.WebControls
EnableViewState	True
FilterExpression	
FilterParameters	(Collection)
InsertCommandType	Text
InsertQuery	(Query)
OldValuesParameterFormatString	{0}
ProviderName	
SelectCommandType	Text
SelectQuery	(Query)
SortParameterName	
SelectQuery	Select Query

Design Split Source | < Previous Next > Finish Cancel

Output

Show output from: Build

===== Build started at 5:53 PM and took 02.000 seconds =====

Error List Output

Add to Source Control

viewpage.aspx\* admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

**SqlDataSource - SqlDataSource1**

**SqlDataSource Tasks**

Configure Data Source - SqlDataSource1

**Save the Connection String to the Application Configuration File**

Storing connection strings in the application configuration file simplifies maintenance and deployment. To save the connection string in application configuration file, enter a name in the text box and then click Next. If you choose not to do this, the connection string is saved in the page as a property of the data source control.

**Do you want to save the connection in the application configuration file?**

Yes, save this connection as:

ConnectionString

< Previous Next > Finish Cancel

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config
- registration.aspx

Solution Explorer Git Changes

Properties

SqlDataSource1	System.Web.UI.WebControls
EnableViewState	True
FilterExpression	
FilterParameters	(Collection)
InsertCommandType	Text
InsertQuery	(Query)
OldValuesParameterFormatString	{0}
ProviderName	
SelectCommandType	Text
SelectQuery	(Query)
SortParameterName	
SelectQuery	Select Query

Add to Source Control

viewpage.aspx\* admin.aspx.cs admin.aspx registration.aspx registration.aspx.cs Web.config

SqlDataSource - SqlDataSource1

### SqlDataSource Tasks

#### Configure Data Source - SqlDataSource1

#### Configure the Select Statement

How would you like to retrieve data from your database?

Specify a custom SQL statement or stored procedure  
 Specify columns from a table or view

Name: user

Columns:

\*  
 ID  
 usernamee  
 paswordd  
 conpasswordd  
 emaill

Return only unique rows  
WHERE...  
ORDER BY...  
Advanced...

SELECT statement:  
SELECT \* FROM [user]

< Previous Next > Finish Cancel

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- FileName.cs
- Global.asax
- packages.config
- registration.aspx

Solution Explorer Git Changes

Properties

SqlDataSource1	System.Web.UI.WebControls
EnableViewState	True
FilterExpression	
FilterParameters	(Collection)
InsertCommandType	Text
InsertQuery	(Query)
OldValuesParameterFormatString	{0}
ProviderName	
SelectCommandType	Text
SelectQuery	(Query)
SortParameterName	
SelectQuery	Select Query

Add to Source Control

Any CPU IIS Express (Microsoft Edge) Automatic (None) 15 B / U A

viewpage.aspx\* admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config
- registration.aspx

Solution Explorer Git Changes

Properties

SqlDataSource1 System.Web.UI.WebControls.SqlDataSource

EnableViewState	True
FilterExpression	(None)
FilterParameters	(None)
InsertCommandType	Text
InsertQuery	(None)
OldValuesParameterFormatString	{0}
ProviderName	(None)
SelectCommandType	Text
SelectQuery	(None)
SortParameterName	(None)
SelectQuery	Select Query

Design Split Source


Output

Show output from: Build

===== Build started at 5:53 PM and took 02.000 seconds =====

Error List Output

Add to Source Control



Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

viewpage.aspx\* admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config
- registration.aspx

Solution Explorer Git Changes

Properties

GridView1 System.Web.UI.WebControls.GridView

ID	username	password	conpassword	email
0	abc	abc	abc	abc
1	abc	abc	abc	abc
2	abc	abc	abc	abc
3	abc	abc	abc	abc
4	abc	abc	abc	abc

GridView Tasks

- Auto Format...
- Choose Data Source: SqlDataSource1 (None) SqlDataSource1 <New data source...>
- Configure Data
- Refresh Schema
- Edit Columns...
- Add New Column...
- Enable Paging
- Enable Sorting
- Enable Selection
- Edit Templates

Design Split Source

Output

Show output from: Build

===== Build started at 5:53 PM and took 02.000 seconds =====

Error List Output

Add to Source Control

Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

viewpage.aspx\* admin.aspx.cs admin.aspx\* registration.aspx registration.aspx.cs Web.config

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- C# FileName.cs
- Global.asax
- packages.config
- registration.aspx

Solution Explorer Git Changes

Properties

GridView1 System.Web.UI.WebControls.GridView

ID	username	password	conpassword	email
0	abc	abc	abc	abc
1	abc	abc	abc	abc
2	abc	abc	abc	abc
3	abc	abc	abc	abc
4	abc	abc	abc	abc

GridView Tasks

- Auto Format...
- Choose Data Source: SqlDataSource1
- Config... Set control formatting properties
- Refresh Schema
- Edit Columns...
- Add New Column...
- Move Column Left
- Remove Column
- Enable Paging
- Enable Sorting
- Enable Selection
- Edit Templates

Design Split Source

Output

Show output from: Build

===== Build started at 5:53 PM and took 02.000 seconds =====

Error List Output

↑ Add to Source Control ↑

resize margins. Press SHIFT or CTRL for more options.

viewpage.aspx\* admin.

SqlDataSource - SqlDataSource1 asp:gridview#GridView1

ID	username	password	conpassword	email
0	abc	abc	abc	abc
1	abc	abc	abc	abc
2	abc	abc	abc	abc
3	abc	abc	abc	abc
4	abc	abc	abc	abc

AutoFormat

Select a scheme:

- Remove Formatting
- Colorful
- Classic
- Simple
- Professional
- Autumn
- Oceanica
- Brown Sugar
- Slate
- Sand & Sky
- Rainy Day
- Snowy Pine
- Lilacs in Mist
- Black & Blue 1
- Black & Blue 2
- Clover Field
- Apple Orchard
- Mocha

Preview:

ID	username	password	conpassword	email
0	abc	abc	abc	abc
1	abc	abc	abc	abc
2	abc	abc	abc	abc
3	abc	abc	abc	abc
4	abc	abc	abc	abc

OK Cancel Apply

Solution Explorer

Search Solution Explorer (Ctrl+Shift+F)

- WebApplication1
  - Connected Services
  - Properties
  - References
    - App\_Data
    - App\_Start
    - Content
    - Scripts
  - About.aspx
  - admin.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico
  - FileName.cs
  - Global.asax
  - packages.config
  - registration.aspx

Solution Explorer Git Changes

Properties

GridView1 System.Web.UI.WebControls.GridView

CellPadding	-1
CellSpacing	0
ClientIDMode	Inherit
ClientIDRowSuffix	
Columns	(Collection)
CssClass	
DataKeyNames	ID
DataMember	
DataSourceID	SqlDataSource1
DeleteMethod	
DataSourceID	The control ID of an IDataSource that provides data for this control.

Design Split Source

Output

Show output from: Build

===== Build started at 5:53 PM and took 02.000 seconds =====

Error List Output

resize margins. Press SHIFT or CTRL for more options.

↑ Add to Source Control ▾

Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

Solution Explorer Solution Explorer (Ctrl+) Solution 'WebApplication1' (1)

registration.aspx

Add New Item - WebApplication1

Sort by: Default

Type: C#

A form for Web Applications

Installed

- C#
  - Code
  - Data
  - General
- Web
  - General
  - Markup
  - Scripts
  - Web Forms
  - MVC
  - Razor
  - SignalR
  - Web API
  - SQL Server

Online

- HTML Page
- JavaScript File
- Style Sheet
- Web Form
- Web Form with Master Page
- MVC 5 View Page (Razor)
- MVC 5 View Page with Layout (Razor)
- Web API Controller Class (v2.1)
- SignalR Hub Class (v2)
- SignalR Persistent Connection Class (v2)
- ASP.NET Handler
- ASP.NET Module
- Browser File
- Dynamic Data Field

Name: WebForm5.aspx

Add Cancel

Design

Output

Show Compact View

Always Start When Debugging

Start the local Web server even when

Error List Output

↑ Add to Source Control ▲

==== Build started at 9:12 PM and took 01.936 seconds =====

Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) B / U A

Solution Explorer

Add New Item - WebApplication1

Sort by: Default

Type: C#

A form for Web Applications

Installed

- C#
  - Code
  - Data
  - General
- Web
  - General
  - Markup
  - Scripts
  - Web Forms
  - MVC
  - Razor
  - SignalR
  - Web API
  - SQL Server

Online

- HTML Page
- JavaScript File
- Style Sheet
- Web Form
- Web Form with Master Page
- MVC 5 View Page (Razor)
- MVC 5 View Page with Layout (Razor)
- Web API Controller Class (v2.1)
- SignalR Hub Class (v2)
- SignalR Persistent Connection Class (v2)
- ASP.NET Handler
- ASP.NET Module
- Browser File
- Dynamic Data Field

Name: login page.aspx

Add Cancel

Design

Output

Show Compact View

Always Start When Debugging

Start the local Web server even when no browser is attached

==== Build started at 9:12 PM and took 01.936 seconds =====

Error List Output

Add to Source Control

File Web C:\Users\4G0 Content img NewFolder1 pexels-w-o-l-f-λ-r-t Scripts About.aspx admin.aspx Bundle.config Contact.aspx Default.aspx favicon.ico Explorer Git Changes

location1 Project Properties

Start When Debugging False

Noous Authentication Enabled

ed Pipeline Mode Integrated

File Web C:\Users\4G0 Content img NewFolder1 pexels-w-o-l-f-λ-r-t Scripts About.aspx admin.aspx Bundle.config Contact.aspx Default.aspx favicon.ico Explorer Git Changes

True

https://

http://

aws Authentication Disa

Git Project Build Debug Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge)

login page.aspx.cs login page.aspx\* viewpage.aspx admin.aspx registration.aspx Web.config

WebApplication1 WebApplication1.login\_page Button1\_Click(object sender, EventArgs e)

```
1  using System;
2  using System.Collections.Generic;
3  using System.Linq;
4  using System.Web;
5  using System.Web.UI;
6  using System.Web.UI.WebControls;
7
8  namespace WebApplication1
9  {
10     public partial class login_page : System.Web.UI.Page
11     {
12         protected void Page_Load(object sender, EventArgs e)
13         {
14         }
15
16         protected void Button1_Click(object sender, EventArgs e)
17         {
18         }
19     }
20 }
21
22 }
```

4G0

Solution Explorer

Search Solution Explorer (Ctrl+Shift+F)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- img
  - NewFolder1
  - pexels-w-o-l-f-λ-r-t
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico

Solution Explorer Git Changes

Properties

82 % No issues found Ln: 19 Ch: 13 SPC CRLF

Output

Show output from: Build

Build started at 9:12 PM and took 01.936 seconds

Error List Output

↑ Add to Source Control

resize margins. Press SHIFT or CTRL for more options.

Git Project Build Debug Test Analyze Tools Extensions Window Help

Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge)

Solution Explorer

Add New Item - WebApplication1

Sort by: Default

Type: C#

A form for Web Applications

Installed

C#

- Code
- Data
- General

Web

- General
- Markup
- Scripts
- Web Forms
- MVC
- Razor
- SignalR
- Web API
- SQL Server

Online

- HTML Page
- JavaScript File
- Style Sheet
- Web Form
- Web Form with Master Page
- MVC 5 View Page (Razor)
- MVC 5 View Page with Layout (Razor)
- Web API Controller Class (v2.1)
- SignalR Hub Class (v2)
- SignalR Persistent Connection Class (v2)
- ASP.NET Handler
- ASP.NET Module
- Browser File
- Dynamic Data Field

Name: WebForm5.aspx

Add Cancel

Output

Show Compact View

Error List Output

Always Start When Debugging

Start the local Web server even when no page is selected

Add to Source Control

File Web C:\Users\G9MI4GO

Project Properties

Start When Debugging False

Noous Authentication Enabled

ed Pipeline Mode Integrated

File Web C:\Users\G9MI4GO

True

https://

http://

ws Authentication Disabled

Always Start When Debugging

Start the local Web server even when no page is selected

Add to Source Control

Git Project Build Debug Test Analyze Tools Extensions Window Help

Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge)

Solution Explorer

Add New Item - WebApplication1

Sort by: Default

Search (Ctrl+E)

Installed

Type: C#

A form for Web Applications

C#

HTML Page

JavaScript File

Style Sheet

Web Form

Web Form with Master Page

MVC 5 View Page (Razor)

MVC 5 View Page with Layout (Razor)

Web API Controller Class (v2.1)

SignalR Hub Class (v2)

SignalR Persistent Connection Class (v2)

ASP.NET Handler

ASP.NET Module

Browser File

Dynamic Data Field

Name: contact us page.aspx

Add Cancel

Output

Show Compact View

Error List Output

Always Start When Debugging

Start the local Web server even when

Git Changes

Project Properties

Start When Debugging False

Noous Authentication Enabled

ed Pipeline Mode Integrated

File Web

Folder C:\Us

abled True

https://

http://

ws Authentication Disa

WebApplication1

This PC > Downloads >

Search Downloads

Today (2)

- pexels-pav el-danilyuk -7234229
- Telegram Desktop

Earlier this year (15)

- MicrosoftTe ams-image (3)
- MicrosoftTe ams-image (2)
- MicrosoftTe ams-image (1)
- MicrosoftTe ams-image

Name: pexels-pavel-danilyuk-7234229

Add Cancel

Image Files (\*.gif;\*.jpg;\*.jpeg;\*.pi

Design Split Source

Output

Show output from:

Error List Output

Automatic (None) (Default)

admin.aspx registration.aspx

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- img

- NewFolder1
- pexels-w-o-l-f-λ-r-t
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- contact us page.aspx
- Contact.aspx
- Default.aspx

Solution Explorer Git Changes

Properties


img Folder Properties


Folder Name img

Folder Name

Name of this folder

Add to Source Control





Git Project Build Debug Format Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default)

contact us page.aspx\* login page.aspx.cs login page.aspx viewpage.aspx admin.aspx registration.aspx

Solution Explorer

Search Solution Explorer (Ctrl+;)

Picture

Project folders:

- WebApplication1
  - App\_Data
  - App\_Start
  - Content
  - img
  - Properties
  - References
  - Scripts

Contents of folder:

- pexels-pavel-danilyuk-7234229.jpg
- pexels-w-o-l-f-λ-r-t-9201707.jpg

Files of type: Image Files (\*.gif;\*.jpg;\*.jpeg;\*.bmp;\*.wmf;\*.xbm;\*.art;\*.png)

OK Cancel

Design Split Source

Output

Show output from:

Error List Output

Add to Source Control

Solution Explorer

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- img
  - NewFolder1
  - pexels-pavel-danilyuk-7234229.jpg
  - pexels-w-o-l-f-λ-r-t-9201707.jpg
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- contact us page.aspx
- Contact.aspx

Solution Explorer Git Changes

Properties

<DIV>

prefix

property

resource

role

runat

spellcheck


style


tabIndex

title

translate

style





Git Project Build Debug Format Table Test Analyze Tools Extensions Window Help Search (Ctrl+Q) WebApplication1

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None)

contact us.aspx\* login page.aspx.cs login page.aspx viewpage.aspx admin.aspx registration.aspx

name email your message

Font Size: (Default Size) xx-small (8 pt) x-small (10 pt) small (12 pt) medium (14 pt) large (18 pt) x-large (24 pt) xx-large (36 pt) smaller larger



Design Split Source

Output

Show output from: Build

===== Build started at 10:36 PM and took 0.278 seconds =====

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;) Solution 'WebApplication1' (1)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- img
  - NewFolder1
  - pexels-pavel-danilyuk-1035452.jpg
  - pexels-w-o-l-f-a-r-t-1035453.jpg
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- contact us.aspx
- Contact.aspx

Solution Explorer Git Changes

Properties

Name	Type	Value							
(id)	accesskey	aria-activedescendant	aria-atomic	aria-autocomplete	aria-busy	aria-checked	aria-controls	aria-describedby	aria-disabled
(id)	aria-disabled	aria-hidden	aria-label	aria-labelledby	aria-live	aria-modal	aria-multiline	aria-multiselectable	aria-readonly
(id)	aria-required	aria-selected	aria-setsize	aria-valuemax	aria-valuemin	aria-valuenow	aria-valuestep	aria-value	aria-xmax
(id)	aria-xmin	aria-ymax	aria-ymin	aria-zindex	aria-zorder	aria-	aria-	aria-	aria-

Add to Source Control

contact us.aspx\* login page.aspx.cs login page.aspx viewpage.aspx admin.aspx registration.aspx Web.config

name  
email  
your message

More Colors

Value: Hex=FF,FF,FF  
Name: white

Custom... Select...

New: Current:

OK Cancel

Design Split Source

Show output from: Build Build started at 10:36 PM and took 0.278 seconds

Error List Output

Solution Explorer

Search Solution Explorer (Ctrl+;)

WebApplication1

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- img
  - NewFolder1
  - pexels-pavel-danilyuk
  - pexels-w-o-l-f-a-r-t
- Scripts
- About.aspx
- admin.aspx
- Bundle.config
- contact us.aspx
- Contact.aspx

Solution Explorer Git Changes

Properties

Name	Type	Value
(id)	accesskey	
(id)	aria-activedescendant	
(id)	aria-atomic	False
(id)	aria-autocomplete	none
(id)	aria-busy	False
(id)	aria-checked	unde
(id)	aria-controls	
(id)	aria-describedby	
(id)	aria-disabled	False
(id)	aria-label	
(id)	aria-labelledby	
(id)	aria-live	
(id)	aria-modal	
(id)	aria-multiline	
(id)	aria-multiselectable	
(id)	aria-readonly	
(id)	aria-required	
(id)	aria-requiredLabel	
(id)	aria-selected	
(id)	aria-setsize	
(id)	aria-valuemax	
(id)	aria-valuemin	
(id)	aria-valuenow	
(id)	aria-valuestep	

Add to Source Control

*welcome to our world!*



JOAQUIN PHOENIX

A TODD PHILLIPS FILM

**JOKER**



Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) (Default) /

loginpage.aspx welcomePage.aspx WebForm1.aspx Web.config What's New?

sections  
tion.mdb  
les  
vs  
red Procedures  
ctions  
OP-Q03MOOR

body

# Login page

User Name

Password

Design Split Source

Output

Show output from: Build

```
Build started...
1>----- Build started: Project: andrew, Configuration: Debug Any CPU -----
1> andrew -> C:\Users\10\source\repos\andrew\andrew\bin\andrew.dll
===== Build: 1 succeeded, 0 failed, 0 up-to-date, 0 skipped =====
===== Build started at 6:35 PM and took 00.342 seconds =====
```

Error List Output Add to Source Control Sel

Solution Explorer

Search Solution Explorer (Ctrl+Shift+F)

Solution 'andrew' (1 of 1)

- andrew
  - Connected Service
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - image
    - 4.jpg
  - Scripts
  - About.aspx
  - Bundle.config
  - Contact.aspx

Properties

DOCUMENT

ASP.NET

Culture

Debug

EnableSessionState

Language

MasterPageFile

StyleSheetTheme

Theme

Trace

ASP.NET

loginpage.aspx.cs loginpage.aspx\* welcomePage.aspx WebForm1.aspx Web.config

# Login page

User Name  Can't be empty

Password  Can't be empty

asp:button#Button1

Login

Design Split Source

Output

Show output from: Build

Build started...  
1>----- Build started: Project: andrew, Configuration: Debug Any CPU -----  
1> andrew -> C:\Users\10\source\repos\andrew\andrew\bin\andrew.dll  
===== Build: 1 succeeded, 0 failed, 0 up-to-date, 0 skipped ======

Error List Output Add to Source Control Sel

Solution Explorer

Search Solution Explorer (Ctrl+F)

Solution 'andrew' (1 of 1)

- andrew
  - Connected Service
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - image
    - 4.jpg
  - Scripts
  - About.aspx
  - Bundle.config
  - Contact.aspx

Properties

Button1 System.Web.UI.WebControls.Button

Appearance


- BackColor
- BorderColor
- BorderStyle
- BorderWidth
- CssClass

Font

- ForeColor #009688
- Text Login

Text

The text to be shown on the button.



Solution Explorer

Search Solution Explorer (Ctrl+F)

Solution 'MIS version 2' (1 of 1 pro)

MIS version 2

- Connected Services
- Properties
- References
- App\_Data
- App\_Start
- Content
- image
  - pixels-houses-cheung-4997750 (1).jpg
- Scripts
- About.aspx
- Bundle.config
- Contact.aspx
- Default.aspx
- favicon.ico
- Global.asax

Properties

Image1 System.Web.UI.WebControls.Image

CssClass

DescriptionUrl

EnableTheming True

EnableViewState True

ForeColor

GenerateEmpty False

Height

ImageAlign NotSet

ImageUrl

SkinID

ImageUrl  
The URL of the image to be shown.

Design Split Source

Output

Show output from: Build

Ready Add to Source Control Select Repository

02:50 PM

File Explorer Task View Start Taskbar

Toolbox CSS Properties

welcome page.aspx MIS version 2: Overview

CINEMA MAS

asp:image#Image1

Select Image

Project folders:

- MIS version 2
  - App\_Data
  - App\_Start
  - Content
  - image
  - Properties
  - References
  - Scripts

Contents of folder:

- pixels-houses-cheung-4997750 (1).jpg

Files of type: Image Files(\*.gif;\*.jpg;\*.jpeg;\*.bmp;\*.wmf;\*.png)

OK Cancel

Debug Any CPU IIS Express (Microsoft Edge) Automatic (None) x-large B / Live Share

CSS Properties Applied Rules (Current Page)

.auto-style2 <div>.auto-style2>  
.auto-style1 <div>.auto-style1>

CSS Properties

**Font**

- color #000000
- font-family Arial, Helvetica, sans-serif
- font-size x-large
- font-style normal
- font-variant normal
- font-weight bold
- text-decoration none

**Block**

- font text-transform
- line-height normal
- text-align center
- letter-spacing
- text-indent
- vertical-align
- white-space
- word-spacing

**Background**

- background-color #FFFFFF
- background-image url('image/pexels-h...')

**Border**

- border
- border-bottom border-bottom-color border-bottom-style border-bottom-width
- border-color
- border-left border-left-color

Project folders:

- MIS version 2
  - App\_Data
  - App\_Start
  - Content
  - image
  - Properties
  - References
  - Scripts

Contents of folder:

Files of type: Image Files (\*.gif;\*.jpg;\*.jpeg;\*.bmp;\*.wmf;\*.xbm;\*.art;\*.png)

OK Cancel

2, Configuration: Debug Any CPU -----  
version 2\MIS version 2\bin\MIS version 2.dll  
p-to-date, 0 skipped -----  
01.933 seconds -----

Solution Explorer

Search Solution Explorer (Ctrl+F)

Solution MIS version 2' (1 of 1 pro)

- MIS version 2
  - Connected Services
  - Properties
  - References
  - App\_Data
  - App\_Start
  - Content
  - image
    - pexels-houses-cheung-4
    - pexels-tima-miroshnichenko
  - Scripts
  - About.aspx
  - Bundle.config
  - Contact.aspx
  - Default.aspx
  - favicon.ico

Solution Explorer Git Changes

Properties

<DIV>

(id)  
accesskey  
aria-activedesc  
aria-atomic False  
aria-autocomp none  
aria-busy False  
aria-checked undefined  
aria-controls  
aria-describedby  
aria-disabled False  
(id)

Ready Add to Source Control Select Repository 02:56 PM T+T+/o/T+

