

```
// let userName = "Jagmohan";
```

```
// useState() hooks->
```

```
let [userName, setUserName] = useState("Jagmohan");
```

```
let userName="Jagmohan"
```

username kee value ko change
karna chahta hu to mujhe ->

setUserName


this is a function

```
setUserName("ramlakhan")
```

```
username="ramlakhan"
```

```
setUserName("ramlakhan")
```

```
function changeUserName() {  
  debugger;  
  
  console.log(userName)  
}
```

You can now view `class3` in the browser.

Local: `http://localhost:3000`

On Your Network: `http://192.168.29.145:3000`

Note that the development build is not optimized.
To create a production build, use `npm run build`.

Learn More About [React](#)

VITE v7.3.0 ready in 315 ms

- Local: <http://localhost:5173/>
- Network: use `--host` to expose
- press `h` + `enter` to show help

```
C:\Users\Growt\Desktop\MERN_STACK_BATCH22\Frontend\React>cd class3

C:\Users\Growt\Desktop\MERN_STACK_BATCH22\Frontend\React\class3>npm start

> class3@0.1.0 start
> react-scripts start

(node:2488) [DEP0176] DeprecationWarning: fs.F_OK is deprecated, use fs.constants.F_OK instead
(Use `node --trace-deprecation ...` to show where the warning was created)
(node:2488) [DEP_WEBPACK_DEV_SERVER_ON_AFTER_SETUP_MIDDLEWARE] DeprecationWarning: 'onAfterSetupM
on is deprecated. Please use the 'setupMiddlewares' option.
(node:2488) [DEP_WEBPACK_DEV_SERVER_ON_BEFORE_SETUP_MIDDLEWARE] DeprecationWarning: 'onBeforeSetu
tion is deprecated. Please use the 'setupMiddlewares' option.
Starting the development server...
Compiled successfully!

You can now view class3 in the browser.

Local:          http://localhost:3000
```

```
C:\Users\Growt\Desktop\MERN_STACK_BATCH22\Frontend\React>npx create-react-app class3
```

```
Creating a new React app in C:\Users\Growt\Desktop\MERN_STACK_BATCH22\Frontend\React\class3.
```

```
Installing packages. This might take a couple of minutes.
```

```
Installing react, react-dom, and react-scripts with cra-template...
```



```
C:\Users\Growt\Desktop\MERN_STACK_BATCH22\Frontend\React>mkdir demo
```

```
C:\Users\Growt\Desktop\MERN_STACK_BATCH22\Frontend\React>cd demo
```

```
C:\Users\Growt\Desktop\MERN_STACK_BATCH22\Frontend\React\demo>npm create vite@latest
```

Need to install the following packages:

create-vite@8.2.0

Ok to proceed? (y) y

```
> npx
```

```
> create-vite
```

```
|
o Project name:
| vite-project
```

```
|
o Select a framework:
| React
```

```
|
o Select a variant:
| JavaScript
```

```
|
o Use rolldown-vite (Experimental)?:
| No
```

```
|
o Install with npm and start now?
| Yes
```

```
|
o Scaffolding project in C:\Users\Growt\Desktop\MERN_STACK_BATCH22\Frontend\React\demo\vite-project...
```

```
|
o Installing dependencies with npm...
```

added 203 packages, and audited 204 packages in 12s

33 packages are looking for funding

run 'npm fund' for details

found 0 vulnerabilities

