REGIONAL CLIMATE & DISASTER POLICY TRACKER

Taxonomy and data fields

All choices, stable codes and evidence rules

19 October 2026 · Review specification 3.0.0

The proposed structure retains all 16 domains and 64 topics. This book prints every topic and label choice, then explains source records, claims, relationships and calculated outputs.

Four core facets are enabled initially. Other existing choices remain available as optional modules. Relevant evidence that does not fit a topic stays visible in an unmapped bucket, preserving its actual statement type.

JSON files are the machine vocabulary. The raw LLM contract, stored logical objects and scoring inputs are different layers; the data dictionary explains each. The running application does not yet load these proposed files.

Taxonomy review: subjects, labels and source priorities

Review specification 3.0.0 - not active in the application. Keep the established **16 domains and 64 topic IDs**. The catalogue is sufficiently broad for regional climate and disaster policy; the useful changes are clearer boundaries, fewer default labels and reliable evidence assignment.

The machine sources are taxonomy.json and labels.json. This guide presents their complete choices. The running application does not load this review folder. Generate the catalogue/choice sections from those sources after edits; do not maintain a second definition only in prose.

The four jobs of the taxonomy

Element	Question answered	Example
Domain	Which policy area is this?	Agriculture & Food
Topic	What is the specific subject?	AGR-01 Irrigation and farm water efficiency
Statement type	What kind of assertion did the source make?	Concern, commitment or planned action
Optional label	What source-supported context helps filtering?	Drought; adaptation; public investment

Domains and groups are derived from topic IDs. A model does not invent domain names. The four documentation bands are calculated separately; labels, repeated mentions and explicit priorities do not add points.

Scope and initial documents

Stay within climate action and all-hazards disaster risk, including directly relevant sector evidence. Earthquakes can be disaster-risk evidence without becoming climate evidence. Generic education, tourism, economic development or biodiversity text does not qualify merely because a sector topic exists. Quoted section context may establish the connection; do not infer detailed purpose from a document title alone.

NDC and NAP are the initial document roles. Compare countries using the same configured role set and edition/date rules: NDC-only and NDC-plus-NAP are different profiles. An NDC-only view cannot establish that a country's wider adaptation or disaster-risk policy is absent. Additional document roles can be introduced through an explicit versioned profile later. All-supplied-document views remain exploratory when a common source profile is not satisfied.

Assign, own and display once

Choose one `primary_topic_id` and only source-supported `secondary_topic_ids`. The primary topic determines canonical organization ownership; the extraction question does not determine the primary topic. Each topic has one explicit `home_domain_id`, independent of display-placement order.

A secondary **placement** displays the same topic elsewhere. AGR-01 appears in Agriculture and Water, but its benchmark count belongs to Agriculture. Water should identify it as related rather than quietly adding it to Water's denominator.

A secondary **topic** is a different substantive subject. It requires its own evidence predicate for a relevant concern/response and any claimed delivery detail. Do not copy a claim's band to every tag. A supporting link or an actor for another measure cannot qualify it. Preserve the topic-to-evidence attribution using the existing provenance contract; scoring never decides relevance from a bare topic ID.

A shared programme name is insufficient claim identity. A 100,000-hectare target, existing irrigation capacity and a canal-rehabilitation action may all concern one programme while remaining different propositions. Compatible records about the same identified response can share delivery details; unrelated programme measures cannot.

Unmapped is not an Other domain

Situation	Representation	What remains visible
Relevant climate/disaster subject does not fit a topic	`primary_topic_id: null`, source wording in `unmapped_concepts`	Original statement type, source evidence and an Unmapped evidence count/list
Subject fits, but assertion type does not fit another type	Known topic plus `statement_type: other`	The statement and its evidence; no invented response stage
New cross-cutting climate/disaster concept	Retain as unmapped evidence until a versioned taxonomy change maps it	Searchable evidence after publication; no automatic new topic
Unrelated general development material	Outside tracker scope	It does not enter climate/disaster claims or become an Other category

An unmapped assertion may be a commitment, concern or planned action. Do not relabel it as context simply because its subject is unmapped. It cannot qualify an arbitrary topic band. Classification limitations remain visible; there is no pre-publication human review queue.

Keep the ordinary label set small

Core, enabled: purpose, hazards, geographic scope and policy instruments.

Additional context module, disabled initially: themes and affected groups. These are useful for explicit inclusion/thematic questions, including UNDP work, but need not enlarge every routine extraction response. Source statements and quotations remain available while tags are disabled. Enabling the module later requires appropriate automatic relabeling or source extraction; do not claim structured inclusion coverage before that work runs.

Specialist risk module, disabled initially: risk component and risk function. Keep the options editable for specialist analysis without adding them to the default dashboard.

The complete allowed options, including disabled modules, appear after the catalogue. The model receives only enabled options in its compiled contract.

Explicit priorities are a lens, not a score

`priority_evidence` is null or exact source wording linked to evidence. It is not an importance enum. “Drought is a priority risk” supports a priority concern; “Efficient irrigation is a national adaptation priority” may support an attributable priority response when the source establishes that undertaking.

Do not infer priority from repetition, hazard severity, document length or model judgement. A priority filter can expose stated needs with no response found, unresolved contradictions or explicit priorities. It changes the

displayed evidence only; it does not exclude benchmark topics, change weights or create policy rankings.

Fields and safe edits

Field	Meaning and effect
Catalogue `id`, `version`, `status`, `rules`	Versioned scope and assignment rules. This folder is review-only.
Domain `id`, `prefix`, `label`, `definition`	Stable code, historical prefix, display name and subject boundary.
Domain `groups`	Display groups with `id` and `label`; not indicators or scoring units.
Topic `id`, `label`, `definition`	Stable code and substantive subject boundary.
Topic `home_domain_id`	Explicit organization and counting home. Display order cannot change it.
Topic `placements`	Domain/group pairs for navigation; one display group per domain.
Topic `routing`	When/use guidance distinguishing neighboring subjects.
Topic `legacy_ids`, `split_from`	Historical lineage, not additional active topic choices.
Ownership/comparison policies	Fixed topic basket, evidence qualification and common source-profile rules.

Keep IDs stable for naming, display and organizational changes. A future home change must be explicit and recorded; its affected comparison profiles must be versioned. Semantic splits/merges need lineage. Gaps in historical code sequences are not missing topics to renumber.

The review retains the v2 cleanup of two duplicate within-domain placements: NAT-03 stays in Nature/Biodiversity and ecosystems; SET-02 stays in Settlements/Buildings and settlements. Definitions and cross-domain links are preserved. WAT-05 routing explicitly identifies glacial-lake-outburst hazard evidence and separates risk assessment from warning/preparedness.

Domain and topic inventory

Each topic appears once under its explicit home. Secondary placements are additional views of the same topic, not extra indicators. Display groups have no scoring weight.

Climate

Domain `climate` · prefix `CLM` · 6 home topics.

Climate-specific cross-sector policy: governance, finance, transparency, economy-wide mitigation, climate information and loss and damage. Sector measures use their sector domain.

Display groups: `governance` - Governance, finance and transparency; `mitigation` - Economy-wide mitigation; `knowledge` - Climate information and impacts; `loss_damage` - Loss and damage.

Code	Topic	Definition	Display placements with home first
CLM-01	Climate planning, governance and mainstreaming	Climate strategies and laws, institutional arrangements, coordination bodies, and mainstreaming climate into sector or budget planning.	Climate / Governance, finance and transparency
CLM-02	Climate finance and support	Mobilising, channelling or requesting finance, technology transfer and capacity support for climate action, where the finance arrangement itself is the subject.	Climate / Governance, finance and transparency
CLM-03	Climate observations, projections and impact assessment	Observed climate trends, climate projections, and climate vulnerability or impact assessments.	Climate / Climate information and impacts; Disaster Risk Management / Risk governance and knowledge
CLM-05	Climate transparency and reporting	Greenhouse-gas inventories, MRV systems, progress tracking and reporting under the UNFCCC.	Climate / Governance, finance and transparency
CLM-06	Economy-wide emissions targets and pathways	Economy-wide greenhouse-gas targets, carbon-neutrality goals and long-term emission pathways.	Climate / Economy-wide mitigation
CLM-09	Loss and damage	Economic and non-economic losses from climate-change impacts framed as loss and damage, and arrangements to address them.	Climate / Loss and damage

Disaster Risk Management

Domain `disaster_risk` · prefix `DRM` · 7 home topics.

All-hazards disaster-risk systems: governance, risk knowledge, warning and preparedness, response, recovery and risk finance, whether or not the hazard is climate-related.

Display groups: `governance_knowledge` - Risk governance and knowledge; `reduction_preparedness` - Risk reduction, warning and preparedness; `response_recovery` - Response and recovery; `risk_finance` - Risk finance.

Code	Topic	Definition	Display placements with home first
DRM-01	Disaster risk governance and institutions	Disaster-risk-reduction strategies and laws, civil-protection or emergency-management agencies and coordination mechanisms.	Disaster Risk Management / Risk governance and knowledge
DRM-02	Disaster risk assessment and loss data	Hazard mapping, multi-hazard risk assessments, exposure and vulnerability databases, and disaster-loss accounting, including reported event losses.	Disaster Risk Management / Risk governance and knowledge
DRM-03	Early warning and preparedness	Monitoring and forecasting for warnings, warning dissemination, contingency plans, drills, stockpiles and readiness to act.	Disaster Risk Management / Risk reduction, warning and preparedness

Code	Topic	Definition	Display placements with home first
DRM-04	Multi-hazard risk reduction programmes	Cross-sector programmes that reduce exposure or vulnerability to several hazards and have no single sector home. This is the residual home; prefer sector topics.	Disaster Risk Management / Risk reduction, warning and preparedness
DRM-05	Disaster risk finance and insurance	Contingency and reserve funds, insurance schemes, risk pools, catastrophe bonds and other pre-arranged disaster finance.	Disaster Risk Management / Risk finance
DRM-06	Emergency response and civil protection	Search and rescue, evacuation, emergency relief and civil-protection operations during or immediately after an event.	Disaster Risk Management / Response and recovery
DRM-07	Recovery and reconstruction	Post-disaster needs assessment, recovery frameworks, rebuilding (including building back better) and restoration of services and livelihoods.	Disaster Risk Management / Response and recovery

Agriculture & Food

Domain `agriculture` · prefix `AGR` · 5 home topics.

Crops, soils, livestock, rangelands, farm water, fisheries and food systems.

Display groups: `production` - Crops, soils and livestock; `farm_water` - Farm water; `food_systems` - Food systems and fisheries.

Code	Topic	Definition	Display placements with home first
AGR-01	Irrigation and farm water efficiency	Irrigation systems, on-farm water efficiency, drainage and farm water storage.	Agriculture & Food / Farm water; Water / Water resources and supply
AGR-02	Resilient crops and soils	Crop varieties, cropping practices, on-farm soil health and agricultural adaptation of production.	Agriculture & Food / Crops, soils and livestock
AGR-03	Livestock, pastures and rangelands	Livestock production and health, manure and enteric emissions, pasture and rangeland management.	Agriculture & Food / Crops, soils and livestock
AGR-04	Food security and farm livelihoods	Food availability and access, value chains, farm incomes and rural agricultural livelihoods.	Agriculture & Food / Food systems and fisheries; Livelihoods & Social Protection / Jobs and livelihoods
AGR-05	Fisheries and aquaculture	Capture fisheries, aquaculture and the ecosystems and livelihoods they depend on.	Agriculture & Food / Food systems and fisheries

Water

Domain `water` · prefix `WAT` · 6 home topics.

Water resources, supply, basins, drought, floods and coasts, water quality and the cryosphere as a water source.

Display groups: `resources` - Water resources and supply; `hazards` - Floods, drought and coasts; `quality` - Water quality and sanitation.

Code	Topic	Definition	Display placements with home first
`WAT-01`	Water supply and groundwater	Drinking and municipal water supply, water storage and groundwater management.	Water / Water resources and supply
`WAT-02`	River basins and transboundary water	Basin planning, water allocation between users and sectors, and transboundary water cooperation.	Water / Water resources and supply
`WAT-03`	Flood and coastal protection	Structural and nature-based flood, river-bank and coastal protection, and floodplain management.	Water / Floods, drought and coasts; Disaster Risk Management / Risk reduction, warning and preparedness
`WAT-04`	Water quality and reuse	Receiving-water quality, pollution control and water reuse.	Water / Water quality and sanitation
`WAT-05`	Glaciers, snow and mountain water	Changes in glaciers, snowpack and permafrost as water sources, and their monitoring or management.	Water / Water resources and supply
`WAT-06`	Drought management	Drought monitoring, drought plans, drought response measures and water-shortage management.	Water / Floods, drought and coasts

Nature, Forests & Land

Domain `nature_land` · prefix `NAT` · 5 home topics.

Forests, land, land degradation, biodiversity, ecosystems and land carbon.

Display groups: `forests_land` - Forests and land; `biodiversity` - Biodiversity and ecosystems.

Code	Topic	Definition	Display placements with home first
`NAT-01`	Forest management and health	Forest management, afforestation, forest health and wildfire prevention in forests.	Nature, Forests & Land / Forests and land
`NAT-02`	Species, habitats and protected areas	Species conservation, habitats and protected-area systems.	Nature, Forests & Land / Biodiversity and ecosystems
`NAT-03`	Ecosystem restoration	Active restoration of degraded ecosystems such as wetlands, steppe and riparian zones.	Nature, Forests & Land / Biodiversity and ecosystems
`NAT-04`	Land carbon and removals	Land-use, land-use change and forestry (LULUCF) sinks, removals and their accounting.	Nature, Forests & Land / Forests and land; Climate / Economy-wide mitigation

Code	Topic	Definition	Display placements with home first
NAT-05	Land degradation, desertification and salinity	Combating desertification, land degradation, sand encroachment, soil salinisation and erosion at landscape scale.	Nature, Forests & Land / Forests and land

Energy

Domain energy · prefix ENE · 7 home topics.

Energy supply, renewables, grids, efficiency, heating, fossil-fuel transition and methane.

Display groups: supply - Supply, renewables and grids; demand - Efficiency, heating and demand; transition - Fossil transition and methane.

Code	Topic	Definition	Display placements with home first
ENE-01	Renewable electricity	Renewable power generation such as solar, wind, hydro and geothermal.	Energy / Supply, renewables and grids
ENE-02	Grids and energy storage	Transmission, distribution, grid flexibility and storage, including grid resilience.	Energy / Supply, renewables and grids; Settlements & Infrastructure / Critical infrastructure
ENE-03	Clean heating and fuels	District heating, heat pumps and cleaner heating or cooking fuels.	Energy / Efficiency, heating and demand
ENE-04	Energy efficiency and demand management	Economy-wide or cross-sector efficiency and demand management.	Energy / Efficiency, heating and demand
ENE-05	Fossil energy transition	Coal, oil and gas phase-down, fuel switching and transition of fossil energy systems.	Energy / Fossil transition and methane; Economy & Transition / Just transition and restructuring
ENE-06	Oil and gas methane	Methane leakage, venting and flaring in oil, gas and coal-mine operations.	Energy / Fossil transition and methane
ENE-07	Energy-system climate resilience	Exposure of power plants, hydropower and fuel supply to climate hazards, including drought and glacier loss affecting hydropower, heat affecting thermal plants, and the water-energy nexus.	Energy / Supply, renewables and grids; Settlements & Infrastructure / Critical infrastructure

Settlements & Infrastructure

Domain settlements · prefix SET · 3 home topics.

Buildings, settlements, land-use planning, urban heat and critical infrastructure. Membership does not establish urban geographic scope.

Display groups: built - Buildings and settlements; infrastructure - Critical infrastructure.

Code	Topic	Definition	Display placements with home first
SET-01	Building energy performance	Building codes, retrofits and energy performance of buildings.	Settlements & Infrastructure / Buildings and settlements; Energy / Efficiency, heating and demand
SET-02	Resilient settlements, infrastructure and land-use planning	Risk-informed spatial and land-use planning, building safety, resilient housing, and continuity of public, communications and multi-utility infrastructure without a single sector home.	Settlements & Infrastructure / Buildings and settlements
SET-03	Urban heat and green space	Urban cooling, green and blue infrastructure, and parks.	Settlements & Infrastructure / Buildings and settlements; Nature, Forests & Land / Biodiversity and ecosystems

Transport

Domain `transport` · prefix `TRN` · 3 home topics.

Vehicles, fuels, mobility services and transport-network resilience.

Display groups: `low_emission` - Low-emission mobility; `resilience` - Transport resilience.

Code	Topic	Definition	Display placements with home first
TRN-01	Low-emission vehicles and fuels	Vehicle efficiency, electric vehicles and low-carbon transport fuels.	Transport / Low-emission mobility
TRN-02	Public, active and shared mobility	Public transport, walking, cycling and shared mobility.	Transport / Low-emission mobility
TRN-03	Resilient transport networks	Protecting roads, rail, ports and airports from hazards and maintaining access.	Transport / Transport resilience; Settlements & Infrastructure / Critical infrastructure

Industry & Mining

Domain `industry` · prefix `IND` · 4 home topics.

Industrial production, processes, industrial resilience, mining and extractives.

Display groups: `production` - Production and processes; `mining` - Mining and extractives.

Code	Topic	Definition	Display placements with home first
IND-01	Cleaner production and industrial efficiency	Industrial energy and resource efficiency and cleaner production.	Industry & Mining / Production and processes
IND-02	Process emissions and refrigerants	Industrial process emissions, F-gases and refrigerants.	Industry & Mining / Production and processes

Code	Topic	Definition	Display placements with home first
IND-03	Industrial climate and disaster resilience	Protecting industrial sites and supply chains from hazards, including technological-accident risk.	Industry & Mining / Production and processes
IND-04	Mining and critical minerals	Climate and risk aspects of mining, critical minerals and extractive-sector transition, including tailings safety.	Industry & Mining / Mining and extractives

Health

Domain `health` · prefix `HEA` · 3 home topics.

Climate- and disaster-related health risks and health services.

Display groups: `risks` - Health risks; `services` - Health services and facilities.

Code	Topic	Definition	Display placements with home first
HEA-01	Heat and human health	Heat-health action plans, heat-related illness and health protection during heat.	Health / Health risks
HEA-02	Climate-sensitive disease and exposure	Vector-, water- and food-borne disease, air quality and other climate-sensitive health exposures.	Health / Health risks
HEA-03	Resilient health services	Health-system preparedness, safe and continuous health facilities and surveillance capacity.	Health / Health services and facilities

Waste & Circular Economy

Domain `waste` · prefix `WST` · 3 home topics.

Materials and recycling, solid waste and landfill methane, wastewater.

Display groups: `circular` - Materials and circularity; `solid` - Solid waste and methane; `wastewater` - Wastewater.

Code	Topic	Definition	Display placements with home first
WST-01	Materials, recycling and circularity	Waste prevention, recycling and circular-economy measures.	Waste & Circular Economy / Materials and circularity
WST-02	Solid-waste disposal and methane	Landfills, landfill gas and solid-waste disposal.	Waste & Circular Economy / Solid waste and methane
WST-03	Wastewater and sanitation	Sewerage, wastewater treatment and sanitation services.	Waste & Circular Economy / Wastewater; Water / Water quality and sanitation

Economy & Transition

Domain `economy` · prefix `ECO` · 2 home topics.

Economic diversification, economic resilience, just transition and restructuring of climate-exposed or fossil-dependent economies.

Display groups: `diversification` - Diversification and resilience; `transition` - Just transition and restructuring.

Code	Topic	Definition	Display placements with home first
ECO-01	Economic diversification and resilience	Diversifying climate-exposed or fossil-dependent economies and strengthening economic resilience.	Economy & Transition / Diversification and resilience
ECO-02	Just transition and economic restructuring	Fair management of transition impacts on workers, regions and communities.	Economy & Transition / Just transition and restructuring

Livelihoods & Social Protection

Domain `livelihoods` · prefix `LIV` · 3 home topics.

Jobs and livelihood resilience, social protection and safety nets, and displacement, migration and planned relocation.

Display groups: `livelihoods` - Jobs and livelihoods; `protection` - Social protection and mobility.

Code	Topic	Definition	Display placements with home first
LIV-01	Jobs and resilient livelihoods	Employment, skills for green jobs and livelihood resilience outside a single sector.	Livelihoods & Social Protection / Jobs and livelihoods
LIV-02	Social protection and safety nets	Cash transfers, adaptive and shock-responsive social protection, and safety nets.	Livelihoods & Social Protection / Social protection and mobility
LIV-03	Displacement, migration and planned relocation	Disaster and climate displacement, migration and planned relocation of communities.	Livelihoods & Social Protection / Social protection and mobility

Culture & Heritage

Domain `culture` · prefix `CUL` · 2 home topics.

Tangible and intangible heritage and local or traditional knowledge.

Display groups: `heritage` - Heritage and local knowledge.

Code	Topic	Definition	Display placements with home first
CUL-01	Heritage risk, conservation and recovery	Hazard and climate-impact assessments of tangible or intangible heritage, and protecting, adapting and restoring heritage sites and cultural assets.	Culture & Heritage / Heritage and local knowledge
CUL-03	Local knowledge and cultural continuity	Traditional and local knowledge and cultural practices used or protected in climate and risk policy.	Culture & Heritage / Heritage and local knowledge

Education & Knowledge

Domain `education` · prefix `EDU` · 3 home topics.

Education, public awareness, research, data and knowledge systems.

Display groups: `awareness` - Education and awareness; `research` - Research and knowledge systems.

Code	Topic	Definition	Display placements with home first
EDU-01	Climate and disaster education	Curricula, school programmes and formal or vocational education on climate and disaster risk.	Education & Knowledge / Education and awareness
EDU-02	Public awareness campaigns	Public awareness and behaviour campaigns on climate and disaster risk.	Education & Knowledge / Education and awareness
EDU-03	Research, data and knowledge systems	Research programmes and institutions, data infrastructure and knowledge-sharing platforms.	Education & Knowledge / Research and knowledge systems; Climate / Climate information and impacts

Tourism

Domain `tourism` · prefix `TOU` · 2 home topics.

Tourism systems, destinations and tourism-dependent livelihoods. Use only when the tourism sector is explicit.

Display groups: `tourism` - Tourism systems and destinations.

Code	Topic	Definition	Display placements with home first
TOU-01	Tourism adaptation and destination resilience	Adapting tourism destinations and services to climate and disaster risk.	Tourism / Tourism systems and destinations
TOU-02	Tourism resource efficiency	Energy, water and waste efficiency in tourism.	Tourism / Tourism systems and destinations

Secondary displays

13 topics have a display in another domain. Each keeps one owner and one topic identity.

Topic	Scoring home	Additional domain displays
CLM-03 Climate observations, projections and impact assessment	Climate	Disaster Risk Management / Risk governance and knowledge
AGR-01 Irrigation and farm water efficiency	Agriculture & Food	Water / Water resources and supply
AGR-04 Food security and farm livelihoods	Agriculture & Food	Livelihoods & Social Protection / Jobs and livelihoods
WAT-03 Flood and coastal protection	Water	Disaster Risk Management / Risk reduction, warning and preparedness
NAT-04 Land carbon and removals	Nature, Forests & Land	Climate / Economy-wide mitigation
ENE-02 Grids and energy storage	Energy	Settlements & Infrastructure / Critical infrastructure
ENE-05 Fossil energy transition	Energy	Economy & Transition / Just transition and restructuring
ENE-07 Energy-system climate resilience	Energy	Settlements & Infrastructure / Critical infrastructure
SET-01 Building energy performance	Settlements & Infrastructure	Energy / Efficiency, heating and demand
SET-03 Urban heat and green space	Settlements & Infrastructure	Nature, Forests & Land / Biodiversity and ecosystems
TRN-03 Resilient transport networks	Transport	Settlements & Infrastructure / Critical infrastructure
WST-03 Wastewater and sanitation	Waste & Circular Economy	Water / Water quality and sanitation
EDU-03 Research, data and knowledge systems	Education & Knowledge	Climate / Climate information and impacts

Routing between neighboring topics

Read each row as: when this distinction arises, use the destination rather than forcing the statement into the starting topic. “As well” still requires substantive source evidence.

Starting topic	When	Use
CLM-01	the subject is a finance or support mechanism	CLM-02
CLM-01	the institution is a disaster-risk or civil-protection body	DRM-01
CLM-02	an amount funds one sector project	the sector topic, with a finance fact

Starting topic	When	Use
CLM-02	insurance, contingency funds or risk pools for disasters	DRM-05
CLM-03	a multi-hazard risk assessment, hazard map or disaster-loss database	DRM-02
CLM-03	operational forecasting for warnings	DRM-03
CLM-05	climate observations or projections rather than reporting systems	CLM-03
CLM-06	a target for one sector	the sector topic
CLM-06	a land sink or removals target	NAT-04
CLM-09	losses from one disaster event reported without loss-and-damage framing	DRM-02
CLM-09	a displacement or relocation programme	LIV-03
DRM-01	climate strategy or climate coordination bodies	CLM-01
DRM-02	climate projections or climate impact studies	CLM-03
DRM-03	general public-awareness or education campaigns	EDU-02
DRM-03	a physical flood defence	WAT-03
DRM-04	flood or coastal defences	WAT-03
DRM-04	settlement planning or building safety	SET-02
DRM-04	hospital or health-facility safety	HEA-03
DRM-05	general climate finance mobilisation	CLM-02
AGR-01	municipal or household water supply	WAT-01
AGR-01	solar-powered pumping is substantive	ENE-01 as well
AGR-02	landscape-scale degradation or desertification	NAT-05
AGR-02	explicit soil-carbon accounting	NAT-04
AGR-03	human health	HEA-02
WAT-01	farm irrigation	AGR-01
WAT-01	sanitation or wastewater	WST-03
WAT-02	drought planning or drought response	WAT-06

Starting topic	When	Use
WAT-02	flood defences	WAT-03
WAT-03	flood warning systems	DRM-03
WAT-03	general settlement planning	SET-02 as well
WAT-04	wastewater treatment systems	WST-03
WAT-05	a glacial-lake outburst flood as an event or warning	labels.hazards = glacial_lake_outburst; use DRM-02 for risk or event-loss evidence, or DRM-03 for warning and preparedness
WAT-06	drought warnings	DRM-03 as well
WAT-06	on-farm drought adaptation such as crops or fodder	AGR-02 or AGR-03 as well
NAT-01	a carbon-only forest target	NAT-04
NAT-02	active restoration of degraded ecosystems	NAT-03
NAT-04	biodiversity benefits are claimed	NAT-02 or NAT-03 only with evidence
NAT-05	on-farm soil practices	AGR-02
ENE-02	a generating plant without grid measures	ENE-01 or ENE-05
ENE-03	vehicle fuels	TRN-01
ENE-04	a building, industrial or transport measure	SET-01, IND-01 or TRN-01
ENE-05	worker and community impacts of the transition	ECO-02 as well
ENE-06	landfill methane	WST-02
ENE-06	livestock methane	AGR-03
ENE-07	transmission or distribution network resilience	ENE-02
ENE-07	glacier and snowmelt water supply as such	WAT-05
SET-02	energy, transport or water networks	ENE-02, TRN-03 or WAT-01
SET-03	heat-health action plans	HEA-01
IND-01	process gases or refrigerants	IND-02
IND-04	coal phase-down for energy	ENE-05
HEA-03	general civil protection	DRM-06
LIV-01	farm livelihoods	AGR-04
LIV-01	tourism-dependent livelihoods	TOU-01 as well

Starting topic	When	Use
CUL-03	local knowledge applied within a sector practice, such as herding or irrigation	the sector topic; add CUL-03 only when the knowledge itself is the subject
EDU-02	dissemination of warnings for a specific hazard	DRM-03
EDU-03	climate observations or projections themselves	CLM-03
EDU-03	risk or loss databases	DRM-02

Boundaries and limitations to review

Boundary	Routing rule
Farm water versus municipal supply	AGR-01 versus WAT-01; related placement does not create another score.
Physical flood protection versus warning	WAT-03 versus DRM-03; a sector defence is not automatically a generic DRM programme.
Climate versus disaster institutions	CLM-01 versus DRM-01, according to the actual institution/function.
Finance mechanism versus sector project	CLM-02 or DRM-05 for the mechanism; keep a sector project's amount/status with its sector record.
Ecosystem restoration versus species protection	NAT-03 versus NAT-02; both require substantive distinct evidence.
Cross-sector versus sector efficiency	ENE-04 versus SET-01, IND-01 or TRN-01.
Climate data versus sector impacts	CLM-03 when climate observation/assessment itself is substantive; the sector topic for its sector impact.
Result versus response	A reported effect alone does not establish policy attribution, implementation or delivery.

Some topics are intentionally broad: **SET-02** spans settlement/infrastructure/land-use resilience; **DRM-03** covers warning and preparedness; **AGR-04** combines food security and farm livelihoods; **CLM-02** includes finance and support arrangements; **EDU-03** combines research, data and knowledge systems. One detailed response can establish a topic's highest documentation band without covering every aspect in its definition.

Keep those codes initially rather than proliferating indicators. Show the concrete qualifying response and count of responses with details. Never label the topic “fully covered.” Repeated distinct policy questions or recurring unmapped evidence may justify a future explicit split; silence or a low band does not.

Regional focus views can emphasize water scarcity/drought, transboundary water, mountain water, agriculture, warning/preparedness, energy transition, finance or inclusion when relevant to the actual country group. They are saved views, not automatic country-by-country topic exclusions. Preserve the shared 64-topic basket until an explicit common profile changes it.

Complete label and field choices

This inventory is a readable view of labels.json. The JSON file is the machine authority; the strict LLM schema compiles its enabled choices. These documentation pages are not LLM input. All options are retained for customization, including disabled modules.

Required statement type

Choose one type for each source assertion. The stage column is a source assertion stage, not a documentation band or numerical score. A priority risk is `concern`; only an attributable policy undertaking is `commitment`.

Code	Meaning	Source assertion stage
`concern`	A stated risk, vulnerability, impact, need, barrier or gap	None
`context`	A current or historical condition, capacity or baseline	None
`projection`	A modeled or expected future condition, not a policy undertaking	None
`commitment`	An attributable policy goal, priority or target	1
`planned_action`	A specific planned measure, programme or instrument	2
`implementation_underway`	Explicit implementation, procurement, construction or operation of the identified action	3
`output_delivered`	Explicitly completed, installed or adopted output of the identified action	4
`result_reported`	A reported outcome or effect; does not by itself prove causation or target achievement	None
`proposal`	A recommendation without an attributable adopted undertaking	None
`other`	Relevant sourced statement that no listed type fits	None

Core and optional facets

`many` allows zero or more supported choices. `one_or_null` allows one choice or null. Empty arrays mean no supported entries extracted, not that the concept is absent. Disabled fields are omitted from routine extraction; they are not silently populated as negative findings.

Field	Module / default	Selection	Every allowed choice

`purpose`	core; on	`many`	`adaptation`
			`mitigation`
			`disaster_risk_reduction`

Field	Module / default	Selection	Every allowed choice
geographic_scope	core; on	one_or_null	local subnational national transboundary regional EU global
hazards	core; on	many	flood heavy_precipitation drought water_scarcity extreme_heat extreme_cold storm_wind dust_sand_storm wildfire landslide_mudflow avalanche glacial_lake_outburst glacier_permafrost_loss desertification_land_degradation sea_level_rise coastal_hazard disease_biological earthquake tsunami technological compound_cascading
themes	additional_context; off	many	gender_equality social_inclusion poverty_inequality participation capacity_building technology_transfer transboundary_cooperation nature_based_solutions
affected_groups	additional_context; off	many	women men children youth older_people persons_with_disabilities low_income_households farmers herders fishers rural_communities urban_communities workers indigenous_local_communities migrants_displaced_people

Field	Module / default	Selection	Every allowed choice
policy_instruments	core; on	many	strategy_plan law_regulation standard_code public_investment subsidy_incentive tax_pricing market_mechanism insurance_risk_finance institution_coordination information_warning research_data training_capacity ecosystem_management infrastructure_service
risk_component	specialist_risk; off	many	hazard exposure vulnerability capacity impact residual_risk systemic_cascading_risk
risk_function	specialist_risk; off	many	risk_understanding risk_prevention_reduction early_warning_preparedness anticipatory_action emergency_response recovery_reconstruction coping_continuity systemic_transformation

Hazards include non-climate disasters because the scope includes disaster risk. A hazard label does not establish climate causation. purpose needs evidence of adaptation, mitigation or disaster-risk reduction; an energy-sector mention alone is insufficient. Geographic scope follows the assertion, not the country metadata.

Fact qualifiers

These are qualifiers of the original number. They do not add points. Preserve source wording when a structured option would lose a qualification.

Field	Every allowed choice
fact_type	target, observation, projection, finance, indicator
conditionality	unconditional, conditional, not_stated
comparator	equal, at_least, at_most, range, approximate, not_stated
direction	increase, decrease, maintain, complete, not_stated
basis	absolute, historical_reduction, BAU_reduction, intensity, share, other, not_stated
total_or_additional	total, additional, not_stated

Field	Every allowed choice
finance_status	need_or_estimate, requested, pledged, committed, allocated, mobilized, disbursed, spent, not_stated

BAU_reduction means reduction against a business-as-usual pathway; historical_reduction means reduction against a historical baseline. not_stated records missing source detail. Finance states distinguish an estimate, promise, allocation and actual spending. Never treat them as interchangeable.

Actor roles

Code	Meaning
responsible	Organization explicitly responsible for the response.
implementing	Organization explicitly delivering the response.
financing	Provides or arranges finance; not automatically the implementer.
supporting	Supports another actor or response.
monitoring_reporting	Tracks, evaluates or reports.
consulted	Participates in consultation.
unspecified	Named actor without a stated role.

The lean raw contract structures the delivery actor only. Other actors remain in the source statement and quotes. The full role vocabulary stays available, but there is no promise of a complete structured actor inventory.

Delivery fields

Field	Every allowed choice	Qualification
timeframe.anchor	action, publication	Only action timing qualifies; publication date alone does not.
deliverable.kind	quantified_output, named_asset, named_legal_instrument, named_milestone, generic_action	The four specific kinds can qualify; generic_action cannot.

The three checks are **who, when and what specifically**. Each is null or a source-linked detail. All must concern the same coherent response and compatible variant; a shared programme name is not enough. See the field dictionary.

Relationships

Code	Meaning
`restates`	Equivalent assertion of the same proposition; preserve both sources.
`progress_of`	Explicit implementation/output update for the same response.
`supports`	Separate assertion supplies support; it does not inherit or donate a band.
`contextualizes`	Separate assertion supplies conditions, capacity or background.
`revises`	Source evidences an amendment to the same proposition.
`supersedes`	Source explicitly replaces the earlier assertion; recency alone is insufficient.
`part_of`	Source establishes a component or parent relationship.
`contradicts`	Comparable assertions disagree without an evidenced resolution.
`not_comparable`	Preserve related assertions whose quantity, scope, basis or conditions prevent comparison.

Comparability options: `comparable`, `not_comparable`, `insufficient_detail`. These are separate from relationship type. The same subject and a different number do not by themselves establish a contradiction.

Explicit priority evidence

Enabled initially. This is a nullable field, **not a new facet, rank or weight**. Raw shape: `{text, evidence_refs}`; normalized shape: `{text, evidence_ids}`. Text quotes the exact wording that identifies the concern, need or response as a priority. No qualifying wording means null. Repetition, hazard severity and model judgement do not create priorities.

Automatic states and user controls

Field	Every allowed choice
`automatic_state`	`passed`, `repairing`, `evidence_unavailable`, `organization_partial`
`user_overlay.visibility`	`visible`, `hidden`
`user_overlay.flags`	`incorrect`, `duplicate`, `wrong_topic`, `outdated`, `other`

Automatic states describe processing, not truth or approval. User flags and hiding are recoverable controls after publication. They do not create a required moderation step or silently change the standard benchmark.

Data dictionary: source records, combined claims and calculated coverage

Review specification 3.0.0 - not active application models. This is the proposed data contract, not a database migration. The preserved application and runtime inputs are described in the preserved-files guide.

A document supplies quotations; quotations support source records; compatible records form common claims; relationships connect distinct claims. Code then calculates topic documentation bands and coverage. Keep the original assertions alongside every combined view.

Three distinct contracts

Layer	Authority	Purpose
Raw LLM output	llm-contracts.json, compiled using taxonomy.json and labels.json	Small extraction and organization responses, with temporary references and evidence.
Normalized logical objects	This dictionary	Code-owned identities, source provenance, compatible claims and immutable snapshots.
Calculation input/output	score-bands.mjs and scoring.json	Source-scoped, topic-qualified assessments and reproducible coverage.

The raw response is not a database row or a scoring input. The reference calculator is not a source verifier. Production adapters between these contracts remain implementation work. None of these review files is loaded by the present application.

`id` means a persistent code-assigned identifier. `null` means unknown/not stated, not zero. `[]` means no supported entries extracted, not proof of absence. Every `evidence_ids` reference must resolve in the allowed source scope. Preserve raw wording beside any normalization. No model confidence percentage, human approval status or extra manually assigned policy-status enum is needed.

1. Document and source unit

Object / fields	Meaning
Document `id`, `country_iso3`, `title`, `kind`	Code identity, source country, printed title and document role. Initial comparable roles are `NDC` and `NAP`; other roles require a later explicit configuration/profile change. Country metadata does not establish national scope for every assertion.
`edition_date`, `language`	Source edition date/language, nullable if unresolved. Publication date is not an action deadline.
`original_name`, `sha256`, `page_count`	Original filename, content hash and physical PDF page count. A page count is not a model-read count.
`document_family_id`, `source_url`, `supersedes_document_id`	Optional series identity, recorded source address and source-evidenced replacement. A shared family or later date alone does not establish replacement.
`source_manifest_id`, `processing`	Comparison document inventory plus code-maintained indexing status, readable/unreadable pages and errors.
SourceUnit `source_unit_id`, `document_id`, physical-page mapping, text, `context_unit_ids`	Code-owned bounded source text. The model cites supplied unit IDs; code resolves physical pages. Context units preserve table headings, units and footnotes where needed. Source units are retrieval inputs, not new policy entities.

Keep the source-role/date rule and exact included editions with the snapshot. “All supplied documents” is useful exploration but does not imply that countries have comparable source profiles.

2. Evidence

Raw extraction returns `evidence[]` entries with `local_ref`, `source_unit_id`, `quote`. The quote is short exact source text in its original language. The model does not assign a persistent evidence ID or certify a physical page.

Normalized Evidence fields are `id`, `document_id`, `source_unit_id`, `page`, `page_label`, `quote`, `automatic_state`, `check_reason`, `page_text_hash` and `source_span`. The last two are optional code-derived locating data. Keep a cited-page/correction history if importing legacy records; the new raw contract uses source-unit mapping instead.

Automatic source checks establish whether the quotation occurs in its allowed source. They do not prove policy effectiveness or the truth of every inference. Evidence that cannot be used is retained with a limitation and excluded from qualifying checks. No human approval queue is created.

3. Record: one source assertion

Raw Stage 1 field	Normalized field / handling
`local_ref`	Code assigns Record `id`; preserve the temporary reference with the run for traceability.
`statement`, `statement_type`	Short English assertion and one allowed assertion type; quotes remain in their original language.
`primary_topic_id`, `secondary_topic_ids`	One canonical topic or null, plus substantively supported additional topics. Domains and organizational homes come from taxonomy. Tags alone do not qualify for a topic's score.
`unmapped_concepts`	Source-grounded concepts outside the vocabulary. Keep original assertion type and visible unmapped evidence; never create an Other domain or auto-add topics.
`policy_object_as_stated`	Preserve this source wording; normalized `policy_object` may hold the same description. Code may assign nullable `policy_object_id` after association checks.
`scope_as_stated`, `conditionality`	Source scope and one allowed conditionality; never infer scope from upload metadata.
`labels`	Enabled facets only. Disabled fields are omitted, not negative findings.
`facts`	Compact source number objects described below.
`delivery`	Nullable who/when/what details described below.
`priority_evidence`	Null or `{text, evidence_refs}` quoting explicit priority wording. Normalize references to `evidence_ids`; no ranking or scoring weight.
`evidence_refs`	Map response-local evidence references to persistent `evidence_ids`.
`field_evidence`	Raw array of `{path, evidence_refs}`; normalize to a JSON Pointer → evidence-ID map. Validate that each pointer identifies a real populated field.

Code also stores `document_id`, `automatic_state`, `extraction_run_id` and `config_bundle_id`. Store model/settings metadata once per run, not on every statement. The raw response's top-level `limitations[]` can describe difficulties but cannot certify retrieval completion.

One quotation can support several distinct assertions. Shared wording does not make those assertions equivalent. `result_reported` alone is context, not proof that an attributable policy response occurred. “Drought is a national priority” may be a concern; the priority field does not turn it into a commitment.

4. Fact: what does a number mean?

The lean raw fact contains all of these fields:

Fields	Meaning
`fact_type`, `metric`, `value_as_stated`	Quantity kind, source-defined measure and exact number wording, including ranges and qualifications.
`unit`, `period`	Stated measurement unit and applicable target/observation period, or null.
`baseline_as_stated`, `geography_or_system`, `scenario`	Nullable source wording for baseline, scope/boundary and pathway.

Fields	Meaning
`comparator`, `direction`, `basis`, `total_or_additional`, `conditionality`	Allowed qualifiers; keep them with the quantity.
`finance_status`	Allowed status for finance facts; null for other facts. Allocated and spent are different assertions.
`evidence_refs`	Local evidence supporting the fact, mapped to `evidence_ids`.

Normalized storage **may additionally** expose `value` as an unambiguous decimal string, `baseline_value`, `baseline_period`, `baseline_relevance`, `geography`, `system_boundary` and `denominator`. These are not additional raw model fields. Populate only from explicit source wording through a documented adapter; retain null when unresolved. Do not invent a conversion, split a range arbitrarily or borrow another measure's baseline. Keep the original compact fields alongside any parsed values.

A target “20% below 2010 emissions by 2030, conditional on support” keeps its basis, baseline, period and condition together. It cannot be averaged with an unconditional 15% target or a change against a different scenario.

5. Actor and delivery details

The lean raw contract structures the **delivery actor only**, not a full `actors[]` inventory. Other actors remain in source assertions and quotations. A logical Actor projection can use `name` from delivery actor text, `role`, nullable code-resolved `policy_object_id` and `evidence_ids`. Complete structured actor coverage would require a later explicit schema change.

`delivery` contains exactly `actor`, `timeframe` and `deliverable`; each is null or the raw object below. Code adds `policy_object_id` and maps evidence references when building normalized detail objects.

Detail	Raw object	What can qualify
Actor	`{text, role, evidence_refs}`	Named organization explicitly responsible for or implementing this response. A financier alone is insufficient.
Timeframe	`{text, anchor, evidence_refs}`	Action deadline, delivery period or dated milestone. Publication date alone fails.
Deliverable	`{text, kind, evidence_refs}`	Quantified output, identified asset, named legal instrument or identifiable milestone. A generic action fails.

All three must describe the **same coherent response and compatible variant**. A shared broad programme or topic does not establish identity. Supporting capacity, a nearby ministry name and an unrelated project deadline cannot be combined into a detailed response.

Raw source-linked example, assuming local evidence `e1` explicitly states every detail:

```
{
  "delivery": {
    "actor": {"text": "Ministry of Agriculture", "role": "implementing", "evidence_refs": ["e1"]},
    "timeframe": {"text": "by December 2030", "anchor": "action", "evidence_refs": ["e1"]},
    "deliverable": {"text": "rehabilitate Canal 17", "kind": "named_asset", "evidence_refs": ["e1"]}
  },
  "field_evidence": [
    {"path": "/delivery/actor/text", "evidence_refs": ["e1"]},
```

```
    {"path": "/delivery/actor/role", "evidence_refs": ["e1"]},
    {"path": "/delivery/timeframe/text", "evidence_refs": ["e1"]},
    {"path": "/delivery/timeframe/anchor", "evidence_refs": ["e1"]},
    {"path": "/delivery/deliverable/text", "evidence_refs": ["e1"]},
    {"path": "/delivery/deliverable/kind", "evidence_refs": ["e1"]}
  ]
}
```

This synthetic fragment omits the other required record fields. After reference mapping, a normalized pointer map can be `{"/delivery/actor/text": ["E17"]}`. `/facts/0/value_as_stated` attributes the first fact; `/labels/geographic_scope` attributes a selected scope label. Code-generated IDs are not invented source facts and do not require a quotation describing the ID string.

6. Claim, variant and membership

Stage 2 receives immutable eligible records, relevant read-only context and allowed previous IDs. It proposes group membership; it does not re-extract document text or return scores.

Raw Stage 2 field	Interpretation
`claims[].local_ref`, `title`	Temporary proposed claim identity and a concise common proposition.
`claims[].variants[].local_ref`, `record_ids`	Temporary variant identity and owned source assertions representing one compatible version.
`detail_record_ids`, `association_evidence_ids`	References proposed to supply compatible details, and supplied evidence supporting that association. A reference does not itself establish coherence.
`suggested_prior_claim_id`	Nullable existing ID suggestion; code determines lineage.
`retained_records[].record_id`, `reason`	Eligible owned records retained outside a successful common group. Nothing silently disappears.

Normalized logical objects:

Object	Fields
Claim	`id`, `country_iso3`, `title`, `primary_topic_id`, `secondary_topic_ids`, `policy_object_id`, `member_record_ids`, `variants`, `version`, `lineage`.
ClaimVariant	`id`, `claim_id`, `record_ids`, `detail_record_ids`, `association_evidence_ids`, `policy_object_id`, source assertion `statement_type`, `conditionality`, `facts`, `delivery`, `evidence_ids`.
ClaimMember	`claim_id`, `record_id`, nullable `variant_id`, `snapshot_id`.

Code assigns persistent identities scoped to the country and identified proposition/intervention. A broad programme can contain many policy objects. Each owned eligible record has one core claim owner or an explicit retained entry; read-only context links do not duplicate ownership.

Keep materially different values, periods, scopes, baselines and conditions as variants. Claim histories retain source-local assertion types and evidence of any update/replacement. An arbitrary maximum stage or later publication must not overwrite older assertions or flow back into an older document's view. Unresolved target values remain unresolved.

History-to-assessment adapter rule (required implementation, not an implemented selector): retain every original record in history, but do not pass all dated stages as competing assessment variants. Within the selected source scope, an explicitly evidenced `progress_of` update can establish the later reported stage for

the same response when the source establishes the sequence. `revises` or `supersedes` changes only the proposition/fields the evidence explicitly updates or replaces. Retain the supporting update edge and source IDs. Compatible history can therefore produce one assessment interpretation; materially incompatible, unresolved alternatives remain separate variants. If sequence, identity or replacement is unclear, retain alternatives rather than choose the latest publication or highest stage. `supports`, `contextualizes` and mere non-repetition cannot resolve history. A document-only assessment uses only its local evidence; a later document's update never alters the older document's result.

Internal claim/variant bands and check results are calculation diagnostics, not headline claim ratings. The UI shows assertion types, who/when/what checks, variants and evidence. A single detailed project does not imply that the whole topic is adequately addressed.

Provisional singleton fallback (deterministic adapter rule, implementation planned): if Stage 2 fails, remains partial or returns an owned record in `retained_records`, code retains each verified source-local record as a provisional one-record claim/assessment. Its stable provisional identity refers back to that record and the snapshot. Direct source-supported response and delivery predicates remain positive; no details, actor, time, quantities or identities are borrowed from another record. Records whose source checks do not establish those predicates remain unavailable for qualification rather than being promoted. No extra LLM call is required.

Set `organization_complete=false` for the affected topic/pack, so its supplied-job `processing_complete` is false even if extraction succeeded. Already demonstrated positive predicates survive; missing predicates stay unknown through the ordinary coverage bounds. Keep provisional records and exact sources visible, label any common-claim counts provisional and avoid headline counts. Successful organization later creates a newer snapshot with explicit lineage from provisional records to organized claims; it does not rewrite the earlier snapshot. This fallback does not claim that duplicates, relationships or contradictions have been resolved.

7. Relationship

The raw Stage 2 relationship has `type`, `from_record_id`, `to_record_id`, `evidence_ids`, `comparability` and `rationale`. All endpoints and evidence must be supplied IDs. Normalized storage adds `id`; derived claim links may also carry `from_claim_id`/`to_claim_id` while retaining original record endpoints. Legacy logical examples may use `evidence_record_ids`; those record references do not replace quote-level `evidence_ids` in the new wire contract.

`supports` and `contextualizes` connect separate assertions without donating a score or establishing shared identity. `supersedes` needs explicit replacement evidence. Before asserting a contradiction, compare quantity, scope, unit, period, baseline/basis and conditions. The full nine relationship choices and three comparability choices are in the taxonomy choice guide.

8. Adapter to the reference calculator

water.json is a readable logical example. water-score-input.json is its calculation input. The adapter must create the following explicit boundary; the LLM is not asked to return it.

Normalized calculator field	Adapter responsibility
`scope.kind`, `scope.document_ids`, `scope.source_profile_complete`	Select country or single-document scope, admitted source IDs and an explicit Boolean for required source-role completeness. A missing required role sets false; it does not erase positive evidence.
`profile.profile_id`, `profile.topic_ids`	Fixed common topic basket, including incomplete topics. Never drop silent topics for an individual country.

Normalized calculator field	Adapter responsibility
`evidence[]`	Map code-checked source evidence to `evidence_id` and `document_id`; perform source fidelity checks upstream.
`claims[].claim_id`, `topic_ids`	Canonical claim identity and substantive topics; a display placement is not a topic tag or scoring qualification.
`variants[]`	At least one assessment variant with `variant_id`, `policy_object_id`, `statement_type`, `conditionality`, `evidence_ids` and `details`. Unambiguous logical claims with no explicit competing variant still get one code-assigned assessment variant.
Variant `details`	Normalize delivery to actor/timeframe/deliverable; every populated detail has source text, discriminator, code-resolved `policy_object_id` and admitted `evidence_ids`.
`topic_projections[]`	Required when a claim has multiple `topic_ids`. Each `{topic_id, variants}` carries that topic's own qualified assertion types and details for the same canonical variant IDs. The engine checks topic/variant coverage, identity and admitted evidence.
`topics[]`	Each profile topic's `topic_id`, authoritative `home_domain_id` and input `processing_complete` for supplied-job success, including required organization work. Code outputs `job_processing_complete` and effective `processing_complete = job_processing_complete AND scope.source_profile_complete`. Empty records never imply completed searching.

A secondary topic must not inherit a claim-wide response or delivery band merely because it is tagged. The adapter creates per-topic projections after source and association checks. For example, a water project can be a detailed response for irrigation while merely supplying context for an energy topic; the latter projection keeps context and null delivery. One ministry cannot be reused as the actor for an unrelated secondary measure. Projection validation constrains IDs and evidence but does not replace the upstream semantic check.

A document-only adapter selects that document's assertions and details. The combined country view may combine compatible details across documents; those details must not leak back into a single-document score. Non-response variants may have null policy-object identity; response variants require a resolved coherent identity.

9. TopicCoverage and calculated metrics

Keep one logical coverage object per snapshot, country, topic and source scope. Fields are `topic_id`, `snapshot_id`, `source_scope_id`, `processing_complete`, `organization_complete`, `source_profile_complete`, `attempted_queries`, `retrieved_pages`, `unreadable_pages`, `missing_document_ids`, `limitations`, `claim_ids`, `response_claim_count` and `detail_ready_claim_count`.

Derived topic fields include demonstrated documentation band/bounds, reported implementation, conflicts and comparison eligibility. Keep supplied-job success (`job_processing_complete`) separate from required-source presence (`source_profile_complete`). The calculator's effective topic `processing_complete` requires both. A supplied-file search can succeed while a required NAP is missing; unproved predicates then remain unknown. An effectively incomplete search with no qualifying evidence is Unavailable, not “No evidence found.” Positive evidence remains visible during partial processing.

The three calculated metrics are `response`, `delivery_details` and `implementation_reported`. For a coherent assessment variant, response means band ≥2; delivery details means band ≥3; implementation reported means `implementation_underway` or `output_delivered`, independently of band 3. Claim lower qualification requires all its relevant variants; upper qualification needs any. A topic's lower qualification needs

any qualifying claim lower; its upper qualification needs any claim upper or incomplete processing.

For each metric, count P established topics, A resolved nonqualifying topics and U unresolved topics; **N = P + A + U**. Output `P`, `A`, `U`, `N`, `lower_percent = 100P/N`, `upper_percent = 100(P+U)/N` and `exact` (U = 0). Outputs are under `assessment.national.metrics.*` and `assessment.domains[].metrics.*` in the safe result wrapper. Processing completeness is separate from the metric's unresolved count.

Country calculations use the unique common topic basket, 64 by default. Domain calculations use its home-topic subset. They are not averages of ordinal bands or unweighted domain percentages. The scoring guide is the readable method authority.

10. Snapshot and ConfigBundle

Object	Fields
ConfigBundle	`id`, `version`, `taxonomy_version`, `labels_version`, `scoring_version`, `prompt_versions`, `model_settings`, `retrieval_settings`, `comparison_profile_id`, `source_profile_id`, `file_hashes`, `created_at`. Save no credentials.
Snapshot	`id`, `country_iso3`, `config_bundle_id`, `source_manifest_id`, `document_ids`, `record_version_ids`, `claim_version_ids`, `coverage_ids`, `created_at`, `published_at`, `processing_complete`, `source_profile_complete`, `limitations`, `prior_snapshot_id`.

Publish a coherent result automatically after bounded machine checks. A refresh does not erase the prior snapshot. Partial results state limitations. Scoring-only edits can recompute from retained checked inputs; taxonomy/model changes record affected reruns.

Documentation arrows need comparable method/topic/source profiles, genuine editions in the same families, complete relevant processing/source profiles and exact metric values. Source backfill and method changes use a refresh symbol rather than a policy-improvement arrow.

11. UserOverlay

Fields are `id`, `snapshot_id`, `claim_id`, `claim_version`, `visibility`, `flags`, `reason`, `actor`, `created_at` and `updated_at`. These are recoverable post-publication controls. Hiding changes presentation by default, not the generated regional comparison. An analytical exclusion creates an explicitly labelled adjusted snapshot. No human flag, approval or moderation is required for ordinary publication.

Where all choices are listed

The complete domain/topic, facet, statement-type, fact, actor, delivery, relationship, automatic-state and overlay choices appear once in TAXONOMY.md. The editable machine authorities are taxonomy.json and labels.json; the builder compiles them into the strict raw schemas. This dictionary defines the fields rather than duplicating a second option catalog.