A layered dashboard: counts, scores, colors and change

Presentation 4.1.0 / scoring method 4.0.0 - proposed, not active. Updated 20 October 2026. This replaces the coverage-only dashboard recommendation in the earlier v3 review. The two-stage extraction pipeline, evidence provenance and 16-domain/64-topic taxonomy remain the starting point.

The latest refinement uses a restrained UNDP-inspired blue, clearer navigation and more neutral policy terminology. Its framework alignment is light: country context, risk-informed planning and traceable evidence. The method explains the NAP, Sendai and transparency principles; they do not add indicators, model calls or an approval stage.

The user's SDG screenshots guide the visual hierarchy: a country summary, domain overview, colored tiles, indicator-like topic rows and regional comparison bars. The quantities here are derived from policy claims; they are not copied SDG indicators or country results.

What the layers show

Layer	Main information	One click reveals
Country	Documentation score /100, unique claims, topics with responses	Domain summaries and source scope
Domain	Score, status color, change arrow, claims and addressed topics	Topic rows
Topic	Claims, scored responses, average score, status and change	The underlying common claims
Claim	Four-point documentation checklist, statement type and sources	Exact evidence, variants and supporting context
Source	Document, page, quotation and source-local assertion	Comparison with another document

The regional view compares the same domain/topic scores and shows a named eligible cohort. The document view preserves each source's own claims and checks. A combined claim repeated in two documents counts once in the combined view; its source occurrences remain visible.

The recommended visual hierarchy

1. **Country overview:** one score gauge, one claim-count summary and one topic-coverage summary. Show source profile/date beside the country name. Use the same score in every visual.

2. **Domain overview:** compact colored domain cards with score, arrow and claim count. A radial overview provides the pattern across all domains; aligned bars provide precise comparison.

3. **Focused domain screen:** selecting a domain replaces the overview with its topic table: topic, claims, responses, average score, color and arrow. A breadcrumb returns to the overview; a domain selector switches directly between domains.

4. **Focused topic screen:** selecting a topic opens its claim evidence, with a clear return to the domain topics. Show short statements and 1-4 points, with responsibility, timeframe and output/milestone checks. Planned, implementation reported and output delivered remain separate labels. Sources, disagreements and support open underneath.

5. **Region:** aligned country bars and a country-by-domain comparison. Show cohort size and incomplete/excluded cases. A rank is not needed on the first screen.

6. **Documents:** compare NDC/NAP assertions and their source-local scores. Selecting a different document changes the evidence scope, not historical facts.

What changes from the previous proposal

Previous recommendation	Revised recommendation
Coverage percentages were the headline	A documentation score /100 is the headline; counts and coverage explain it
Claim scores were hidden diagnostics	Show a simple four-point score on every eligible response claim
One best response could set the topic band	Average the distinct response claims in that topic
Domain summaries were neutral coverage bars	Use score-driven color, an explicit number and a separate change arrow
Counts were secondary	Show unique claim and response counts at each relevant layer
Four evidence bands drove the main colors	One shared numerical score legend drives the revised interface

The earlier topic bands may remain internal diagnostics during migration. Do not display two competing status-color systems on the same dashboard. Context remains counted and visible, but it does not receive a poor-quality score merely for being context.

Integration plan

Keep LLM extraction and organization inputs unchanged unless an evaluation finds a missing factual field. The existing sourced response/actor/timeframe/deliverable fields are sufficient for the basic checklist. Code calculates the new layer after grouping; no scoring LLM and no manual acceptance queue are added.

1. Add the four-check calculator and deterministic claim-count ownership rules.

2. Freeze per-topic claim inventories and scoring/source versions before comparing averages.


3. Replace the headline data adapter and color/arrow mapping consistently across country, domain, topic and document views.

4. Add the shared claim/source detail view, regional cohort comparison and source-local calculations.

5. Run extraction/grouping stability and score-sensitivity checks on representative NAP/NDC documents before activation.


The prototype and calculator are review artifacts. They do not connect to the current application or establish live extraction accuracy. All demonstration countries and values are synthetic. Original v3 review files are preserved in docs/archive/policy-tracker-review-v3.zip.

The pipeline in six steps




Two LLM stages; code pools, checks, calculates and publishes. No manual acceptance queue.

The engineering flow



Two LLM stages; code pools, checks, calculates and publishes. No manual acceptance queue.

The country overview



Interactive review mockup. All countries and figures are synthetic.

A focused domain and its topics

POLICY DOMAIN

Agriculture & Food

Moderate policy detail **55** /100 ↻

5 home topics · 8 unique claims

Switch domain


Agriculture

TOPIC	CLAIMS	RESPONSES	AVG. SCORE	STATUS	CHANGE
AGR-01 **Irrigation and farm water efficiency** ↗	3	2	**87.5** /100	Substantial policy detail	↻
AGR-02 **Resilient crops and soils** ↗	1	1	**75** /100	Substantial policy detail	↻
AGR-03 **Livestock, pastures and rangelands** ↗	2	2	**62.5** /100	Moderate policy detail	↻
AGR-04 **Food security and farm livelihoods** ↗	2	1	**50** /100	Moderate policy detail	↻
AGR-05 **Fisheries and aquaculture** ↗	0	0	**0** /100	Limited policy detail	↻

Claims are grouped propositions, not quotes. Topic averages use response claims; context remains visible and unscored. Arrows track documentation changes.


Interactive review mockup. All countries and figures are synthetic.

From topic score to exact claims



Interactive review mockup. All countries and figures are synthetic.

Regional comparison



Interactive review mockup. All countries and figures are synthetic.

One score, four checks, four dashboard layers

Calculation version 4.0.0; presentation version 4.1.0 - review only, not active in the application. This revision follows the request for visible claim scores, topic/domain averages, counts, colors and arrows. It replaces the earlier coverage-only headline recommendation. The existing two-stage extraction and organization approach remains.

The headline is a **policy documentation specification score**. It answers: **How explicitly do the selected documents describe the responses they contain, across the common topic inventory?** It does not answer whether a country is doing enough, has implemented its plans, or has reduced climate and disaster losses.

Practical alignment with UN frameworks

Three principles guide how we use the existing evidence and labels:

• **Country-driven and context-sensitive:** retain stated national priorities, conditions and affected groups. Compare a shared documentary scope without treating the 64-topic inventory as a universal prescription for national policy. This reflects the NAP process's country-driven, transparent and non-prescriptive approach. UNFCCC NAP principles

• **Risk-informed:** interpret existing topics through risk knowledge, governance, investment, preparedness and recovery. These reflect Sendai's priorities and keep both climate and wider disaster risks visible. Sendai Framework

• **Transparent results chain:** distinguish policy intent, reported implementation, outputs and outcomes in the evidence. “Will rehabilitate canals”, “work has started”, “30 km completed” and “losses reduced” are different assertions. Retain their sources and conditions; a detailed commitment is not proof of results. This supports the transparency objective of understanding climate action and tracking reported progress. UNFCCC Enhanced Transparency Framework

This is practical methodological alignment, not an official UN/UNDP score or a compliance assessment. It adds no taxonomy, data fields, LLM step or human review queue.

The calculation in one minute

```
Source documents
      ↓ extract statements, labels, exact evidence
Source records                        NDC and NAP remain separately accessible
      ↓ organize the same response across documents; preserve disagreements
Unique common claims                  Repeated mentions count once
      ↓ deterministic checklist
Response claim: 1–4 points            Context: counted, visible, unscored
      ↓ mean of distinct response claims
Topic: 0–100                           Complete, no response found → 0
      ↓ mean of fixed home topics
Domain: 0–100                          Incomplete topic → gray domain
      ↓ mean of all 64 unique topics
Country: 0–100                         Not the mean of domain scores
```

No scoring LLM, human acceptance queue or additional review stage is required. Automatic extraction, evidence checks, grouping and scope checks feed a deterministic calculator. Results can publish with unavailable scores and visible technical status when a source fails; publication need not wait for a person. Users can flag or hide an item after publication. A display-only hide must not silently recalculate the official comparative score; an exclusion that changes the corpus creates a new, auditable assessment.

1. Score each distinct response with four questions

Check	One point when the evidence establishes	Does not qualify
Response	An attributable commitment, planned action, implementation report or delivered output	A concern, contextual fact, projection or unadopted recommendation
Responsibility (who)	A named responsible or implementing actor for this response	A funder, consultant, supporting partner or unspecified actor alone
Timeframe (when)	A date, period, deadline or named timing milestone anchored to this response	The document's publication date alone
Output / milestone (what)	A verifiable deliverable: quantity, named asset, named legal instrument or specific milestone	“Improve resilience” or “rehabilitate canals” without a sufficiently specific deliverable

These are display names. The calculation keys remain `response`, `who`, `when` and `what`; each still contributes one point.

Every qualifying response starts at **1/4**. A conditional commitment can qualify; keep the condition visible rather than deducting points. The responsible actor need not be a ministry: a named municipality, agency or accountable implementation organization can qualify. A deliverable need not be numeric: “adopt the named Water Allocation Regulation” can qualify. The scoring category must be backed by an actual source statement.

All three details must belong to the **same coherent response**. A related irrigation-capacity fact cannot supply a target to another claim. A ministry named for canal rehabilitation cannot be automatically attached to a separate national irrigation-area target. A support link is useful context, not a license to combine every nearby fact.

```
response claim points = 1 + who + when + specific what
each detail check = 0 or 1
claim score = points / 4 × 100
```

Context, concerns, projections, proposals and background results remain visible and counted. They receive **no numerical claim score**. This prevents a valid concern from looking like a poorly documented policy response. A contextual assertion may have no policy-object ID; the calculator does not invent one.

Implementation stage is an independent label: planned, implementation reported, or delivered. A detailed plan can score 4/4. An implementation report with few details can score 1/4. Neither conclusion changes the recorded stage.

2. Organize first, then average

The scored unit is a distinct organized response, not an extraction sentence, paragraph, document or mention. Preserve one stable canonical claim ID across repeated statements. Different interventions remain different claims. Explicitly linked historical progress or revision can update the current assessment of that response while its earlier source records remain accessible. Do not choose the highest stage, newest publication or best-scoring variant automatically.

At the topic level, average the distinct, relevant response claims:

```
topic score = 100 × sum(response claim points) / (4 × response claim count)
```

If a complete source search finds no response, assign **0 by convention**. This is not an average of an empty list and not proof that no national policy exists.

Example: one response has all four checks: 100. A second, separate response has only the response check: 25. The topic becomes **(100 + 25) / 2 = 62.5**. It does not remain 100, and more mentions do not earn more points.

This average has a tradeoff: discovering a broad response can lower a score. Splitting one intervention into several claims can also change the mean. For that reason, stable grouping rules, the visible response count and a source-change explanation are necessary. This score is not an effort meter. One fully specified project can produce a topic score of 100; the claim count makes that limited evidence base visible.

A worked irrigation example

These are invented demonstration statements, not real country findings.

Common claim	Sources and relationship	Response	Responsibility	Timeframe	Output / milestone	Points
Efficient irrigation area target	NDC says 100,000 ha by 2030; NAP says 80,000 ha by 2030	1	0	1	1	3/4
Rehabilitate canals	NAP: Ministry of Agriculture will rehabilitate 30 km during 2026-2030	1	1	1	1	4/4
Existing irrigation capacity	Older NAP: network served 60,000 ha in 2024; linked supporting context	-	-	-	-	Unscored

There are **3 common claims: 2 responses and 1 context claim**. The topic score is **7 / 8 × 100 = 87.5**. The two area targets remain conflicting variants of one claim, not two independent responses. Their numbers differ, but both establish a specific target and timeframe, so the qualification score is unchanged. The discrepancy remains prominently visible.

The document views recalculate from their own assertions: **NDC 75; NAP 2026 87.5; older NAP context-only 0**. The older context is included in the all-supplied exploratory example; it is not silently carried into a matched latest-edition benchmark. The canal actor does not improve the separate target claim. The 60,000 ha capacity does not prove that either future target has been achieved.

3. Count claims without double-counting

Each common claim has one **primary topic**, which owns its count. Domain and country totals are distinct canonical claim counts based on that ownership. Consequently, primary topic counts add up to their home-domain totals and national total.

A claim can be substantively relevant to a secondary topic. It needs an explicit source-qualified projection for that topic; a tag alone gives no scoring credit. The projection can retain only details supported for that subject. A climate observation claim may be context for disaster-risk assessment without establishing a disaster-risk response.

Show the following separately:

Count	Meaning
Total claims	Primary-owned response and context claims
Response claims	Primary-owned scored-response identities, including unresolved ones
Context claims	Primary-owned unscored context identities
Related claims	Claims owned elsewhere but relevant here; non-additive across topic rows
Responses used in topic score	All qualifying primary and secondary response projections in that topic

The last count can exceed the topic's owned response count. Label it explicitly in the score explanation. A secondary display placement never adds a second topic to the national denominator. Counts in a partial run mean **observed claims so far**.

The sum of resolved primary-owned claim points is retained as `total_points` for secondary export. It is an observed sum, not a comparative headline, and may exclude unresolved or missing claims. Country rankings must not use it: adding more claims would otherwise raise the total mechanically.

4. Roll up using the common topic inventory

```
domain score = sum(scores of its home topics) / number of fixed home topics
country score = sum(scores of all fixed unique topics) / number of fixed unique topics
```

The default inventory has **16 domains and 64 unique topics**, with one scoring home per topic. Domains have different numbers of topics; averaging the 16 domain scores would silently give some topics more weight. Calculate the national score directly from the 64 unique topic scores.

Example: a domain has four topic scores: 100, 75, 25 and 0. Its score is **50**. Another domain has two topics at 100 and 0. Its score is also **50**. Both have the same average documentation score, with different topic patterns and counts visible underneath.

A domain with 10 topics, six of which contain responses averaging 80, has a score of **48**. This shows why domain/country scores mix **documented coverage across topics** with **specificity within responding topics**. Display “6/10 topics with responses” beside the score.

The 64-topic basket is an inventory of documentary coverage, not a universal prescription of national priorities. Do not infer non-applicability from silence or remove fisheries from one country's denominator automatically. A water-priority country and a tourism-priority country can be compared on water or tourism under the same rules; their different priorities remain an explanatory lens. A future narrower regional core must be agreed, versioned and applied to every member of its comparison cohort. Country-specific priority filters change navigation, not benchmark weights.

5. Keep uncertainty visible and simple

Situation	Main score	Detail
Complete usable source/profile search; no response	0	“No response found in this assessed source scope”
Complete, resolved response inventory	Exact mean	Checks, counts and sources
Missing required NAP/NDC role, extraction failure or unfinished grouping	Assessment unavailable, gray	Provisional observed mean, technical status, broad bounds
Competing variants differ on whether a check qualifies	Assessment unavailable, gray	Alternative points and qualification range
Target numbers conflict but check qualification is unchanged	Exact mean	Conflict badge and both source statements

Missing source roles and failed jobs are different diagnostic fields. Both prevent an absence claim. The calculator requires the complete fixed topic list; an empty or malformed request fails closed instead of producing a false national zero.

For partial inventories, unseen responses can lower or raise a mean. An observed 100 is therefore **not a lower bound**. It is available only as a provisional detail. When any home topic is unavailable, its domain headline is unavailable; when any inventory topic is unavailable, the national headline is unavailable.

Aggregate detail bounds substitute **0 and 100 for each unavailable topic**. If three complete topics are 100, 50 and 0, and a fourth is unavailable, the domain is gray with a conservative possible range of **37.5-62.5**. These are exact bounds under the declared missing-topic convention, not statistical confidence intervals or calibrated LLM confidence.

For a complete known claim inventory with alternative qualifications, the detail view also reports the mean of minimum and maximum possible claim points. For example, an actor dispute can make one claim 3-4 points. This narrower diagnostic does not turn the main headline green by choosing the best case.

6. Use one color legend at every scored layer

Score	Label	Color
0 to below 25	Limited policy detail	Red
25 to below 50	Basic policy detail	Orange
50 to below 75	Moderate policy detail	Amber
75 through 100	Substantial policy detail	Green
Unavailable	Assessment unavailable	Gray

These bands describe policy detail in the assessed documents, not implementation stages. They are not empirically validated policy-performance thresholds. Green at 75 can mean three of four checks; it does not guarantee a particular detail, full implementation, adequate ambition or low climate/disaster risk. At domain

and country level, the score also reflects coverage across the fixed topic inventory. Keep the exact number and accessible text label alongside color. Context claims have an unscored label rather than a red score.

7. Arrows describe documentation changes

Use ↑ **increase,** → **unchanged and** ↓ **decrease** only for comparable, complete snapshots assessed under the same method and source basis. Show the numerical score-point difference. Use □ **refresh** for backfill, ordinary uploads, changes in grouping/method, changed profile, exploratory scope or incomplete comparison. Never infer an annual rate or a 45-degree arrow from two arbitrary document uploads.

The comparison gate checks country, method/taxonomy/scoring versions, common topic profile, source profile, role coverage, date-selection rule, source family/role inventory, completeness and cutoff dates. A new edition must be later than the previous cutoff and its prior edition. Same-document IDs cannot silently acquire different edition dates. Recompute both snapshots under the same frozen method before comparing them.

The upstream adapter must attest that the versions, source-family identity and event are correct. The reference code checks their consistency; it does not independently retrieve document registries, detect factual revisions or prove that a declared method version was actually applied. New editions can change the evidence and therefore the documentation score without proving implementation progress. Changed grouping from a method update requires a refresh even if the arithmetic happens to be unchanged.

The synthetic examples intentionally include three states: Country A is exploratory with refresh symbols; Country B has matched complete edition comparisons; Country C has missing processing and unresolved qualification. A regional comparison must use a named like-for-like cohort. Exclude unavailable values and incompatible source profiles; show the included count. If only one eligible country remains, show its value without implying a meaningful regional benchmark or standard deviation.

8. What is editable, and where

File	Purpose
`scoring.json`	Versioned rubric, allowed categories, score labels/colors and comparison rules
`scoring.mjs`	Deterministic reference calculation, source-scope examples and comparison gate
`scoring.test.mjs`	25 meaningful boundary and worked-example tests
`examples.json`	Precomputed synthetic UI data plus all normalized inputs needed to reproduce it
`../pipeline/taxonomy.json`	Existing 16-domain/64-topic profile, identifiers and home ownership

The four equal one-point checks are the version-4 method contract. Changing a point weight fails explicitly; it needs a new method/calculator version and recomputation, not an unnoticed settings edit. Topic changes need a versioned common profile; stable IDs must not be reused for a different meaning.

Keep `presentation_version` separate from calculation version. Presentation 4.1.0 changes wording only: the calculation remains 4.0.0, all thresholds are unchanged, and valid numerical comparisons remain valid. Future numeric threshold changes need an explicit interpretive version update: show the new legend and render both compared snapshots under the same thresholds. A category change caused by a new legend is not documentation progress. Changes to evidence qualification, weights or aggregation require a calculation-version change and recomputation.

The reference input is **already normalized and source-checked**. It includes selected documents, topic processing status, canonical claims, exact source records, coherent variants and explicit secondary-topic projections. The calculator checks IDs, source scope, object consistency, valid categories and mathematical

invariants. It cannot prove that a quote is faithful, an actor is semantically responsible, a milestone is sufficiently specific, or two statements describe the same intervention. Those are evidence extraction/grouping responsibilities, evaluated by automated checks and representative fixtures before activation. There is no claim here that the existing application already implements this adapter.

```
for each selected scope:
  require the fixed topic inventory and explicit completeness
  deduplicate identical canonical claim IDs
  reject conflicting identities or invalid evidence references
  calculate four checks for each coherent response variant
  if qualification differs: preserve alternatives, mark unresolved
  score each source-qualified topic projection
  average distinct responses per complete/resolved topic
  use 0 only for a completed topic with no response
  average fixed home topics; keep unavailable topics gray
  count each claim once through its primary topic
  attach arrows only after the comparable-edition gate passes
```

Run from the repository root:

```
node docs/review/ui-scoring/scoring.test.mjs
node docs/review/ui-scoring/scoring.mjs --recompute-examples
```

`--generate-examples` regenerates the entirely invented demonstration corpus. `--recompute-examples` uses the normalized inputs already saved in the JSON. Neither calls an LLM, accesses the network or modifies the application.

Recommendation and tradeoffs

Option	Strength	Weakness	Opportunity	Threat
Four-check mean (recommended)	Easy to explain; visible claim counts; one calculation across layers	Sensitive to claim grouping; newly discovered broad responses can lower the mean	Clear evidence drilldown and actionable missing-detail checks	Users may mistake specificity for ambition or implementation
Best response per topic	Very simple; stable when weaker responses are added	One polished project can hide many weak responses	Useful as an additional “example available” filter	Green topics can overstate the whole response portfolio
Coverage percentages only	Clear presence/absence meaning; limited dependence on response volume	Does not give the requested per-claim and topic-average depth	Useful supporting coverage figures	Can flatten meaningful differences in documentation
Many weighted indicators or model-generated quality ratings	Can represent more dimensions	Harder to audit, customize and explain; more cost and disagreement	Later expert-designed modules for a defined question	False precision and weights that quietly encode priorities

Use the recommended simple mean as the review proposal, keep coverage and implementation stage visible beside it, and test grouping sensitivity before activating comparisons. Regional z-scores and standard deviations can wait: they do not repair mismatched source profiles or a small cohort, and they are harder to interpret than the same 0-100 rubric.

Reference notes

The NAP, Sendai and transparency sources linked above inform our use of country context, disaster risk and reported progress. The following sources inform the score presentation and its limits.

The OECD/JRC handbook discusses making weighting, aggregation and sensitivity choices explicit when building composite indicators. This proposal adopts that transparency principle; its four equal checks and thresholds are product choices, not an OECD-endorsed score. OECD/JRC handbook

The Sustainable Development Report describes indicator-specific thresholds and time-based trend methods. Here the SDG-style visual hierarchy is inspiration only: documentary scores and edition-change arrows have different meanings. Sustainable Development Report methods