



BAI®
Beck Anxiety Inventory®
Interpretive Report
Aaron T. Beck

Name: Johnny Jitters
Age: 28
Gender: Male
Date Assessed: 05/12/2017



Copyright © 2009 NCS Pearson, Inc. All rights reserved.

BAI, Beck Anxiety Inventory, Pearson, the PSI logo, and PsychCorp are trademarks in the U.S. and/or other countries of Pearson Education, Inc., or its affiliate(s).


TRADE SECRET INFORMATION

Not for release under HIPAA or other data disclosure laws that exempt trade secrets from disclosure.

[1.1 / 2 / QG]

ASSESSMENT RESULTS

The following graph and table presents the client's *T* score, which is based on the norm for a non-clinical sample. This information may be useful in estimating the severity of the client's symptoms relative to this group. *T* scores of 50 are average for the group (standard deviation = 10 *T* score points).



Raw Score:	63
T Score (Plotted):	144
Percentile Rank:	>99.9
Diagnostic Range:	Severe

INTERPRETATION

Johnny Jitters expresses a high level of symptomatology associated with anxiety. His anxiety may significantly interfere with information-processing functions and result in poorly planned responses to environmental pressures. The inability to meet life's demands adequately may then exacerbate the patient's real-world problems and lead to greater anxiety and even greater difficulty in responding to environmental pressures. The clinician should make anxiety-reduction strategies the primary focus of treatment. However, the clinician might also examine the patient for depression using the *Beck Depression Inventory II* or other appropriate assessment procedure, because of the high rate of co-morbidity between anxiety and depression.

For a statistically significant* change to have occurred, the patient's subsequent BAI score must be below 53.

*90% confidence level, controlling for regression to the mean and the reliability of the test.

ENDORSED ITEMS

Johnny Jitters endorses the following subjective and panic-related symptoms of anxiety on the BAI:

4. Unable to relax. (Severe)
5. Fear of the worst happening. (Severe)
7. Heart pounding or racing. (Severe)
9. Terrified. (Severe)
10. Nervous. (Severe)
11. Feelings of choking. (Severe)
14. Fear of losing control. (Severe)
15. Difficulty breathing. (Severe)
16. Fear of dying. (Severe)
17. Scared. (Severe)

He endorses the following somatic symptoms of anxiety on the BAI:

1. Numbness or tingling. (Severe)
2. Feeling hot. (Severe)
3. Wobbliness in legs. (Severe)
6. Dizzy or lightheaded. (Severe)
8. Unsteady. (Severe)
12. Hands trembling. (Severe)
13. Shaky. (Severe)
18. Indigestion or discomfort in abdomen. (Severe)
19. Faint. (Severe)
20. Face flushed. (Severe)
21. Sweating (not due to heat). (Severe)

End of Report

NOTE: This and previous pages of this report contain trade secrets and are not to be released in response to requests under HIPAA (or any other data disclosure law that exempts trade secret information from release). Further, release in response to litigation discovery demands should be made only in accordance with your profession's ethical guidelines and under an appropriate protective order.
