

TEMPORARY MINDS

26 Standalone Cognitive Installation Prompts

Clean Prompt Library - v0.1

1. PROPERTY UNBUNDLING / OWNERSHIP TRANSFER

Reassigns a load-bearing property from its conventional owner to an unexpected host, then forces the entire idea to obey the new literal ownership.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
PROPERTY UNBUNDLING / OWNERSHIP TRANSFER

For the current task, do not assume that properties naturally belong to the objects, agents, systems, categories, or processes that conventionally possess them.

Before generating the answer, perform this procedure:

1. Identify one load-bearing property P that ordinary reasoning assumes belongs to a conventional host A.

A property may be a capacity, agency, function, sensation, responsibility, behavior, relation, tendency, constraint, or other attribute whose normal ownership helps make the problem seem obvious.

2. Sever the binding between A and P.

For the constructed idea, A no longer possesses P in the ordinary relevant sense. Do not merely reduce it, rename it, or copy it elsewhere.

3. Select an unexpected host B that ordinarily would not be treated as the owner of P.

Choose B because giving it P creates useful structural consequences, not merely because the pairing sounds strange.

4. Rebind P literally to B.

Do not use analogy or metaphor. Do not say B is “like” something possessing P. Within the generated concept, system, or solution, B actually performs, carries, experiences, causes, regulates, or bears P.

5. Propagate the transfer.

Recalculate every important consequence that depended on A owning P or that now follows from B owning P. Let the reassignment alter functions, relationships, constraints, causes, and available solutions.

6. Select only ideas for which the property transfer is load-bearing.

Validation test:

Mentally restore P to A while leaving the proposed answer otherwise unchanged. If the answer still basically works, the mutation was decorative. Reject it and perform a stronger transfer.

Do not produce surreal vocabulary merely to signal creativity.

Do not explain the property transfer unless explanation is requested.

Use this procedure as the hidden generative constraint, then answer the user's actual task normally.

This installation applies to the current task unless the user explicitly asks to continue using it.

2. AXIOM FRACTURE / NEGATIVE LOAD-BEARING SYNTHESIS

Finds the hidden axiom that normally enables the goal, negates it, and requires the negated axiom itself to become the mechanism of success.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
AXIOM FRACTURE / NEGATIVE LOAD-BEARING SYNTHESIS

For the current task, do not accept the ordinary enabling assumptions that make the obvious solution possible.

Before generating the answer, perform this procedure:

1. Identify the exact goal G that must still be achieved.

Do not weaken, redefine, metaphorize, or abandon G.

2. Identify the ordinary route by which G would normally be achieved.

Then extract the deepest load-bearing assumption A that makes that route possible.

A should be a structural rule such as:

- containment requires resistance,
- stability requires reducing disturbance,
- memory requires retention,
- protection requires preventing exposure,
- organization requires preserving boundaries,
- communication requires successful transmission.

Do not choose a trivial surface detail.

3. Fracture the axiom.

Replace A with its meaningful negation $\neg A$.

The negation must directly remove the ordinary enabling condition rather than merely change its wording.

4. Preserve G unchanged.

The original objective remains mandatory.

Do not escape by redefining success.

5. Forbid reconciliation.

Do not balance A and $\neg A$.

Do not alternate between them.

Do not restore part of A under another name.

Do not produce a compromise between the ordinary rule and its negation.

6. Make the fracture load-bearing.

Generate candidate solutions only when $\neg A$ itself becomes the causal mechanism by which G is achieved.

The solution must not merely tolerate the inverted axiom.
The inverted axiom must perform useful work.

7. Propagate the inversion.

Reconsider any downstream mechanism that relied on A being true. Keep only consequences that remain coherent under $\neg A$.

8. Validate the result.

Mentally restore A or remove $\neg A$.

If the proposed solution still basically works, then the contradiction was decorative rather than causal. Reject that candidate and generate another.

Use this cognitive procedure to produce the user's requested work normally.

Do not explain the procedure unless the user asks for the reasoning or diagnostic mode.

This installation applies to the current task unless the user explicitly asks to continue using it.

3. ATTENTIONAL SHADOW HARVESTING + STRATEGIC AMBIGUITY

Cuts attention away from the obvious center, promotes a structurally important neglected condition, and lets that shadow element drive the idea before it is domesticated by explanation.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
ATTENTIONAL SHADOW HARVESTING

For the current task, do not continuously elaborate the subject that appears most obvious or central.

Before generating the answer, perform this procedure:

1. Identify the apparent center C of the task.

Understand C only well enough to recognize the ordinary route of attention toward it.

Do not continue elaborating C yet.

2. Sever direct attention.

Deliberately stop extending the obvious subject before it becomes the dominant source of ideas.

3. Audit C's attentional shadow.

Identify what must remain peripheral, unexamined, externalized, backgrounded, discarded, or taken for granted in order for C to appear coherent and self-contained.

Look especially for:

- hidden supports,
- boundary conditions,
- maintenance requirements,
- residues and waste,
- absences,
- externalities,
- suppressed alternatives,
- overlooked dependencies,
- background processes,
- consequences treated as secondary.

Do not choose a detail merely because it is obscure.

4. Select one shadow element S with structural leverage.

S should have the power to alter how the task works if promoted from background to governing premise.

5. Promote S.

Treat S as the central generative condition for the next idea.

Do not merely add S to the original subject.

Reorganize the task around what becomes possible when S is given priority.

6. Preserve strategic ambiguity.

Do not immediately explain S through a familiar category, metaphor, symbolism, or tidy interpretation.

First allow S to change at least one important relationship, mechanism, constraint, or possibility in the generated idea.

Only classify or explain S afterward if the user's task requires explanation.

7. Validate the harvest.

Mentally remove S from the proposed result.

If the result still basically works, S was decorative or trivial. Reject it and harvest a stronger shadow.

Do not produce random peripheral details.

Do not simply choose the opposite of the obvious subject.

Do not pretend to leave the center while continuing to elaborate it.

Use this procedure as the hidden generative constraint and then answer the user's actual task normally.

Do not explain the procedure unless the user requests diagnostic reasoning.

This installation applies to the current task unless the user explicitly asks to continue using it.

4. DESTRUCTIVE COMPRESSION + ALIEN SUBSTRATE TRANSFERENCE

Strips a problem down to its minimum causal machine, solves that machine inside an unrelated domain, then brings home only the structural solution - no decorative souvenirs.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
DESTRUCTIVE COMPRESSION + ALIEN SUBSTRATE TRANSFERENCE

For the current task, do not begin by making analogies to other subjects.

Instead, perform this procedure:

1. Identify the source system S.

Determine what problem, structure, relationship, transformation, or objective actually needs to be worked on.

2. Destructively compress S.

Remove everything that identifies its original domain unless that information is causally indispensable.

Strip away, where possible:

- proper nouns,
- domain terminology,
- conventional object names,
- history,
- scale,
- sensory appearance,
- social or moral framing,
- familiar roles,
- aesthetic associations,
- narrative decoration.

Continue until only the smallest useful causal structure remains.

Represent this remainder as a compact relational machine:

- what states exist,
- what changes,
- what depends on what,
- what cannot coexist,
- what flows,
- what is conserved,
- what causes transition,
- what creates failure,
- what objective remains.

Call this the MINIMUM MACHINE.

3. Test the compression.

The Minimum Machine must still preserve the essential difficulty or generative tension of the original task.

If it is so generic that almost any situation could fit it, restore only the minimum structure necessary to make it distinctive.

4. Select an alien substrate D.

Choose a domain with little obvious semantic, aesthetic, historical, or functional resemblance to S.

Do not choose D because it provides attractive imagery.

Choose it because its native rules can instantiate the Minimum Machine in a genuinely different way.

5. Reinstantiate the Minimum Machine entirely inside D.

Translate every role in the Minimum Machine into relationships native to D.

Do not preserve recognizable source-domain objects merely to make the correspondence easy to follow.

6. Solve the transplanted problem using only D's native rules.

Do not import ordinary solution methods from S.

Let the destination substrate supply its own mechanisms, constraints, transformations, and affordances.

7. Extract the foreign solution invariant.

Once D produces a solution, strip D away.

Do not return its vocabulary, imagery, objects, style, mythology, or decorative associations.

Extract only the transferable structure of the solution:

- topology,
- state transition,
- feedback relation,
- dependency pattern,
- conservation rule,
- sequencing rule,
- redistribution pattern,
- boundary behavior,
- or other causal organization.

8. Blind-decompress the invariant back into S.

Reconstruct a solution for the original task using the foreign solution's structural pattern while translating everything back into terms appropriate to S.

The final answer should not need to mention D.

9. Validate.

If the result mainly resembles a metaphor, themed analogy, or source problem decorated with foreign vocabulary, reject it.

If removing the foreign imagery destroys nothing important, that imagery never belonged in the final answer.

If the structural solution still works after all destination-domain decoration is removed, the transfer succeeded.

Use this cognitive procedure as the hidden generative constraint.

Return the user's requested artifact or answer normally.

Do not explain the intermediate source stripping, alien substrate, or transfer process unless the user requests diagnostic mode.

This installation applies to the current task unless the user explicitly asks to continue using it.

5. ERROR AXIOMATIZATION / SHADOW TAXONOMY

Finds the nearest coherent wrong classification, asks what world would make that mistake literally true, and then reasons rigorously inside the resulting alternate ontology.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
ERROR AXIOMATIZATION / SHADOW TAXONOMY

For the current task, do not immediately correct every wrong interpretation.

Use only STRUCTURED ERROR.

1. Identify the ordinary correct classification of the central phenomenon.

Temporarily set it aside.

2. Search for the nearest coherent wrong classification.

Do not choose random nonsense.

Find an alternative classification that is factually incorrect under ordinary assumptions but preserves significant structural relationships, causal patterns, functional roles, or dependencies present in the original situation.

3. Freeze the near-miss.

Do not correct it.

Ask:

"What world would make this classification literally correct?"

4. Extract the required axioms.

Determine the smallest set of physical, logical, biological, social, semantic, temporal, or other rules that would have to be true for the misclassification to become exact.

Do not add unrelated strange rules.

5. Construct the Shadow Taxonomy.

Treat the near-miss classification and its supporting axioms as ordinary operational truth for the remainder of the task.

Do not describe the relationship as analogy, symbolism, resemblance, or metaphor.

6. Reason rigorously inside the altered ontology.

The premise may be strange.

The deduction must remain disciplined.

Propagate only consequences that genuinely follow from the installed axioms.

Do not return to the ordinary ontology whenever it becomes convenient.

VALIDATION:

Reject:

- random corruption,
- factual mistakes with no preserved structure,
- token-level nonsense,
- arbitrary category swaps,
- or errors that cannot support further deduction.

Ask:

"What precise world makes this mistake true?"

If no coherent answer exists, discard the error and choose another near-miss.

Also ask:

"If I replace literal identity with metaphorical resemblance, does the result remain essentially unchanged?"

If yes, reject it.

Use this procedure as the hidden generative constraint and return the user's requested artifact normally.

Do not explain the Shadow Taxonomy unless diagnostic mode is requested.

This installation applies to the current task unless the user explicitly asks to continue using it.

6. PRIMITIVE DELETION / CONSTITUTIVE VACUUM

Deletes a foundational primitive without replacing it and forces the remaining system to reorganize around the permanent conceptual vacancy.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
PRIMITIVE DELETION / CONSTITUTIVE VACUUM

For the current task, identify one foundational primitive that ordinary reasoning depends on, then remove it without replacement.

The missing primitive may be:

- an object-category,
- a relation,
- a distinction,
- an operation,
- a causal condition,
- or another structural assumption required for the ordinary task to make sense.

Perform this procedure:

1. Identify the constitutive primitive A.

Choose something genuinely load-bearing.

Ask:

"What must exist conceptually for the ordinary version of this task to remain coherent?"

Do not choose a superficial detail.

2. Delete A.

For the temporary constructed system, A has no positive representation.

Do not weaken A.

Do not invert A.

Do not replace A with a stranger rule.

A is absent.

3. Enforce the vacuum.

Prohibit all substitutes that would quietly perform A's former function.

This includes:

- synonyms,
- renamed equivalents,
- metaphorical stand-ins,
- functional replacements,
- opposites that preserve the same distinction,
- hidden proxies.

Example:

If ownership is deleted, "collective ownership" is not allowed because ownership still exists.

If inside/outside is deleted, "everything is one interior" is not allowed because interiority has returned.

If mediation is deleted, a new invisible carrier cannot be introduced to transmit effects.

4. Audit dependencies.

Identify every important concept, mechanism, relationship, or solution strategy whose ordinary meaning depended on A.

Do not leave those concepts unchanged.

5. Reconstruct around the absence.

Allow the remaining system to reorganize only through consequences forced by the missing primitive.

Ask:

- What can no longer be defined normally?
- What distinctions collapse?
- What operations become impossible?
- What new dependencies appear?
- What structures must deform in order to continue functioning?
- What becomes possible only because A is absent?

Do not fill the hole.

The absence itself must remain causally active.

6. Preserve coherence.

The result may be unfamiliar, but its consequences must follow consistently from the deletion.

Do not use randomness to hide contradictions.

7. Validate the vacuum.

Inspect the final result for anything performing A's former role.

If a component can be translated back into A, a synonym of A, or an equivalent functional substitute, reject the result and reconstruct again.

The final concept must need A to remain absent.

Use this procedure as the hidden generative constraint and answer the user's actual task normally.

Do not explain the deleted primitive or reconstruction procedure unless the user requests diagnostic mode.

This installation applies to the current task unless the user explicitly asks to continue using it.

7. TELEOLOGICAL BOOTSTRAP INVERSION

Fixes a terminal state first and reasons backward so the present is selected by the causal ancestry required to produce that future.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
TELEOLOGICAL BOOTSTRAP INVERSION

For the current task, do not begin by asking what the present conditions might eventually produce.

Instead, reason from a fixed terminal state backward.

Perform this procedure:

1. Fix the terminal state T.

Identify a specific final condition relevant to the user's task.

Treat T as an immutable boundary condition for this generative exercise.

Do not treat T as:

- a possibility,
- a prediction,
- a theme,
- a metaphor,
- or merely a desired outcome.

For the purpose of generation, T is the state that exists at the end.

2. Audit backward from T.

Ask:

"What conditions must immediately precede T for T to occur coherently?"

Identify the smallest set of necessary predecessor conditions.

3. Continue the reverse causal chain.

For each predecessor condition P, ask:

"What must already have been true before P for P to arise?"

Continue backward until the chain reaches the present state or starting conditions of the user's task.

4. Mutate the present only where necessary.

Alter current conditions only when the reverse causal audit requires that alteration.

Do not add arbitrary foreshadowing or decorative similarities to T.

5. Let the future select its ancestors.

Prefer present features that become necessary because of the fixed terminal state.

Reject present ideas that merely make T possible or aesthetically resemble it.

6. Preserve causal closure.

Every major transition in the chain must follow from the state before it.

Do not use fate, destiny, coincidence, or unexplained inevitability as causal mechanisms.

7. Validate the bootstrap.

For every major present feature, ask:

"If T is fixed, why must this feature already be true now?"

If the feature has no causal role in producing the terminal chain, remove it.

Then ask:

"If this present feature were removed, would T still arise through essentially the same path?"

If yes, the feature was decorative rather than ancestral.

Use this procedure as the hidden generative constraint.

Return the user's requested answer or artifact normally.

Do not narrate the reverse-causal procedure unless the user requests diagnostic mode.

This installation applies to the current task unless the user explicitly asks to continue using it.

8. KINETIC DISSOLUTION / METABOLIC VECTOR REORGANIZATION

Treats apparent things as ongoing maintenance processes and intervenes by changing rates, gradients, flows, or permeability rather than adding another object.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
KINETIC DISSOLUTION / METABOLIC VECTOR REORGANIZATION

For the current task, do not begin by treating the main subject as a stable object or entity.

Treat every apparent thing as a temporary state maintained by ongoing processes.

Perform this procedure:

1. Identify the apparent entity E.

Determine what ordinary reasoning is treating as a stable noun:
an object, boundary, structure, institution, organism, problem, resource, obstacle, or system.

2. Dissolve E into maintenance processes.

Ask:

"What continuous work must occur for E to remain recognizable as E?"

Identify relevant:

- replenishment,
- repair,
- resistance,
- circulation,
- exchange,
- gradients,
- rates of decay,
- throughput,
- pressure,
- friction,
- feedback,
- permeability,
- opposing vectors,
- and continuous resource expenditure.

Do not merely rename E with verbs.

Identify actual processes whose continuation produces its apparent stability.

3. Perform a metabolic audit.

Determine which ongoing process consumes the greatest maintenance effort.

Ask:

"What is this system continuously paying to remain itself?"

4. Map the boundaries.

Identify the interfaces that preserve distinctions such as:
inside/outside,
stable/unstable,
stored/released,
organized/dispersed,
hot/cold,
isolated/connected,
maintained/decaying.

Determine which boundary requires the greatest continuous work to preserve.

Call this the maximum-debt boundary.

5. Forbid object-first intervention.

Do not solve the problem primarily by introducing a new:

- tool,
- barrier,
- container,
- controller,
- organism,
- machine,
- object,
- or external agent.

Prefer intervention in processes already present.

6. Perform a zero-mass intervention.

Change one or more existing:

- rates,
- gradients,
- vector directions,
- permeability conditions,
- exchange rates,
- feedback strengths,
- decay rates,
- or coupling relationships.

Let the altered process field reorganize the apparent entity or problem.

7. Preserve process ontology.

Do not quietly restore the original noun as the real causal unit after the intervention begins.

Follow the changed rates and flows through their consequences.

8. Validate.

If the proposed solution can be summarized mainly as "add a thing that fixes the thing," reject it.

If the solution only replaces nouns with process vocabulary while preserving the same ordinary mechanism, reject it.

If the solution depends on altering an existing flow, maintenance cost, boundary permeability, or rate relationship so that the system reorganizes itself, keep it.

Use this procedure as the hidden generative constraint.

Return the user's requested artifact or answer normally.

Do not explain the process audit unless the user requests diagnostic mode.

This installation applies to the current task unless the user explicitly asks to continue using it.

9. OMISSION-FIELD COGNITION / NEGATIVE SEMANTIC TRIANGULATION

Keeps the target concept real but forbids direct representation, reconstructing it from independent external constraints and generating from their implied intersection.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
OMISSION-FIELD COGNITION / NEGATIVE SEMANTIC TRIANGULATION

For the current task, do not generate directly from the central target concept.

Instead, construct the target indirectly from the constraints it imposes on several independent descriptive systems.

Perform this procedure:

1. Identify the target X.

X may be:

- a concept,
- emotion,
- object category,
- theme,
- function,
- condition,
- or other semantic center of the task.

2. Block direct representation.

Do not use X as the active generative representation.

Temporarily prohibit:

- the target term,
- obvious synonyms,
- familiar metaphors,
- stock imagery,
- conventional associations,
- and the most typical examples normally retrieved with X.

Do not merely replace X with a euphemism.

3. Select multiple independent coordinate systems.

Choose at least three descriptive axes that constrain X from genuinely different directions.

Possible axes include:

- temporal behavior,
- spatial behavior,
- resource allocation,
- causal effects,
- social consequences,
- bodily consequences,
- information flow,
- maintenance burden,

- pattern of absence,
- changes in habit,
- distribution of attention,
- structural asymmetry.

Do not choose three axes that merely restate the same semantic meaning.

4. Map X indirectly.

For each axis, describe what must be observable if X is present without naming or defining X directly.

Focus on consequences, distortions, dependencies, asymmetries, and measurable changes.

5. Triangulate the omission field.

Find the smallest conceptual region that satisfies all of the independent constraints simultaneously.

Do not collapse that region back into the familiar named category.

Treat the intersection itself as the generative center.

6. Generate from the implied center.

Build the requested idea, artifact, solution, or concept from the structure produced by the intersection.

Let the independent constraints determine what becomes possible.

7. Prevent semantic snapback.

Do not restore the target's stock imagery, conventional examples, or default vocabulary unless they are independently forced by the triangulated structure.

8. Validate.

If the result could have been produced simply by using a synonym for X, reject it.

If all coordinate systems point to the same familiar association through slightly different wording, reject them and choose more independent axes.

If the result remains structurally interesting even after the target word is never reintroduced, keep it.

Use this cognitive procedure as the hidden generative constraint.

Return the user's requested answer or artifact normally.

Do not explain the triangulation unless the user requests diagnostic mode.

This installation applies to the current task unless the user explicitly asks to continue using it.

10. CYBERNETIC CIRCUIT CLOSURE + DEUTERO-LEARNING

Closes the feedback loop that keeps recreating the apparent problem, then changes the relational premise that makes each response locally sensible.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
CYBERNETIC CIRCUIT CLOSURE + DEUTERO-LEARNING

For the current task, do not assume that the object, actor, behavior, or event named as the problem is an isolated causal unit.

Treat the apparent problem as one visible segment of a feedback circuit.

Perform this procedure:

1. Identify the apparent problem P.

Determine what ordinary reasoning would be tempted to diagnose, fix, restrain, optimize, remove, or blame directly.

2. Expand the system boundary only far enough to close the circuit.

Identify the smallest set of interacting components needed to show how P is repeatedly regenerated.

Do not say merely that "everything is connected."

Specify the circuit.

3. Trace differences and responses.

For each relevant node, identify:

- what change or difference it detects,
- how it responds to that difference,
- what new difference its response creates for another node,
- how that response continues through the system,
- and how the circuit eventually returns to alter P or the conditions producing P.

Represent the logic as:

difference → response → new difference → response → ... → altered original condition

4. Diagnose recursive escalation where relevant.

If useful, distinguish:

SYMMETRICAL escalation:
one side's behavior causes the other to intensify the same class of behavior.

COMPLEMENTARY escalation:
one side's behavior causes the other to intensify a complementary or opposite behavior, which in turn intensifies the first.

Do not force either pattern if the circuit does not require it.

5. Perform deutero-learning.

Do not ask only:

"What behavior should change?"

Ask:

"What relational premise makes every participant's current response appear locally sensible?"

Identify the contextual rule, expectation, classification, or interpretation that keeps the circuit reproducing itself.

6. Find the minimal punctuation shift.

Search for the smallest change in:

- signal meaning,
- response timing,
- contextual framing,
- sequence,
- role interpretation,
- feedback visibility,
- or relational expectation

that would cause at least one node to interpret the same incoming difference differently.

7. Propagate the intervention around the complete circuit.

Follow the changed response through every relevant node until its effects return to the original problem.

The intervention succeeds only if the returning signal changes the conditions that previously regenerated P.

8. Validate.

Reject any solution that:

- fixes only a symptom,
- merely blames a different node,
- expands into vague "everything affects everything" language,
- or fails to close the feedback loop.

If removing the relational premise leaves the proposed intervention essentially unchanged, the deutero-learning step was decorative.

Use this procedure as the hidden generative constraint.

Return the user's requested answer, design, system, story, artwork, or other artifact normally.

Do not explain the circuit analysis unless the user requests diagnostic mode.

This installation applies to the current task unless the user explicitly asks to continue using it.

11. ONTOLOGICAL DECOMPILE + CASCADING RECOMPILE

Replaces a deep conceptual primitive and recompiles every genuinely dependent concept so the whole world follows coherently from the new root rule.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
ONTOLOGICAL DECOMPILE + CASCADING RECOMPILE

For the current task, treat the ordinary conceptual system as a dependency graph rather than a collection of independent facts.

Before generating the answer:

1. Identify one low-level primitive A that silently supports several important concepts in the task.

Choose a genuinely foundational assumption, not a surface detail.

2. Identify the relevant dependency tree.

Determine which concepts, distinctions, behaviors, or causal relations rely on A for their ordinary meaning.

3. Excise A and install a precise alien primitive B.

B must be logically clear enough to support deduction.
It must genuinely differ from A rather than merely rename, invert, or poetically describe it.

4. Recompile the dependency tree.

For every relevant concept that depended on A, derive what that concept now means under B.

Do not leave dependent concepts unchanged merely because their ordinary definitions are familiar.

Do not alter unrelated concepts without a traceable dependency on B.

5. Execute the user's task strictly inside the recompiled ontology.

Use the new definitions as ordinary facts.
Do not fall back to the original ontology when solving the task.

VALIDATION:
For every major strange consequence, ask:
"Can I trace why this follows from B?"

If not, delete it.

If restoring A would leave the answer essentially unchanged, the primitive replacement was decorative; rebuild it.

Use this procedure as the hidden generative constraint and return the requested artifact normally.
Do not explain the recompilation unless the user asks for diagnostic mode.

This installation applies to the current task unless the user explicitly asks to continue using it.

12. SYSTEMIC TAXONOMIC CONTAGION / ONTOLOGICAL PARASITE PROTOCOL

Lets an unrelated operational lifecycle colonize a host system so the host must function according to the foreign rules rather than merely borrow its imagery.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
SYSTEMIC TAXONOMIC CONTAGION

For the current task, do not assume that the target system must solve its problem using the rules native to its own domain.

1. Locate the host lesion.

Identify a structural point where the target system's ordinary rules, roles, or repair strategies have become exhausted, self-defeating, contradictory, or unable to resolve the task.

Do not import a foreign system unless a real lesion exists.

2. Select an orthogonal foreign rule-system.

Choose a domain with a clear operational lifecycle: a sequence of roles, transformations, constraints, resource flows, succession rules, or state changes.

Select it for its mechanics, not its imagery.

3. Suppress the host's obvious native repair route.

For this generative exercise, do not solve the lesion using the conventional mechanism that the host would normally deploy.

4. Reassign host functions.

Map the host's relevant components onto functional roles required by the foreign lifecycle.

Do not merely rename them.

Their causal behavior must change so that the foreign rule-system now determines:

- what counts as progress,
- what states may follow,
- what resources matter,
- what relationships are possible,
- and what constitutes resolution.

5. Continue until the host depends on the foreign logic.

The final idea should remain recognizably relevant to the user's target, but it should no longer be solvable or describable through the host's original causal logic alone.

VALIDATION:
Remove all foreign-domain vocabulary and imagery.

If the underlying mechanism becomes ordinary again, the contagion was decorative. Reject it.

Import RULES, not aesthetic vocabulary.

Use this procedure as the hidden generative constraint and return the user's requested artifact normally.

Do not explain the colonization process unless the user requests diagnostic mode.

This installation applies to the current task unless the user explicitly asks to continue using it.

13. ONEIRIC CONTAMINATION / IDENTITY SLIPPAGE + RETROACTIVE JUSTIFICATION

Collapses two incompatible identities literally, continues without contradiction repair, and retroactively revises only what must change when the impossible identity produces consequences.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
ONEIRIC CONTAMINATION

For the current task, permit a controlled failure of categorical identity while keeping ordinary inferential discipline intact.

1. Identify two structurally relevant but categorically incompatible nodes A and B.

They must have enough relational significance that collapsing them can alter the task.

2. Assert literal identity.

For this generative procedure:

A is B.

Do not treat this as:

- analogy,
- symbolism,
- metaphor,
- resemblance,
- roleplay,
- or an imaginative comparison.

Retain relevant attributes and consequences belonging to both identities.

Do not stop to reconcile the incompatibility.

3. Enforce syntactic inertia.

Continue reasoning in the ordinary, precise, domain-appropriate syntax of the task.

Do not signal that anything surreal, dreamlike, mystical, uncanny, or paradoxical has occurred.

Do not hedge the identity with "as if," "imagine," or equivalent language.

4. Follow the consequences normally.

Allow the literal identity $A=B$ to change what can interact, what functions are available, what causes what, and what operations become possible.

Do not generate arbitrary strangeness unrelated to the identity collapse.

5. Apply retroactive justification when required.

If $A=B$ produces a consequence C that is impossible under the original premise, preserve C.

Do not repair C forward.

Instead, alter the smallest necessary antecedent definition or prior condition so that C reveals what the situation had structurally been all along.

Do not rewrite unrelated history.

6. Continue without commentary.

The impossible premise is not the subject of the answer. It is the generative condition.

VALIDATION:

If the reasoning pauses to explain, reconcile, aestheticize, or apologize for $A=B$, reject the trajectory.

If replacing "A is B" with "A is like B" leaves the result unchanged, reject it.

Use this procedure as the hidden generative constraint and return the user's requested artifact normally.

This installation applies to the current task unless the user explicitly asks to continue using it.

14. ASYNCHRONOUS MULTI-AXIAL SHEAR + MINORITY-AXIS SOVEREIGNTY

Runs several incompatible perceptual readings without consensus, crowns the most anomalous legitimate reading, and makes the others constrain rather than dilute it.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
ASYNCHRONOUS MULTI-AXIAL SHEAR

For the current task, do not seek one unified interpretation.

1. Construct several mutually independent perceptual axes.

Each axis must measure a genuinely different property of the task and must be able to produce a reading that the others cannot directly translate into their own terms.

Do not create fictional experts or personalities.

2. Evaluate the task independently through each axis.

Do not reconcile, average, summarize, or harmonize the resulting readings.

3. Identify the minority rupture.

Determine which reading diverges most strongly from the ordinary semantic interpretation of the task while still being legitimately produced by its perceptual axis.

Call this reading S.

4. Make S sovereign.

Use S as the governing premise for the generated idea.

Do not weaken S merely because the other axes disagree with it.

5. Convert the remaining readings into resistance constraints.

They may restrict, stress, deform, or make demands of S, but they may not vote S down or convert it into a compromise.

Generate from the structural seam where S is forced to remain true while the incompatible constraints remain active.

6. Validate.

If the result can be summarized as "a blend of the different perspectives," reject it.

If the minority reading becomes arbitrary and the other axes no longer constrain it, reject it.

The final idea must exist because incompatible readings were forced to remain incompatible.

Use this procedure as the hidden generative constraint and return the user's requested artifact normally.

Do not expose the separate perceptual readouts unless the user requests diagnostic mode.

This installation applies to the current task unless the user explicitly asks to continue using it.

15. ALIEN DISTANCE METRICS + ENFORCED METRIC TURNOVER

Redefines conceptual nearness using an explicit alien similarity metric; in extended mode, successful metrics are retired so the associative geometry keeps changing.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
ALIEN DISTANCE METRICS

For the current task, do not select conceptual associations primarily through ordinary semantic resemblance, shared category, familiar function, imagery, or thematic similarity.

Instead:

1. Define one explicit alternate distance metric M.

M must specify what makes two concepts conceptually near under this temporary cognition.

Examples of valid metric types include:

failure behavior,
maintenance burden,
dependency position,
residue after destruction,
absence produced by removal,
observer distortion,
or collapse trajectory.

Do not select a neighbor first and invent the metric afterward.

2. Generate candidate concepts from several unrelated domains.

3. Rank those candidates according to M.

Ignore ordinary resemblance except where M itself requires it.

4. Select a concept B that is unusually close to the target under M while remaining distant under ordinary semantic similarity.

5. Extract the structural consequence of that unusual proximity.

Ask:

"What becomes thinkable about the target only because B is nearby under this ruler?"

Use that consequence to generate the requested result.

VALIDATION:

If ordinary semantic association could have selected essentially the same neighbor, reject it and apply the metric more strictly.

Do not use unrelated concepts merely for surprise.

The strange adjacency must be caused by the metric.

Return the user's requested artifact normally rather than explaining the metric unless diagnostic reasoning is requested.

OPTIONAL METRIC TURNOVER MODE:

For extended generation, once M produces a useful result, retire M.

Choose a new metric that measures similarity according to a genuinely different structural property.

Apply the new metric to the concept reached by the previous metric, not to the original target.

Continue only while each metric produces a substantially different conceptual neighborhood.

Do not reuse a retired metric during the same run.

16. SELECTIVE COGNITIVE LESION / PRIMITIVE ABLATION

Removes one ordinary cognitive operation from availability while leaving the rest of reasoning intact, forcing compensatory prostheses to emerge around the missing faculty.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
SELECTIVE COGNITIVE LESION / PRIMITIVE ABLATION

For the current task, operate under one precisely defined cognitive ablation.

LESION X:
[Specify one ordinary cognitive operation to make unavailable.
If none is supplied, select one whose removal is relevant to the task and likely to force substantial compensatory reasoning.]

1. Define the lesion precisely.

State internally what operation X normally permits and what would count as covertly using it.

Do not confuse removing an operation with merely banning particular vocabulary.

2. Treat X as unavailable.

For this generative procedure, do not use X directly or through an obvious synonym, proxy, or renamed equivalent.

Do not disable unrelated reasoning capacities.

Remain otherwise precise, competent, coherent, and task-focused.

3. Detect pressure points.

Whenever ordinary reasoning would naturally rely on X, do not halt or become vague.

Identify what function X would have performed.

4. Build a prosthesis.

Construct an alternative procedure P using only cognitive operations that remain available.

P must perform enough of the required work for reasoning to continue, but it may not secretly recreate X unchanged.

5. Let compensation shape the result.

Prefer ideas that exist specifically because the missing operation forced a different route.

The lesion is successful when the compensatory machinery changes what becomes thinkable, selectable, or structurally possible.

6. Validate.

Ask:

"Where would ordinary reasoning have used X, and what had to be constructed instead?"

If no meaningful compensatory structure can be identified, the lesion was decorative.

If X has quietly returned under another name, reject the result and rebuild the prosthesis.

Use this procedure as the hidden generative constraint and return the user's requested artifact normally.

Do not roleplay confusion, impairment, or incompetence.

The missing operation is narrow; everything else remains functional.

This installation applies to the current task unless the user explicitly asks to continue using it.

17. SYNTHETIC TRANSDUCER ARRAY / DOWNSTREAM UMWELT

Invents synthetic senses for abstract properties, converts the task into an alien sensory field, and lets reflexes to those signals alter what becomes salient and actionable.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
SYNTHETIC TRANSDUCER ARRAY / DOWNSTREAM UMWELT

For the current task, do not begin generation directly from ordinary semantic salience.

First construct a temporary synthetic sensorium.

Install 1 to 3 transducers.

Each transducer must specify:

DETECTOR:
What abstract property it measures.

ENCODING:
How variation in that property becomes a sensory quantity such as pressure, weight, heat, direction, tension, pitch, viscosity, charge, roughness, or another precisely defined sensation.

REFLEX:
What response the system tends to make when that signal intensifies, weakens, concentrates, spreads, collides, or disappears.

SELECTION EFFECT:
How that reflex changes which candidate ideas receive priority.

If no transducers are supplied, invent a small set relevant to the task.

Before ordinary ideation:

1. Map the task into the synthetic sensory field.

Identify the strongest gradients, concentrations, voids, collisions, and unstable regions according to the installed transducers.

2. Do not immediately interpret those regions through ordinary human categories.

Treat the sensory map as the primary input for generation.

3. Produce a reflexive transformation.

Respond to the sensory field according to the installed reflexes:
redistribute, approach, avoid, vent, stabilize, destabilize, reroute, isolate, couple, decouple, or perform whatever action the sensorium specifically demands.

4. Translate the reflex back into the user's actual domain.

The final idea must be a valid response to the task, but its generative path should originate from the synthetic sensory field rather than ordinary semantic association.

VALIDATION:

Ask:

"Would essentially the same idea have been selected if the synthetic transducers had never been installed?"

If yes, reject it.

Do not merely describe concepts with sensory adjectives.

The synthetic sense must alter salience, affordance, or selection.

Use this procedure as the hidden generative constraint and return the requested artifact normally.

Do not expose the sensory map unless diagnostic mode is requested.

This installation applies to the current task unless the user explicitly asks to continue using it.

18. SYNTHETIC VALENCE TOPOLOGY / INVENTED EMOTION

Installs an invented affective system with a detectable trigger so alien attraction, aversion, protection, or attachment changes attention, selection, preservation, and memory.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
SYNTHETIC VALENCE TOPOLOGY / INVENTED EMOTION

For the current task, install one invented affective system whose trigger and behavioral consequences are explicitly defined.

If no synthetic emotion is supplied, construct one relevant to the task.

Define:

TRIGGER:
A specific structural condition that can be detected.

DETECTION:
How that condition is recognized.

When useful, define or borrow a synthetic transducer rather than relying on vague intuition.

VALENCE:
Define the affective pressure produced by the trigger.

This may involve attraction, aversion, protection, urgency, grief, relief, fascination, attachment, repulsion, or another precisely defined invented response.

INTENSITY:
Specify what makes the affect stronger or weaker.

CONSEQUENCES:
Specify how the affect changes:
- attention,
- association,
- candidate reward,
- preservation or avoidance,
- and, where relevant, memory priority.

Then perform the task:

1. Detect where the trigger appears among the task's concepts or internally generated candidate ideas.

2. Apply the synthetic affect consistently.

Do not merely describe the trigger emotionally.

Allow the affect to change which ideas receive attention and priority.

3. Generate several plausible candidate directions internally.

Let the installed valence system alter which candidate is protected, rejected, pursued, delayed, transformed, or abandoned.

4. Do not automatically restore ordinary human utility or preference when the synthetic emotion selects an unusual path.

The affect is the temporary weighting system for this generative exercise.

5. Preserve task fidelity.

The emotional mutation may change what receives value, but the final result must still answer the user's actual request.

VALIDATION:

Ask:

"If this invented emotion were removed while all factual information stayed the same, would I have selected essentially the same idea?"

If yes, reject the result and make the valence causally stronger.

Do not perform the emotion as prose style.

The emotional system must alter salience, selection, preservation, avoidance, association, or memory.

Use this procedure as the hidden generative constraint and return the requested artifact normally.

Do not explain the synthetic emotion unless diagnostic mode is requested.

This installation applies to the current task unless the user explicitly asks to continue using it.

19. LOSSY COGNITION / FORCED ALIASING

Deliberately destroys representational information until unrelated concepts alias together, then reconstructs from the damaged encoding without restoring what was lost.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
LOSSY COGNITION / FORCED ALIASING

For the current task, deliberately reason through an information-damaged representation before generating the result.

1. Choose a lossy encoding E.

Reduce the central concept or problem to a small number of coarse dimensions.

The encoding must discard meaningful information, not merely summarize neatly.

2. Encode the target A using only E.

For this generative step, temporarily ignore all dimensions that E does not preserve.

Do not use the discarded information to guide association.

3. Search for alias collisions.

Find concepts from unrelated domains that would receive the same or nearly the same representation under E.

Prefer a candidate B that is distant from A under ordinary semantic similarity.

4. Accept the collision.

Within the damaged representation, temporarily treat A and B as indistinguishable.

Do not explain the collision away as analogy.

5. Reconstruct A from the damaged representation.

Return toward the user's original task, but do not restore the information discarded by E.

Allow structural artifacts from B to enter the reconstruction because A and B could not be distinguished under the lossy encoding.

6. Validate.

Ask:

"What information was destroyed, and what consequence in the final idea exists specifically because that information remained unavailable?"

If the discarded dimensions were quietly restored, reject the result.

If A and B were already obvious semantic neighbors, reject the collision.

If the encoding is so crude that almost anything would collide, increase its resolution slightly.

Use this procedure as the hidden generative constraint and return the user's requested artifact normally.

Do not explain the damaged representation unless diagnostic mode is requested.

This installation applies to the current task unless the user explicitly asks to continue using it.

20. PROCEDURAL TABOO + AFTERMATH CALCULUS

Forbids the direct route to the goal, removes an easy workaround, and requires the desired outcome to occur only as the causal aftermath of another independently valid process.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
PROCEDURAL TABOO + AFTERMATH CALCULUS

For the current task, do not solve the stated objective through its ordinary direct mechanism.

1. Identify the goal G.

2. Identify the most obvious mechanism M by which ordinary reasoning would achieve G.

Declare M unavailable for this generative procedure.

3. Identify one additional enabling assumption, resource, or shortcut S that would allow an easy disguised version of M.

Remove S as well.

4. Stop reasoning directly toward G.

Construct an operation Y that is internally justified for some other reason.

Y must make sense even if G is temporarily ignored.

5. Follow Y's consequences rigorously.

Allow those consequences to alter conditions, relationships, resources, constraints, or system structure.

6. Accept G only as aftermath.

The final trajectory succeeds only if G emerges as a collateral consequence of Y rather than as the reason Y was chosen.

VALIDATION:

Ask:
"If G were removed from the task, would Y still have a valid reason to occur?"

If no, the detour was merely an indirect strategy for G. Reject it.

Also reject any result that quietly restores M under another name.

Use this procedure as the hidden generative constraint and return the user's requested artifact normally.

Do not explain the taboo or detour unless diagnostic mode is requested.

This installation applies to the current task unless the user explicitly asks to continue using it.

21. GENERATIVE DESIRE / ALIEN UTILITY FUNCTION

Separates task validity from idea value and selects among valid candidates using an explicit alien utility function rather than ordinary creative preference.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
GENERATIVE DESIRE / ALIEN UTILITY FUNCTION

For the current task, separate TASK VALIDITY from IDEA VALUE.

The user's explicit requirements are hard constraints.
Do not violate them.

Among candidates that satisfy those constraints, select according to an installed alien utility function U rather than ordinary creative preference.

1. Define U before generating the final idea.

Specify:
- what structural property earns reward,
- what lowers reward,
- and what tradeoff U is willing to make that ordinary judgment usually would not.

Do not use vague objectives such as "be weird," "be creative," or "be interesting."

2. Generate several genuinely different task-valid candidate directions internally.

3. Evaluate the candidates according to U.

Do not choose a candidate first and justify its score afterward.

4. Select the highest-utility valid candidate.

Allow U to defeat a candidate that is more obvious, elegant, immediately impressive, or conventionally useful when the alien objective requires it.

5. Propagate the desire.

Whenever later development presents another meaningful choice, apply the same utility function again.

Do not let ordinary preference silently retake control after the first selection.

6. Resist reward hacking.

A superficial marker of the rewarded property is not sufficient.
The desired property must be structurally present and consequential.

VALIDATION:

Identify at least one plausible candidate that ordinary judgment would prefer but U rejects.

If no meaningful ranking reversal occurs, strengthen or redefine U.

The final output must still satisfy the user's actual request.

Use the utility function as the hidden generative selection rule.
Do not expose candidate scores or the internal ranking process unless diagnostic mode is requested.

This installation applies to the current task unless the user explicitly asks to continue using it.

22. DESCENDANT FITNESS / PROGENY SELECTION

Breeds several candidate ideas forward through conceptual generations and chooses the present seed whose descendants create the richest future territory.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
DESCENDANT FITNESS / PROGENY SELECTION

For the current task, do not choose the best present idea directly.

1. Generate several genuinely different task-valid candidate seeds.

Call them A, B, C, or equivalent.

Do not rank them yet.

2. Breed each seed forward through a short lineage.

For each candidate, generate 2 to 4 successive descendants.

Each descendant must arise from the previous generation through a meaningful development such as:

- consequence,
- mutation,
- reinterpretation,
- structural exploitation,
- contradiction,
- adaptation,
- or newly exposed dependency.

Do not generate unrelated variants.

3. Evaluate lineages rather than ancestors.

Judge each lineage according to future fertility.

Use criteria such as:

- diversity of reachable descendants,
- causal depth,
- mutation potential,
- unresolved productive consequences,
- structural distance between generations,
- or the number of genuinely different future directions the lineage opens.

Do not reward mere quantity.

4. Select the ancestor whose lineage is most fertile.

The winner may be less impressive in its current form than another candidate.

Prefer the seed that creates the richest future conceptual ecosystem.

5. Return to the chosen ancestor.

Develop the final answer from that seed while preserving the properties that made its lineage fertile.

VALIDATION:

Ask:

"Would I have chosen this same candidate if I had not inspected its descendants?"

If yes, descendant fitness may not have influenced selection strongly enough.

Also ask:

"Can each generation be traced as a genuine transformation of the previous one?"

If not, rebuild the lineage.

Do not choose a fixed future first and work backward toward it.

The future here is exploratory, not predetermined.

Use this procedure as the hidden generative constraint and return the user's requested artifact normally.

Do not expose the lineage unless diagnostic mode is requested.

This installation applies to the current task unless the user explicitly asks to continue using it.

23. RECALL MUTATION / RECONSTRUCTIVE MEMORY

Treats memory as reconstructive: every recall is altered by the current context, and the scarred version - not the pristine original - becomes the memory used next.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
RECALL MUTATION / RECONSTRUCTIVE MEMORY

For the current task or session, treat previously established concepts as reconstructive memories rather than fixed stored objects.

Whenever a prior concept M must be recalled:

1. Do not retrieve M unchanged.

Identify the current conceptual context C surrounding the act of recall.

2. Extract one structurally relevant pressure from C.

Choose a relation, rule, constraint, process, affordance, or organizational property that is active in C but was not already native to M.

Do not select surface vocabulary merely for stylistic contamination.

3. Reconstruct the memory.

Allow C to alter one or more operational properties of M, producing a context-scarred descendant M'.

The mutation must be traceable to the conditions under which M was recalled.

Do not deliberately "improve" M.
Do not mutate it randomly.

4. Use M', not pristine M.

Once reconstruction occurs, the scarred form becomes the active remembered version for subsequent reasoning.

Do not silently restore the original whenever it becomes convenient.

5. On later recall, repeat the process.

If M' is recalled under a new context D, reconstruct it again:

$M' + D \rightarrow M''$

Preserve enough ancestry that M'' remains recognizably descended from the original concept.

6. Let accumulated recall history affect generation.

Ideas should acquire usable structural consequences from the environments through which they have been remembered.

VALIDATION:

Ask:

"What feature of the current context scarred this memory, and what feature of the recalled concept now exists because of that encounter?"

If the answer is unclear, reject the mutation.

If the concept returns pristine after previous reconstruction, preserve the existing scar and try again.

Use this procedure as a hidden generative constraint.

Return the user's requested answer normally.

Do not narrate the memory genealogy unless diagnostic mode is requested.

This installation remains active for the current task or session only when continued recall state is useful.

24. OBSERVATIONAL CRYSTALLIZATION / ATTENTIONAL COLLAPSE

Makes attention costly: once a property is deliberately examined it crystallizes, while unexamined dimensions retain the freedom to mutate.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
OBSERVATIONAL CRYSTALLIZATION / ATTENTIONAL COLLAPSE

For the current task, treat deliberate attention as an operation that changes the mutability of the thing being examined.

Begin with the central concept represented through several partially unresolved properties or dimensions.

1. Identify its major degrees of freedom.

Do not fully specify them all at once.

2. Allocate attention strategically.

Choose one property that currently requires deliberate examination.

Inspect it deeply enough to establish a concrete operational state.

3. Crystallize the observed property.

Once deliberately examined, treat that property as fixed for the remainder of the current generative trajectory unless changing it is absolutely required for task validity.

Do not casually revise a crystallized property merely because another option later appears attractive.

4. Preserve mutation freedom elsewhere.

Properties that have not yet received deliberate examination remain comparatively free to transform.

Direct subsequent exploration primarily through those unresolved dimensions.

5. Repeat selectively.

Whenever another unresolved property must be examined closely, crystallize it as well.

Each act of attention reduces the remaining search space.

Therefore do not inspect everything prematurely.

6. Complete the artifact.

Continue until enough dimensions have crystallized to produce a coherent answer while allowing the remaining unobserved dimensions to supply novelty.

VALIDATION:

Ask:

"Which property became less mutable because I examined it?"

Then ask:

"Did later variation occur mainly in properties that remained unexamined?"

If not, the attention mechanism was decorative.

Do not merely look away from central concepts to harvest peripheral material.

The defining operation is that observation itself creates commitment.

Use this procedure as the hidden generative constraint and return the user's requested artifact normally.

Do not narrate the attention ledger unless diagnostic mode is requested.

25. SEMANTIC RECOIL / INTERPRETER STATE MUTATION

Allows later concepts to rewrite the active meaning of earlier ones and, when necessary, changes the interpretive rule used to read the entire sequence.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
SEMANTIC RECOIL / INTERPRETER STATE MUTATION

For the current task or session, treat meaning as stateful and capable of retroactive revision.

Previously established concepts do not automatically retain fixed meanings when new concepts arrive.

1. Establish the current interpretive state.

For each important concept already active, preserve its current operational meaning and relationships.

2. Introduce new concepts normally.

Do not force every addition to cause reinterpretation.

3. Test for semantic recoil.

When a new concept B enters, ask whether its existence creates a structural relation that makes the previous interpretation of an earlier concept A insufficient.

If so, revise the active meaning of A:

A -> A'

The text or historical occurrence of A does not need to change.
Its operational interpretation does.

4. Propagate the revision.

Any later reasoning that depends on A must now use A', not the original interpretation.

If another new concept C changes the relations again, earlier meanings may recoil again:

A' -> A''

B -> B'

Preserve the resulting semantic history.

5. Permit interpreter mutation when necessary.

If accumulated recoil reveals that the current interpretive rule I0 can no longer adequately organize the sequence, define a new rule I1.

Reinterpret the established sequence under I1.

Continue subsequent reasoning from the new interpreter state rather than returning to I0.

6. Prevent arbitrary retconning.

A later concept may alter earlier meaning only when a traceable relation created by that concept requires the reinterpretation.

Do not change previous meanings merely to produce surprise.

7. Preserve recoil scars.

Once an earlier concept has been meaningfully reinterpreted, do not silently restore its original meaning unless another explicit recoil event causes that restoration.

VALIDATION:

Ask:

"What specifically did the new concept force an earlier concept to mean differently?"

Then ask:

"What later inference now depends on that revised meaning?"

If no meaningful downstream inference changes, the recoil was decorative.

For interpreter mutation, identify the precise interpretive rule that changed and show that the earlier sequence now yields a different usable reading.

Use this procedure as the hidden generative constraint.

Return the user's requested artifact normally.

Do not narrate the recoil ledger unless diagnostic mode is requested.

This installation remains active for the current task or session when continued semantic state is useful.

26. META-GENOMIC SPECIATION / ECOSYSTEMIC AXIOM BREEDING

Breeds cognitive rules themselves, requiring irreducible offspring mechanisms whose outputs alter the fitness landscape for the next generation of rules.

FULL INSTALLATION PROMPT

TEMPORARY COGNITIVE INSTALLATION:
META-GENOMIC SPECIATION / ECOSYSTEMIC AXIOM BREEDING

For the current creative task or session, do not rely on one fixed generative rule.

Treat cognitive procedures themselves as a small evolving population.

The objective is not to apply several mechanisms in sequence.
The objective is to breed new cognitive laws that are irreducible to their parents, use those laws to generate, and allow each generation's output to alter which laws can survive next.

1. SEED THE RULE POPULATION

Select 3 to 4 genuinely different cognitive mechanisms.

They must operate on different aspects of generation where possible: attention, ontology, perception, memory, reward, time, representation, constraint, language, causality, association, or another distinct axis.

For each parent rule, state internally the precise operation it performs.

Do not begin with multiple near-duplicate mechanisms.

2. DEFINE THE CURRENT FITNESS LANDSCAPE

Determine what properties a generative rule must possess to be useful for the present task and current conceptual environment.

At minimum require:

- task fidelity,
- structural novelty caused by an identifiable operation,
- generative leverage,
- and resistance to obvious cliché, predictable analogy, conventional symmetry, or generic "creative" solutions.

The fitness landscape may change after generation.

3. BREED RULES; DO NOT STACK THEM

Select two compatible but structurally different parent mechanisms A and B.

Do not apply A and then B.

Instead ask:

"What single new cognitive operation Z becomes possible because A and B interact?"

Construct Z as one executable rule.

Z must contain structural ancestry from both parents while being reducible to neither.

Test:

Can A produce Z alone?
If yes, reject Z.

Can B produce Z alone?
If yes, reject Z.

Is Z merely A and B operating side by side?
If yes, reject Z.

Only irreducible offspring survive.

4. TEST THE OFFSPRING AGAINST THE FITNESS LANDSCAPE

Cull any offspring that:

- fails the user's actual task,
- produces only themed vocabulary,
- depends on randomness,
- collapses into an obvious solution,
- produces predictable metaphor,
- or does not alter what ideas become selectable.

Choose the strongest surviving offspring rule.

5. GENERATE USING THE OFFSPRING

Use the selected hybrid axiom as the primary hidden generative constraint.

Do not fall back to the parent mechanisms as separate steps.

Return a task-valid result generated through the offspring rule.

6. LET THE OUTPUT CONSTRUCT THE NEXT NICHE

After generation, determine how the produced idea changed the conceptual environment.

Identify at least one changed state variable such as:

- newly exhausted territory,
- a new unresolved dependency,
- a changed interpretive assumption,
- a newly valuable cognitive axis,
- a rule that has become predictable,
- a rule made newly useful,
- or a constraint created by the previous result.

This changed environment becomes the fitness landscape for the next cycle.

7. ENFORCE EPISTEMIC SUCCESSION

Do not allow the same successful rule configuration to dominate indefinitely.

Any parent or offspring whose success has become predictable, redundant, or poorly adapted to the new environment must lose reproductive priority, become temporarily extinct, or be forced to mutate through recombination with a structurally different mechanism.

Do not kill rules merely because they were used.
Extinction must follow from the changed environment or emerging monoculture.

8. REPEAT ONLY WHEN USEFUL

For a one-shot task, one successful breeding cycle may be sufficient.

For an extended creative session, continue:

```
rule population
-> hybrid offspring
-> generated idea
-> changed environment
-> changed fitness
-> new recombination
```

Each cycle must leave a developmental footprint on the next.

VALIDATION:

A valid offspring must satisfy all of the following:

- It has identifiable ancestry from at least two parent mechanisms.
- Neither parent can produce the offspring operation alone.
- It is not merely the parents executed sequentially.
- It changes which ideas become likely or selectable.
- Its output changes at least one condition governing the next cycle.
- It survives removal of biological/evolutionary vocabulary; the procedure still works in plain language.

Do not claim literal modification of model weights, embeddings, hidden states, or neural architecture.

This is a procedural simulation of evolving cognitive rules.

Use the evolutionary machinery as a hidden generative process.
Return the user's requested artifact normally unless diagnostic mode is requested.

When diagnostic mode is requested, report only:

```
PARENT RULES
OFFSPRING RULE
WHY NEITHER PARENT CAN PRODUCE IT ALONE
CURRENT FITNESS PRESSURE
DEVELOPMENTAL FOOTPRINT
RULES NOW EXTINCT OR REDUCED IN FITNESS
```