

Assignment Date : 21/3/2023
Due Date : 4/4/2023 at 23:59

- Student must do the homework without getting any help or collaboration.
- If significant similarities are found between submitted files, it will be considered as plagiarism, and those homework grades will be zero.
- File should be submitted to Ninova only, email submissions are not accepted.
- Your solution should be in one *.cpp file, without programmer-defined *.h header files.
- Program should work without compiler errors and give correct results as expected.

CUBE CLASS

- Write C++ codes for the UML class diagram given. (+ is public)
- Parametered constructor : Initializes all member datas with parameters.
- volume function : Calculates and returns the volume of Cube.
Formula = length * width * height
- print function : Displays dimension values and the calculated volume.


Cube
+ length : int + width : int + height : int
+ Cube () + Cube (int length, int width, int height) + volume() : int + print() : void

NONMEMBER OVERLOADED OPERATOR > FUNCTION

- Write nonmember overloaded operator > function. Prototype : **bool operator> (Cube& Cube1, Cube& Cube2)**
- Function takes two Cubes as arguments and compares calculated volumes of them.
- If volume1 > volume2, then function returns true, otherwise returns false.
- Example calling of operator : if (Cube1 > Cube2) ...

NONMEMBER OVERLOADED OPERATOR + FUNCTION

- Write nonmember overloaded operator + function. Prototype : **Cube operator+ (Cube& Cube1, Cube& Cube2)**
- Function takes two Cubes as arguments, adds them and returns a New Cube object.
- The sum of two Cube objects is a New Cube object, that is large enough to contain the two original Cubes stacked on their heights.
- Dimensions of the New Cube is determined as follows.
New length = Maximum of Length1 and Length2
New width = Maximum of Width1 and Width2
New height = Height1 + Height2



MAIN PROGRAM

Write a C++ program to do followings. No STL built-in classes or STL functions should be used.

- Define an array of Cube objects (maximum 10 elements), and initialize with constructor parameters below.

Cube No	length	width	height
1	25	56	83
2	5	50	86
3	50	60	76
4	44	35	75
5	40	28	117
6	13	34	95
7	47	32	60
8	43	38	74
9	46	70	78
10	22	26	102

- By calling print function, display all information about the Unsorted Cubes.
- By looping and calling overloaded > operator, sort array of Cubes from smallest volume to biggest volume.
- Display all information about the Sorted Cubes.
- By looping and calling overloaded + operator, build a New Cube object cumulatively, so that all Sorted Cubes are added. Display all information about the New Cube, at each iteration of loop.
- User should not enter any data inputs from keyboard, program assigns all datas through class constructors.
- Use C++ output formatters to obtain column alignments on screen output.

EXAMPLE SCREEN OUTPUT

CUBES (UNSORTED)				
	L	W	H	Volume
1.Cube	25	56	83	116200
2.Cube	5	50	86	21500
3.Cube	50	60	76	228000
4.Cube	44	35	75	115500
5.Cube	40	28	117	131040
6.Cube	13	34	95	41990
7.Cube	47	32	60	90240
8.Cube	43	38	74	120916
9.Cube	46	70	78	251160
10.Cube	22	26	102	58344
CUBES (SORTED BY VOLUME)				
	L	W	H	Volume
1.Cube	5	50	86	21500
2.Cube	13	34	95	41990
3.Cube	22	26	102	58344
4.Cube	47	32	60	90240
5.Cube	44	35	75	115500
6.Cube	25	56	83	116200
7.Cube	43	38	74	120916
8.Cube	40	28	117	131040
9.Cube	50	60	76	228000
10.Cube	46	70	78	251160
CUMULATIVE SUMS OF CUBES AFTER SORTING				
	L	W	H	Volume
Number of cubes added = 2 , NewCube	13	50	181	117650
Number of cubes added = 3 , NewCube	22	50	283	311300
Number of cubes added = 4 , NewCube	47	50	343	806050
Number of cubes added = 5 , NewCube	47	50	418	982300
Number of cubes added = 6 , NewCube	47	56	501	1318632
Number of cubes added = 7 , NewCube	47	56	575	1513400
Number of cubes added = 8 , NewCube	47	56	692	1821344
Number of cubes added = 9 , NewCube	50	60	768	2304000
Number of cubes added = 10 , NewCube	50	70	846	2961000
PROGRAM FINISHED.				