


Feature			Scei	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
hooks_test	10.159 s	1	0	1	0	3	2	1	0


Tag	Scenario				Fea	eature		
Name	T	P	F	S	T	P	F	S
@failed_tests	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration	
1	<u>hooks_test</u>	1	0	1	0	10.159 s	

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	hooks_test	<u>TC_01_</u>	3	2	1	0	10.156 s

DETAILED SECTION -- 6 --

hooks_test

FAILED	DURATION - 10.159 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 12:09:54.785 PM //	/ 12:10:04.944 PM /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	
		Skip - 0		Skip - 0	

TC_01_



#	Step / Hook Details	Status	Duration
1	Given user is on "https://www.bluerentalcars.com/login" page	PASSED	5.420 s
2	And user enters customer_email and customer_password	PASSED	0.785 s
	username password jack@gmail.com 12345		
3	Then verify the next page url contains login keyword	FAILED	3.033 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.LoginStepDefinitions.verify_the_next_page_url_contains_login_keyword(LoginStepDefinitions.java:46) at ?.verify the next page url contains login keyword(file:///C:/Users/akdem/IdeaProjects/my-cucumber-project/./src/test/resources/features/day27_failed_test_cases.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	0.901 s
	failed_scenarioTC_01_		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	BUE-MINE OF THE PARTY OF THE PA		
	Contrary frontess Contrary Section Contrary		