

Feature			Scer	nario		Step			
Name	Duration	T	P	F	S	T	P	F	S
hooks_test	8.596 s	1	0	1	0	3	2	1	0


Tag	Scenario				Feature			
Name	T	P	F	S	T	P	F	S
@failed_tests	1	0	1	0	1	0	1	0

FEATURES SUMMARY -- 4



#	Feature Name	T	P	F	S	Duration	
1	<u>hooks_test</u>	1	0	1	0	8.596 s	

SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	hooks_test	<u>TC_01_</u>	3	2	1	0	8.594 s

DETAILED SECTION -- 6 --

hooks_test

FAILED	DURATION - 8.596 s	Scenarios		Steps	
		Total - 1		Total - 3	
/ 12:15:50.201 PM //	12:15:58.797 PM /	Pass - 0	1	Pass - 2	3
		Fail - 1		Fail - 1	📜 ĭ 📕
		Skip - 0		Skip - 0	

TC_01_



#	Step / Hook Details	Status	Duration
1	Given user is on "https://www.bluerentalcars.com/login" page	PASSED	2.962 s
2	And user enters customer_email and customer_password	PASSED	0.883 s
	username password jack@gmail.com 12345		
3	Then verify the next page url contains login keyword	FAILED	3.029 s
	java.lang.AssertionError at org.junit.Assert.fail(Assert.java:87) at org.junit.Assert.assertTrue(Assert.java:42) at org.junit.Assert.assertTrue(Assert.java:53) at stepdefinitions.LoginStepDefinitions.verify_the_next_page_url_contains_login_keyword(LoginStepDefinitions.java:46) at ?.verify the next page url contains login keyword(file:///C:/Users/akdem/IdeaProjects/my-cucumber-project/./src/test/resources/features/day27_failed_test_cases.feature:8) * Not displayable characters are replaced by '?'.		
	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	PASSED	1.703 s
	failed_scenarioTC_01_		

DETAILED SECTION -- 7 --

#	Step / Hook Details	Status	Duration
	BUE-MINE OF THE PARTY OF THE PA		
	Contrary frontess Contrary Section Contrary		