

Feature			Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S	
<u>US_026</u>	18.899 s	1	0	1	0	17	1	1	15	

Tag		Scer	nario			Feature		
Name	T	P	F	S	Т	P	F	S
@US_026_TC_001_UI	1	0	1	0	1	0	1	0


FEATURES SUMMARY

-- 4 --



#	Feature Name	T	P	F	S	Duration
1	<u>US_026</u>	1	0	1	0	18.899 s


SCENARIOS SUMMARY




#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>US_026</u>	Patient is able to create an appointment	17	1	1	15	18.895 s

DETAILED SECTION -- 6 --

## US\_026



## Patient is able to create an appointment



#	Step / Hook Details	Status	Duration
1	Given Patient goes to home page "medunna_url"	PASSED	18.728 s
2	When Patient clicks on user icon	FAILED	0.064 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.64) Build info: version: '4.7.2', revision: '44020c3b7' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.2.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd3deec2ecce45aa6277f88d478f8c1a, findElement {using=id, value=account-menu}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.64, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: /var/folders/w7/pzdg20d0tv}, goog:chromeOptions: {debuggerAddress: localhost:62617}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:62617/devtoo, se:cdpVersion: 111.0.5563.64, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bd3deec2ecce45aa6277f88d478f8c1a  at java.base/java.lang.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)  at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)  at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)  at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		

#	Step / Hook Details	Status	Duration
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184) at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142) at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)		
	at org.openqa.selenium.remote.Remotewebbnver.execute(Remotewebbnver.java.535) at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:162)		
	at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:66)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:351)		
	at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:343)		
	at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:70)		
	at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:39)		
	at jdk.proxy2/jdk.proxy2.\$Proxy27.click(Unknown Source) at stepdefinitions.ui.US_026_TC_001_UI.patient_clicks_on_user_icon(US_026_TC_001_UI.java:27)		
	at 3.Patient clicks on user icon(file:///Users/ahmedsaidtuncpinar/IdeaProjects/Medunna/./src/test/resources/features/us 26.feature:5)		
	* Not displayable characters are replaced by '?'.		
3	And Patient clicks on sign in option	SKIPPED	0.001 s
4	And Patient enters username "leocaprioo"	SKIPPED	0.000 s
5	And Patient enters password "leocaprioo123!"	SKIPPED	0.000 s
6	And Patient clicks on sign in button	SKIPPED	0.000 s
7	And Patient clicks on My Pages option	SKIPPED	0.000 s
8	And Patient clicks on Make an Appointment link	SKIPPED	0.002 s
9	And Patient enters valid first name "Leonardo"	SKIPPED	0.000 s
10	And Patient enters valid last name "Caprio"	SKIPPED	0.001 s
11	And Patient enters valid SSN "345-66-7346"	SKIPPED	0.000 s
12	And Patient enters valid email "leocaprioo@gmail.com"	SKIPPED	0.000 s
13	And Patient enters valid phone number "333-123-5555"	SKIPPED	0.002 s
14	And Patient enters valid date "12-31-2024"	SKIPPED	0.001 s
15	And Patient clicks on Send an Appointment Request button	SKIPPED	0.001 s
16	And Verify that appointment has been created via capturing screenshot	SKIPPED	0.001 s
17	And close the application	SKIPPED	0.000 s
	AFTER - hooks.Hooks.tearDownScenario(io.cucumber.java.Scenario)	FAILED	0.019 s
	org.openqa.selenium.NoSuchWindowException: no such window: target window already closed from unknown error: web view not found (Session info: chrome=111.0.5563.64) Build info: version: '4.7.2', revision: '4d4020c3b7' System info: os.name: 'Mac OS X', os.arch: 'x86_64', os.version: '13.2.1', java.version: '19.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [bd3deec2ecce45aa6277f88d478f8c1a, maximizeCurrentWindow {}] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 111.0.5563.64, chrome: {chromedriverVersion: 111.0.5563.64 (c710e93d5b63, userDataDir: /var/folders/w7/7pzdg20d0tv}, goog:chromeOptions: {debuggerAddress: localhost:62617}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: MAC, proxy: Proxy(), se:cdp: ws://localhost:62617/devtoo, se:cdpVersion: 111.0.5563.64, setWindowRect: true, strictFileInteractability: false,		

#	Step / Hook Details	Status	Duration
	timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: bd3deec2ecce45aa6277f88d478f8c1a		
	at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:67)		
	at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:500)		
	at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:484)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.createException(W3CHttpResponseCodec.java:200)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:133)		
	at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:53)		
	at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:184)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:167)		
	at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:142)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:535)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:590)		
	at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:594)		
	at org.openqa.selenium.remote.RemoteWebDriver\$RemoteWebDriverOptions\$RemoteWindow.maximize(RemoteWebDriver.java:946) at utilities.Driver.getDriver(Driver.java:68)		
	at hooks.Hooks.tearDownScenario(Hooks.java:24)		