

# Cucumber Report

30 Mar 2023, 17:32:49

**Start : Mar 30, 5:32:43.538 pm**

**End : Mar 30, 5:32:48.096 pm**

**Duration : 4.558 s**

*Features*

*Scenarios*

*Steps*

**PASSED - 1**

**FAILED - 0**

**SKIPPED - 0**

**PASSED - 1**


**FAILED - 0**

**SKIPPED - 0**

**PASSED - 5**

**FAILED - 0**

**SKIPPED - 0**



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>US_025</u>	4.558 s	1	1	0	0	5	5	0	0

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@US_025_Testing	1	1	0	0	1	1	0	0
@US_025_TC_003_API	1	1	0	0	1	1	0	0





#	Feature Name	T	P	F	S	Duration
1	US_025	1	1	0	0	4.558 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>US_025</u>	<u>Patient sees Tests with API</u>	5	5	0	0	4.549 s

**US\_025**

<div>PASSED</div>	<div>DURATION - 4.558 s</div>	<div>Scenarios</div> <div>Total - 1</div> <div>Pass - 1</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>	<div>Steps</div> <div>Total - 5</div> <div>Pass - 5</div> <div>Fail - 0</div> <div>Skip - 0</div>	<div></div>
<div>/ 5:32:43.538 pm // 5:32:48.096 pm /</div>					

**Patient sees Tests with API**

<div>PASSED</div>	<div>DURATION - 4.549 s</div>		Steps	
/ 5:32:43.547 pm // 5:32:48.096 pm /			Total - 5	
US_025			Pass - 5	
@US_025_Testing @US_025_TC_003_API			Fail - 0	
			Skip - 0	

#	Step / Hook Details	Status	Duration
1	Given Set the url for Tests	PASSED	0.819 s
2	When Set the expected data with pojo for Tests	PASSED	0.100 s
3	And Send the request and get the response for Tests	PASSED	3.401 s
4	And Get the actual data for Tests	PASSED	0.197 s
5	Then Do assertion for Tests	PASSED	0.003 s