

# Working with the Internals of ASP.NET Core

---




**Scott Allen**


@OdeToCode - <http://OdeToCode.com>



# Allen Family Food Processing



# Middleware



# Summary



```
OdeToFood - Microsoft Visual Studio
FILE EDIT VIEW PROJECT BUILD DEBUG TEAM TOOLS TEST LOAD TEST R TOOLS ANALYZE WINDOW HELP
Debug Any CPU OdeToFood IIS Express
Summary.cshtml
1 @using OdeToFood.Core
2 @model Restaurant
3
4 <div class="panel panel-default">
5   <div class="panel-heading">
6     <h3>@Model.Name</h3>
7   </div>
8   <div class="panel-body">
9     <span>Location: @Model.Location</span>
10    <span>Cuisine: @Model.Cuisine</span>
11  </div>
12  <div class="panel-footer">
13    <a class="btn btn-lg"
14      asp-page="./Detail"
15      asp-route-restaurantId="@Model.Id">
16      <i class="glyphicon glyphicon-zoom-in"></i>
17    </a>
18    <a class="btn btn-lg"
19      asp-page="./Edit"
20      asp-route-restaurantId="@Model.Id">
21      <i class="glyphicon glyphicon-edit"></i>
22    </a>
23    <a class="btn btn-lg"

```

