

# Results

## ANOVA

ANOVA - lezzet

| Cases     | Sum of Squares | df | Mean Square | F      | p      |
|-----------|----------------|----|-------------|--------|--------|
| satir     | 470.188        | 3  | 156.729     | 14.384 | .004   |
| sutun     | 256.188        | 3  | 85.396      | 7.837  | .017   |
| islem_adi | 1132.188       | 3  | 377.396     | 34.637 | < .001 |
| Residuals | 65.375         | 6  | 10.896      |        |        |

Note. Type III Sum of Squares

Post Hoc Tests

Standard (HSD)

Post Hoc Comparisons - satir

|           |           | Mean Difference | SE    | df | t      | P <sub>tukey</sub> |
|-----------|-----------|-----------------|-------|----|--------|--------------------|
| Açık      | Orta Açık | -10.000         | 2.334 | 6  | -4.284 | .020               |
|           | Orta      | -15.000         | 2.334 | 6  | -6.427 | .003               |
|           | Koyu      | -7.250          | 2.334 | 6  | -3.106 | .076               |
| Orta Açık | Orta      | -5.000          | 2.334 | 6  | -2.142 | .241               |
|           | Koyu      | 2.750           | 2.334 | 6  | 1.178  | .660               |
| Orta      | Koyu      | 7.750           | 2.334 | 6  | 3.320  | .059               |

Note. P-value adjusted for comparing a family of 4 estimates.

Note. Results are averaged over the levels of: sutun, islem\_adi

Post Hoc Comparisons - sutun

|      |     | Mean Difference | SE    | df | t      | P <sub>tukey</sub> |
|------|-----|-----------------|-------|----|--------|--------------------|
| 100C | 85C | 2.000           | 2.334 | 6  | 0.857  | .826               |
|      | 90C | -8.500          | 2.334 | 6  | -3.642 | .041               |
|      | 95C | -3.750          | 2.334 | 6  | -1.607 | .441               |
| 85C  | 90C | -10.500         | 2.334 | 6  | -4.499 | .016               |
|      | 95C | -5.750          | 2.334 | 6  | -2.464 | .164               |
| 90C  | 95C | 4.750           | 2.334 | 6  | 2.035  | .274               |

Note. P-value adjusted for comparing a family of 4 estimates.

Note. Results are averaged over the levels of: satir, islem\_adi

Post Hoc Comparisons - islem\_adi

|              |              | Mean Difference | SE    | df | t      | P <sub>tukey</sub> |
|--------------|--------------|-----------------|-------|----|--------|--------------------|
| Chemex       | French Press | -0.500          | 2.334 | 6  | -0.214 | .996               |
|              | V60          | -20.750         | 2.334 | 6  | -8.890 | < .001             |
|              | Aeropress    | -9.000          | 2.334 | 6  | -3.856 | .032               |
| French Press | V60          | -20.250         | 2.334 | 6  | -8.676 | < .001             |
|              | Aeropress    | -8.500          | 2.334 | 6  | -3.642 | .041               |
| V60          | Aeropress    | 11.750          | 2.334 | 6  | 5.034  | .009               |

Note. P-value adjusted for comparing a family of 4 estimates.

Note. Results are averaged over the levels of: satir, sutun