
StudySprint Planner — Mockup

Step A: Screen Map

StudySprint Planner is a web application designed for students who want to organize academic tasks, monitor deadlines, and keep track of completed and pending work. Users can navigate between the Dashboard, Tasks, and About pages. The Tasks page allows users to add, edit, delete, filter, and mark tasks as completed.



Screen navigation:

- **Dashboard:** The first screen users visit and the main overview of their tasks.


- **Tasks:** The main task-management screen.
- **About:** Displays information about StudySprint Planner.
- **Navigation:** Allows users to move between the three main pages.

Step B: One Box-Sketch per Screen


Screen 1: Dashboard

The Dashboard provides an overview of the user's academic tasks and serves as the starting point for navigating the application.


Screen 1 - Login




Screen 2 - Dashboard




Screen 3 - Tasks List



Screen 4 - Add/Edit Task Form



Screen 5 - About



Element	Desktop Layout	Phone Layout (What Stacks)	Navigates To
Navbar	Application name and navigation links	Navigation elements fit the smaller screen	Dashboard, Tasks, About

Header	Dashboard title and task overview	Title and overview arranged vertically	N/A
Main Content	Dashboard information arranged in sections	Sections stack in a single column	N/A
Task Overview	Task information displayed in an organized layout	Task information stacks vertically	N/A
Navigation Links	Links to the main application pages	Links arranged to fit the available width	Tasks or About

Screen 2: Tasks

The Tasks page allows users to manage their academic tasks, including creating, editing, deleting, filtering, and updating task completion status.

Element	**Desktop Layout**	**Phone Layout (What Stacks)**	**Navigates To**
Navbar	Application name and navigation links	Navigation elements fit the smaller screen	Dashboard, Tasks, About
Header	Tasks title and task management controls	Title and controls arranged vertically	N/A
Task Form	Form fields arranged in a suitable layout	Form fields stack in a single column	N/A
Task Fields	Title, subject, description, due date, and priority inputs	Each field occupies the available width	N/A
Task List	Tasks displayed in an organized list	Tasks displayed in a single-column list	N/A
Filters	Task filtering controls displayed together	Filter controls arranged to fit the screen	N/A
Task Actions	Edit, delete, and completion controls associated with each task	Actions remain accessible within or alongside each task	N/A

Screen 3: About

The About page provides information about the StudySprint Planner application.

Element	Desktop Layout	Phone Layout (What Stacks)	Navigates To
Navbar	Application name and navigation links	Navigation elements fit the smaller screen	Dashboard, Tasks, About
Header	About page title	Title displayed at the top	N/A
Main Content	Application information arranged in readable sections	Content stacks in a single column	N/A
Navigation Links	Links to the main application pages	Links arranged to fit the available width	Dashboard or Tasks

Step C: Component Tree (Atomic Design)

The component breakdown below organizes the interface into reusable Atomic Design levels. These are proposed component responsibilities based on the existing StudySprint Planner features, not a claim that all components already exist as separate files.

Folder Structure (client/src/components/):

- **Atoms/**
  - <Button /> – Buttons for saving, editing, deleting, and completing tasks.
  - <Input /> – Basic text and date input fields.
  - <Checkbox /> – Controls for task completion.
  - <Select /> – Selection controls for task priority and applicable filters.
- **Molecules/**
  - <FormField /> – A label and its associated input.
  - <TaskForm /> – Groups the fields needed to create or edit a task.
  - <TaskCard /> – Displays an individual task and its available actions.
  - <TaskFilters /> – Groups the controls used to filter tasks.
- **Organisms/**
  - <Navbar /> – Provides navigation between Dashboard, Tasks, and About.
  - <DashboardContent /> – Organizes the dashboard overview.
  - <TaskList /> – Displays multiple task items.
  - <TaskManagement /> – Organizes task creation, editing, filtering, and deletion.
- **Pages / Layout**
  - <Dashboard /> – Displays the main dashboard.

    - <Tasks /> – Displays the task-management interface.
    - <About /> – Displays application information.
    - App.jsx – Coordinates the main application structure and page navigation.

Existing supporting files:

- main.jsx – Frontend entry point.
- styles.css – Application styling and responsive layout.
- api/ – Task data access through the configured API or mock API.
- api/mockApi.js – Mock task operations and local storage support.
- api/seed.json – Initial mock task data.

Step D: Sanity Check

User Task Walkthrough: "Create a new task, enter its details, and mark it as completed."

1. **Start:** The user opens the application and lands on the Dashboard.
2. **Navigation:** The user clicks the Tasks link to open the task-management page.
3. **Action:** The user opens the task form to create a new task.
4. **Input:** The user enters the task title, subject, description, due date, and priority.
5. **Action:** The user saves the new task.
6. **Outcome:** The new task appears in the task list.
7. **Action:** The user marks the task as completed.
8. **Outcome:** The task's completion status is updated.
9. **Action:** The user returns to the Dashboard to review the task overview.
10. **Finish:** The user can navigate to the About page or return to Tasks to manage other assignments.

State Check: Does every piece of state from the proposal have a component that owns it?

The application manages task data, including the title, subject, description, due date, priority, and completion status. Task-related state must be available to the components responsible for displaying and modifying tasks. Shared task data should be managed at the appropriate parent level or through the existing API integration so that the Dashboard and Tasks page can display consistent information.

The application supports a mock API with local storage and a backend API configuration. The active data source determines how task information is retrieved, updated, and persisted.

Missing Screens?

The main screens are Dashboard, Tasks, and About. Task creation and editing are handled within the Tasks interface rather than requiring separate pages. The primary user flow can be completed without introducing additional screens.