

ISTQB Foundation Sample Question Paper No. 3

1. Software testing activities should start

- a. as soon as the code is written
- b. during the design stage
- c. when the requirements have been formally documented
- d. as soon as possible in the development life cycle

2. Faults found by users are due to:

- a. Poor quality software
- b. Poor software and poor testing
- c. bad luck
- d. insufficient time for testing

3. What is the main reason for testing software before releasing it?

- a. to show that system will work after release
- b. to decide when the software is of sufficient quality to release
- c. to find as many bugs as possible before release
- d. to give information for a risk based decision about release

4. which of the following statements is not true

- a. performance testing can be done during unit testing as well as during the testing of whole system
- b. The acceptance test does not necessarily include a regression test
- c. Verification activities should not involve testers (reviews, inspections etc)
- d. Test environments should be as similar to production environments as possible

5. When reporting faults found to developers, testers should be:

- a. as polite, constructive and helpful as possible
- b. firm about insisting that a bug is not a “feature” if it should be fixed
- c. diplomatic, sensitive to the way they may react to criticism
- d. All of the above

6. In which order should tests be run?

- a. the most important tests first
- b. the most difficult tests first (to allow maximum time for fixing)
- c. the easiest tests first (to give initial confidence)
- d. the order they are thought of

7. The later in the development life cycle a fault is discovered, the more expensive it is to fix. why?

- a. the documentation is poor, so it takes longer to find out what the software is doing.
- b. wages are rising
- c. the fault has been built into more documentation, code, tests, etc
- d. none of the above

8. Which is not true-The black box tester

- a. should be able to understand a functional specification or requirements document
- b. should be able to understand the source code.
- c. is highly motivated to find faults
- d. is creative to find the system's weaknesses

9. A test design technique is

- a. a process for selecting test cases
- b. a process for determining expected outputs
- c. a way to measure the quality of software
- d. a way to measure in a test plan what has to be done

10. Testware(test cases, test dataset)

- a. needs configuration management just like requirements, design and code
- b. should be newly constructed for each new version of the software
- c. is needed only until the software is released into production or use
- d. does not need to be documented and commented, as it does not form part of the released software system

11. An incident logging system

- a. only records defects
- b. is of limited value
- c. is a valuable source of project information during testing if it contains all incidents
- d. should be used only by the test team.

12. Increasing the quality of the software, by better development methods, will affect the time needed for testing (the test phases) by:

- a. reducing test time
- b. no change
- c. increasing test time
- d. can't say

13. Coverage measurement

- a. is nothing to do with testing
- b. is a partial measure of test thoroughness
- c. branch coverage should be mandatory for all software
- d. can only be applied at unit or module testing, not at system testing

14. When should you stop testing?

- a. when time for testing has run out.
- b. when all planned tests have been run
- c. when the test completion criteria have been met

d. when no faults have been found by the tests run

15. Which of the following is true?

- a. Component testing should be black box, system testing should be white box.
- b. if u find a lot of bugs in testing, you should not be very confident about the quality of software
- c. the fewer bugs you find, the better your testing was
- d. the more tests you run, the more bugs you will find.

16. What is the important criterion in deciding what testing technique to use?

- a. how well you know a particular technique
- b. the objective of the test
- c. how appropriate the technique is for testing the application
- d. whether there is a tool to support the technique

17. If the pseudocode below were a programming language ,how many tests are required to achieve 100% statement coverage?

- 1. If x=3 then
- 2. Display_messageX;
- 3. If y=2 then
- 4. Display_messageY;
- 5. Else
- 6. Display_messageZ;
- 7. Else
- 8. Display_messageZ;

- a. 1
- b. 2
- c. 3
- d. 4

18. Using the same code example as question 17,how many tests are required to achieve 100% branch/decision coverage?

- a. 1
- b. 2
- c. 3
- d. 4

19. Which of the following is NOT a type of non-functional test?

- a. State-Transition
- b. Usability
- c. Performance
- d. Security

20. Which of the following tools would you use to detect a memory leak?

- a. State analysis
- b. Coverage analysis
- c. Dynamic analysis
- d. Memory analysis

21. Which of the following is NOT a standard related to testing?

- a. IEEE829
- b. IEEE610
- c. BS7925-1
- d. BS7925-2

22. which of the following is the component test standard?

- a. IEEE 829
- b. IEEE 610
- c. BS7925-1
- d. BS7925-2

23. which of the following statements are true?

- a. Faults in program specifications are the most expensive to fix.
- b. Faults in code are the most expensive to fix.
- c. Faults in requirements are the most expensive to fix
- d. Faults in designs are the most expensive to fix.

24. Which of the following is not the integration strategy?

- a. Design based
- b. Big-bang
- c. Bottom-up
- d. Top-down

25. Which of the following is a black box design technique?

- a. statement testing
- b. equivalence partitioning
- c. error- guessing
- d. usability testing

26. A program with high cyclometric complexity is almost likely to be:

- a. Large
- b. Small
- c. Difficult to write
- d. Difficult to test

27. Which of the following is a static test?

- a. code inspection
- b. coverage analysis
- c. usability assessment
- d. installation test

28. Which of the following is the odd one out?

- a. white box
- b. glass box
- c. structural
- d. functional

29. A program validates a numeric field as follows:

values less than 10 are rejected, values between 10 and 21 are accepted, values greater than or equal to 22 are rejected

which of the following input values cover all of the equivalence partitions?

- a. 10,11,21
- b. 3,20,21
- c. 3,10,22
- d. 10,21,22

30. Using the same specifications as question 29, which of the following covers the MOST boundary values?

- a. 9,10,11,22
- b. 9,10,21,22
- c. 10,11,21,22
- d. 10,11,20,21

31. An input field takes the year of birth between 1900 and 2004. The boundary values for testing this field are

- a. 0,1900,2004,2005
- b. 1900, 2004
- c. 1899,1900,2004,2005
- d. 1899, 1900, 1901,2003,2004,2005

32. Which one of the following are non-functional testing methods?

- a. System testing
- b. Usability testing
- c. Performance testing
- d. Both b & c

33. Which of the following tools would be involved in the automation of regression test?

- a. Data tester
- b. Boundary tester
- c. Capture/Playback
- d. Output comparator.

34. Incorrect form of Logic coverage is:

- a. Statement Coverage
- b. Pole Coverage
- c. Condition Coverage
- d. Path Coverage

35. Which of the following is not a quality characteristic listed in ISO 9126 Standard?

- a. Functionality
- b. Usability
- c. Supportability
- d. Maintainability

36. To test a function, the programmer has to write a _____, which calls the function to be tested and passes it test data.

- a. Stub
- b. Driver
- c. Proxy
- d. None of the above

37. How many test cases are necessary to cover all the possible sequences of statements (paths) for the following program fragment?

```
if (Condition 1)
then statement 1
else statement 2
fi
if (Condition 2)
then statement 3
fi
```

.....

- a. 1
- b. 2
- c. 3
- d. None of the above

38. Acceptance test cases are based on what?

- a. Requirements
- b. Design

- c. Code
- d. Decision table

39. A common test technique during component test is

- a. Statement and branch testing
- b. Usability testing
- c. Security testing
- d. Performance testing

40. Statement Coverage will not check for the following.

- a. Missing Statements
- b. Unused Branches
- c. Dead Code
- d. Unused Statement

Answers:

- 1.d
- 2.b
- 3.d
- 4.c
- 5.d
- 6.a
- 7.c
- 8.b
- 9.a
- 10.a
- 11.c
- 12.a
- 13.b
- 14.c
- 15.b
- 16.b
- 17.c
- 18.c
- 19.a
- 20.c
- 21.b
- 22.d
- 23.c
- 24.a
- 25.b
- 26.d
- 27.a
- 28.d
- 29.c
- 30.b
- 31.c

- 32.d
- 33.c
- 34.b
- 35.c
- 36.b
- 37.c
- 38.a
- 39.a
- 40.a