

Title	<Title>	
Size A3	Document Number <Doc>	Rev <RevCode>
Date: Wednesday, August 05, 2020	Sheet 1 of 12	


±12AV 200mA
U3
TPS7A3301RGWR
DV13E
-12V 200mA
AV12E
TP1
AV12E
IN1
IN2
EN
NR/SS
OUT2
OUT1
FB
NC7
GND NC8 NC9 NC10 NC11 NC12
EP NC1 NC2 NC3 NC4 NC5 NC6
C5
C6
100n
C11
10n
10u
10uF 25V 0603
C7
10n
R3
1.5M
R5
162k
C12
100n
C13
22uF 25V 0805
CL21A226MAQNNNE
TP3
GND
Tss = 12ms
DV13
U5
+12V 200mA
AV12
TP5
AV15
IN_1
IN_2
IN/CP
EN
CP
GND/CP
GND
EP
OUT/FB
OUT_1
OUT_2
SET
FB
C17
C18
100n
C25
10n
R7
120k
R9
13.3k
C21
100n
C22
CL21A226MAQNNNE
22uF 25V 0805
LP38798SD-ADJ/NOPB
Start-Up Time: 50~100us
±5AV 500mA
U4
TPS7A3301RGWR
DV55E
-5V 500mA
AV5E
TP2
AV12E
C8
C9
100n
C14
10n
C10
10n
R4
332k
R6
102k
C15
100n
C16
100uF 10V 1206
C3216X5R1A107MAOAE
TP4
GND
DV55
U6
+5V 500mA
AV5
TP6
AV15
C20
C19
100n
C26
10n
R8
47.5k
R10
15k
C23
100n
C24
C3216X5R1A107MAOAE
100uF 10V 1206
LP38798SD-ADJ/NOPB
+1.8AV 600mA
+1.8DV 500mA
U8
TPS7A8801RTJR
DV25
C36
C3216X5R1A107MAOAE
100uF 10V 1206
C32
C33
100n
C35
10n
IN1_1
IN1_2
EN1
SS_CTRL1
NR/SS1
IN2_1
IN2_2
EN2
SS_CTRL2
NR/SS2
GND_1
GND_2
EP
OUT1_1
OUT1_2
FB1
PG1
OUT2_1
OUT2_2
FB2
PG2
1.8AV 600mA
AV18
TP8
AV18
C27
10n
R11
1.87k
R12
1.5k
C37
100n
C38
C3216X5R1A107MAOAE
100uF 10V 1206
DV18
1.8DV 500mA
C41
10n
R15
1.87k
R16
1.5k
C43
100n
C44
C3216X5R1A107MAOAE
100uF 10V 1206
TP9
DV18
C39
C40
100n
C42
10n
TP11
GND
+3.3AV 200mA
U7
DV4
+12V 200mA
AV33
TP7
AV33
C28
C29
100n
C34
10n
R13
23.2k
R14
13.3k
C30
100n
C31
CL21A226MAQNNNE
22uF 25V 0805
LP38798SD-ADJ/NOPB
TP10
GND
Title
<Title>
Size
A3
Document Number
<Doc>
Rev
<RevCode>
Date: Wednesday, August 05, 2020
Sheet 2 of 12



Title	<Title>	
Size A4	Document Number <Doc>	Rev <RevCo
Date: Wednesday, August 05, 2020	Sheet 3 of 12	



50Ω输入阻抗时使用
J4
SMA-KEP
偏脚SMA
R49 49R9 NC
R53 1R2
R48 0R
R51 1M
1:1 ±1.25V量程
K3
G6K-2F-RF-S-DC5
R56 25R
DV55
K4
G6K-2F-RF-S-DC5
R58 25R
C70 10u
C71 100n
B11 BLM15AG121SN1D
AV5E
C72 4.7p
R52 22R
U13 ADA4817-1ACPZ-R7
FB
IN-
IN+
OUT
V-
NIC
EP
V+
PD#
R55 1R2
R54 0R
±1.25V
C73 100n
C74 10u
R57 10k
B12 BLM15AG121SN1D
AV5
Power:
G6K-2F-RF DV55(21.1mA) 116mW*2
ADA4932-1 AV±5(10mA) 50mW
ADA4817-1 AV±5(20mA) 100mW
OPA189 AV±5(1.8mA) 9mW
射频继电器: G6K-2F-RF-S-DC5
信号继电器: G6K-2F-Y-DC5
DC5V 237Ω 21.1mA
U14 OPA189IDBVR
B13 BLM15AG121SN1D
C76 100n
3,7 ADC1_VCM
ADC1_VCM
R59 10R
R60 10R
B15
C80 100n
C81 100n
BLM15AG121SN1D
U15
NUD3105DMT1G
AIN2_RELAY1
AIN2_RELAY2
1 AIN2_RELAY1
1 AIN2_RELAY2
R62 TC0325B7503T5E 750k 0.1% 25ppm
C82 4.7p
1:4 ±5V量程
300k 0.1% 25ppm
R67 TC0325B2490T5E 249k 0.1% 25ppm
C85 10p
C86 SGC3S060NM
4:5衰减 ±1V
C77 10u
C79 100n
B14 BLM15AG121SN1D
U16 ADA4932-1YCPZ-R7
R63 160R
R64 200R
R68 200R
R71 160R
FB-
IN+
IN-
FB+
VOCM
OUT-
EP
OUT+
PD#
VS-
VS+
R65 33R
R6610R
C84 56p
C87 2.2p
R69 33R
C89 56p
R70 10R
AIN2_IN-
AIN2_IN- 7
AIN2_IN+
AIN2_IN+ 7
56p 60MHz
100p 40MHz
RL1/2: 00 01 1x
±5 ±2.5V ±1.25V
1:2 ±2.5V量程
R74 RT0603BRD07499KL 499k 0.1% 25ppm
C91 12p
R78 RT0603BRD07499KL 499k 0.1% 25ppm
C93 6.8p
C94 SGC3S060NM
C90 100n
C92 10u
B16 BLM15AG121SN1D
R72 10k
R73 1k
R75 10k
AIN2_PD
AIN2_PD 1
Q2 MMBT4401LT1G
PD: 高电平PowerDown
R76 0R
R77 0R NC
AIN2_OFFSET
AIN2_OFFSET 12
VOD=(VI-VOS)*4/5
Title
<Title>
Size A4
Document Number
<Doc>
Rev
<RevCo
Date: Wednesday, August 05, 2020
Sheet 4 of 12



50Ω输入阻抗时使用
J5
GND
GND
SIG
GND
GND
MMCX-KE
直角MMCX
R79
49R9 NC
R84
1R2
R81
0R
R82
1M
1:1 ±1.25V量程
K5
G6K-2F-RF-S-DC5
R87
25R
DV55
K6
G6K-2F-RF-S-DC5
R89
25R
DV55
C97
4.7p
R83
22R
C95
10u
C96
100n
B17
BLM15AG121SN1D
AV5E
U17
ADA4817-1ACPZ-R7
FB
IN-
IN+
OUT
V-
NIC
EP
V+
PD#
R86 1R2
R85 0R
±1.25V
C98
100n
C99
10u
R88
10k
B18 BLM15AG121SN1D
AV5
Power:
G6K-2F-RF DV55(21.1mA) 116mW*2
ADA4932-1 AV±5(10mA) 50mW
ADA4817-1 AV±5(20mA) 100mW
OPA189 AV±5(1.8mA) 9mW
射频继电器: G6K-2F-RF-S-DC5
信号继电器: G6K-2F-Y-DC5
DC5V 237Ω 21.1mA
AV5
B19
BLM15AG121SN1D
C101
100n
U18
OPA189IDBVR
6,8 ADC2_VCM
ADC2_VCM
R90 10R
R91 10R
B21
C105
100n
C106
100n
BLM15AG121SN1D
AV5E
U19
NUD3105DMT1G
AIN3_RELAY1
AIN3_RELAY2
1 AIN3_RELAY1
1 AIN3_RELAY2
R93
TC0325B7503T5E
750k 0.1% 25ppm
C107
4.7p
1:4 ±5V量程
300k 0.1% 25ppm
R97
TC0325B2490T5E
249k 0.1% 25ppm
C111
10p
C110
SGC3S060NM
1:2 ±2.5V量程
RL1/2: 00 01 1x
±5 ±2.5V ±1.25V
R105
RT0603BRD07499KL
499k 0.1% 25ppm
C116
12p
R109
RT0603BRD07499KL
499k 0.1% 25ppm
C118
6.8p
C119
SGC3S060NM
4:5衰减 ±1V
C102
10u
C104
100n
B20
BLM15AG121SN1D
AV5E
U20
ADA4932-1YCPZ-R7
R94
160R
R98 200R
R99 200R
R102
160R
FB-
IN+
IN-
FB+
VS-
VS+
VOCM
OUT-
EP
OUT+
PD#
R95 33R
C109
56p
R9610R
AIN3_IN-
AIN3_IN- 8
C112
2.2p
R10033R
C114
56p
R10110R
AIN3_IN+
AIN3_IN+ 8
56p 60MHz
100p 40MHz
C115
100n
C117
10u
B22 BLM15AG121SN1D
AV5
R103 10k
AIN3_PD
AIN3_PD 1
R104 1k
R106 10k
Q3 MMBT4401LT1G
PD: 高电平PowerDown
R107 0R
R108 0R NC
AIN3_OFFSET
AIN3_OFFSET 12
VOD=(VI-VOS)*4/5
Title
<Title>
Size A4
Document Number
<Doc>
Rev
<RevCo
Date: Wednesday, August 05, 2020
Sheet 5 of 12


50Ω输入阻抗时使用
1:1 ±1.25V量程
Power:
G6K-2F-RF DV55(21.1mA) 116mW*2
ADA4932-1 AV±5(10mA) 50mW
ADA4817-1 AV±5(20mA) 100mW
OPA189 AV±5(1.8mA) 9mW
J6
GND
GND
GND
GND
SIG
MMCX-KE
直角MMCX
R112 1M
R111 0R
R113 49R9 NC
R115 1R2
K7
G6K-2F-RF-S-DC5
C120 10u
C121 100n
B23 BLM15AG121SN1D
AV5E
C122 4.7p
R114 22R
U21 ADA4817-1ACPZ-R7
FB
IN-
IN+
OUT
V-
NIC
EP
V+
PD#
±1.25V
R116 0R
R117 1R2
R118 25R
DV55
R119 10k
C123 100n
C124 10u
B24 BLM15AG121SN1D
AV5
K8
G6K-2F-RF-S-DC5
射频继电器: G6K-2F-RF-S-DC5
信号继电器: G6K-2F-Y-DC5
DC5V 237Ω 21.1mA
AV5
B25 BLM15AG121SN1D
C126 100n
U22 OPA189IDBVR
5,8 ADC2_VCM
ADC2_VCM
R12110R
R122 10R
B27
R120 25R
DV55
U23
NUD3105DMT1G
AIN4_RELAY1
AIN4_RELAY2
1 AIN4_RELAY1
1 AIN4_RELAY2
R124 TC0325B7503T5E
750k 0.1% 25ppm
C132 4.7p
1:4 ±5V量程
300k 0.1% 25ppm
R129 TC0325B2490T5E
249k 0.1% 25ppm
C135 10p
C136 SGC3S060NM
4:5衰减 ±1V
C127 10u
C129 100n
B26 BLM15AG121SN1D
AV5E
U24
ADA4932-1YCPZ-R7
C130 100n
C131 100n
BLM15AG121SN1D
AV5E
R125 160R
R126200R
R130200R
R133 160R
FB-
IN+
IN-
FB+
VS-
VOCM
OUT-
EP
OUT+
PD#
VS+
R12733R
C134 56p
R1280R
AIN4_IN-
AIN4_IN- 8
C137 2.2p
R13133R
C139 56p
R13210R
AIN4_IN+
AIN4_IN+ 8
56p 60MHz
100p 40MHz
RL1/2: 00 01 1x
±5 ±2.5V ±1.25V
1:2 ±2.5V量程
R136 RT0603BRD07499KL
499k 0.1% 25ppm
C141 12p
R140 RT0603BRD07499KL
499k 0.1% 25ppm
C143 6.8p
C144 SGC3S060NM
C140 100n
C142 10u
B28 BLM15AG121SN1D
AV5
R134 10k
R138 0R
R139 0R NC
AIN4_OFFSET
AIN4_OFFSET 12
AIN4_PD
AIN4_PD 1
R135 1k
R137 10k
Q4 MMBT4401LT1G
PD: 高电平PowerDown
VOD=(VI-VOS)*4/5
Title
<Title>
Size A4
Document Number <Doc>
Rev <RevCo
Date: Wednesday, August 05, 2020
Sheet 6 of 12



Title	<Title>		
Size A3	Document Number <Doc>		Rev <RevCode>
Date:	Wednesday, August 05, 2020	Sheet 7 of 12	



Title	<Title>	
Size A3	Document Number <Doc>	Rev <RevCode>
Date: Wednesday, August 05, 2020	Sheet 8 of 12	

Power:
THS3091 AV±12(11mA) 120mW*2
ADG5436 AV±12(80uA) 1mW

ADG1236: 475(625)R, 4.9pF, 1000MHz
ADG5436: 15(31)R, 85pF, 106MHz
Pin2Pin

VO=2*VIN-VOS



CON: 0 1

±1.25V/±2.5V ±5V/±10V



偏脚SMA

Title	<Title>	
Size A4	Document Number <Doc>	Rev <RevCode>
Date: Wednesday, August 05, 2020	Sheet 9 of 12	

Power:
THS3091 AV±12(11mA) 120mW*2
ADG5436 AV±12(80uA) 1mW

ADG1236: 475(625)R, 4.9pF, 1000MHz
ADG5436: 15(31)R,   85pF, 106MHz
Pin2Pin



Title	<Title>	
Size A4	Document Number <Doc>	Rev <RevCo
Date: Wednesday, August 05, 2020	Sheet 10 of 12	



Title <Title>

Size	Document Number	Rev
A3	<Doc>	<RevCode>

Date: Wednesday, August 05, 2020 Sheet 11 of 12



Title	<Title>		
Size A3	Document Number <Doc>		Rev <RevCode>
Date: Wednesday, August 05, 2020		Sheet 12 of 12	