

Procédure de export import données entre deux schémas

1) Exporter les données

```
expdp c##gaptest/gaptest24 schemas=c##gaptest directory=DATA_PUMP_DIR  
dumpfile=gaptest.dmp logfile=exp_gaptest.log
```

2) Désactiver les FKS dans le nouveau schéma après migration

```
BEGIN  
FOR c IN (  
  SELECT owner, table_name, constraint_name  
  FROM dba_constraints  
  WHERE owner='C##GAPPPREPRODTEST'  
  AND constraint_type='R'  
) LOOP  
  EXECUTE IMMEDIATE 'ALTER TABLE "' || c.owner || '"."' || c.table_name ||  
  '" DISABLE CONSTRAINT "' || c.constraint_name || '"';  
END LOOP;  
END;
```

3) Import des données de schéma C##GAPTEST vers schéma C##GAPPPREPRODTEST

```
impdp system/password directory=DATA_PUMP_DIR dumpfile=gaptest.dmp \  
remap_schema=C##GAPTEST:C##GAPPPREPRODTEST \  
content=data_only \  
table_exists_action=truncate \  
access_method=conventional \  
logfile=imp_gaptest_final.log
```

4) Réactiver les FKS dans le nouveau schéma après migration

```
BEGIN
FOR c IN (
  SELECT owner, table_name, constraint_name
  FROM dba_constraints
  WHERE owner='C##GAPPPREPRODTEST'
  AND constraint_type='R'
) LOOP
  EXECUTE IMMEDIATE 'ALTER TABLE "' || c.owner || '"."' || c.table_name || '
  ' ENABLE NOVALIDATE CONSTRAINT "' || c.constraint_name || '"';
END LOOP;
END;
```

5) mettre à jour les sequence généré par le système

```
ALTER TABLE C##GAPPPREPRODTEST."historiqueSousCategories"
  modify "Id" GENERATED AS IDENTITY ( START WITH LIMIT VALUE)
```