

Table 1: Mean Pooling vs. ROC Adjustments MCCs

	Random Control	Mean	Mean Reweighted	Mean ROC Adjustment
Membrane MCC	0.02 ± 0.00	0.72 ± 0.01	0.71 ± 0.00	0.72 ± 0.00
Cytoplasm MCC	0.02 ± 0.00	0.59 ± 0.00	0.59 ± 0.00	0.62 ± 0.00
Nucleus MCC	0.02 ± 0.00	0.65 ± 0.00	0.65 ± 0.00	0.66 ± 0.00
Extracellular MCC	-0.02 ± 0.00	0.86 ± 0.01	0.86 ± 0.01	0.89 ± 0.00
Cell membrane MCC	0.06 ± 0.00	0.66 ± 0.00	0.66 ± 0.00	0.68 ± 0.00
Mitochondrion MCC	0.00 ± 0.00	0.71 ± 0.00	0.71 ± 0.00	0.72 ± 0.00
Plastid MCC	-0.01 ± 0.00	0.85 ± 0.01	0.86 ± 0.01	0.88 ± 0.00
Endoplasmic reticulum MCC	-0.02 ± 0.00	0.50 ± 0.02	0.51 ± 0.01	0.52 ± 0.00
Lysosome/Vacuole MCC	-0.02 ± 0.00	0.26 ± 0.01	0.25 ± 0.01	0.39 ± 0.00
Golgi apparatus MCC	0.04 ± 0.00	0.48 ± 0.02	0.49 ± 0.03	0.58 ± 0.01
Peroxisome MCC	-0.00 ± 0.00	0.43 ± 0.00	0.43 ± 0.00	0.59 ± 0.00